

GazeboMessages

1.3.1

Generated by Doxygen 1.8.2

Fri Dec 14 2012 08:02:55

Contents

1	Gazebo Messages Reference	1
2	Class Index	3
2.1	Class List	3
3	File Index	7
3.1	File List	7
4	Class Documentation	9
4.1	Axis Interface Reference	9
4.1.1	Detailed Description	9
4.2	BoxGeom Interface Reference	9
4.2.1	Detailed Description	9
4.3	CameraSensor Interface Reference	9
4.3.1	Detailed Description	9
4.4	Collision Interface Reference	10
4.4.1	Detailed Description	10
4.5	Color Interface Reference	10
4.5.1	Detailed Description	10
4.6	Contact Interface Reference	10
4.6.1	Detailed Description	10
4.7	Contacts Interface Reference	10
4.7.1	Detailed Description	11
4.8	ContactSensor Interface Reference	11
4.8.1	Detailed Description	11
4.9	CylinderGeom Interface Reference	11
4.9.1	Detailed Description	11
4.10	Entities Interface Reference	11
4.10.1	Detailed Description	11

4.11	Factory Interface Reference	11
4.11.1	Detailed Description	12
4.12	Fog Interface Reference	12
4.12.1	Detailed Description	12
4.13	Frction Interface Reference	12
4.13.1	Detailed Description	12
4.14	Geometry Interface Reference	12
4.14.1	Detailed Description	12
4.15	GUI Interface Reference	12
4.15.1	Detailed Description	13
4.16	GUICamera Interface Reference	13
4.16.1	Detailed Description	13
4.17	GUIOverlayConfig Interface Reference	13
4.17.1	Detailed Description	13
4.18	GzString Interface Reference	13
4.18.1	Detailed Description	13
4.19	GzString_V Interface Reference	13
4.19.1	Detailed Description	14
4.20	Header Interface Reference	14
4.20.1	Detailed Description	14
4.21	HeightmapGeom Interface Reference	14
4.21.1	Detailed Description	14
4.22	Image Interface Reference	14
4.22.1	Detailed Description	14
4.23	ImageGeom Interface Reference	14
4.23.1	Detailed Description	15
4.24	ImageStamped Interface Reference	15
4.24.1	Detailed Description	15
4.25	IMU Interface Reference	15
4.25.1	Detailed Description	15
4.26	Inertial Interface Reference	15
4.26.1	Detailed Description	15
4.27	Int Interface Reference	15
4.27.1	Detailed Description	16
4.28	Joint Interface Reference	16
4.28.1	Detailed Description	16
4.29	JointAnimation Interface Reference	16

4.29.1 Detailed Description	16
4.30 JointCmd Interface Reference	16
4.30.1 Detailed Description	16
4.31 LaserScan Interface Reference	17
4.31.1 Detailed Description	17
4.32 Light Interface Reference	17
4.32.1 Detailed Description	17
4.33 Link Interface Reference	17
4.33.1 Detailed Description	17
4.34 Material Interface Reference	17
4.34.1 Detailed Description	17
4.35 MeshGeom Interface Reference	18
4.35.1 Detailed Description	18
4.36 Model Interface Reference	18
4.36.1 Detailed Description	18
4.37 ModelConfiguration Interface Reference	18
4.37.1 Detailed Description	18
4.38 Packet Interface Reference	18
4.38.1 Detailed Description	18
4.39 Physics Interface Reference	19
4.39.1 Detailed Description	19
4.40 PID Interface Reference	19
4.40.1 Detailed Description	19
4.41 PlaneGeom Interface Reference	19
4.41.1 Detailed Description	19
4.42 Plugin Interface Reference	19
4.42.1 Detailed Description	19
4.43 Pose Interface Reference	20
4.43.1 Detailed Description	20
4.44 PoseAnimation Interface Reference	20
4.44.1 Detailed Description	20
4.45 PoseStamped Interface Reference	20
4.45.1 Detailed Description	20
4.46 PoseTrajectory Interface Reference	20
4.46.1 Detailed Description	20
4.47 Projector Interface Reference	21
4.47.1 Detailed Description	21

4.48 Publish Interface Reference	21
4.48.1 Detailed Description	21
4.49 Publishers Interface Reference	21
4.49.1 Detailed Description	21
4.50 Quaternion Interface Reference	21
4.50.1 Detailed Description	21
4.51 RaySensor Interface Reference	22
4.51.1 Detailed Description	22
4.52 Request Interface Reference	22
4.52.1 Detailed Description	22
4.53 Response Interface Reference	22
4.53.1 Detailed Description	22
4.54 Road Interface Reference	22
4.54.1 Detailed Description	22
4.55 Scene Interface Reference	23
4.55.1 Detailed Description	23
4.56 Selection Interface Reference	23
4.56.1 Detailed Description	23
4.57 Sensor Interface Reference	23
4.57.1 Detailed Description	23
4.58 ServerControl Interface Reference	23
4.58.1 Detailed Description	23
4.59 Shadows Interface Reference	24
4.59.1 Detailed Description	24
4.60 Sky Interface Reference	24
4.60.1 Detailed Description	24
4.61 SphereGeom Interface Reference	24
4.61.1 Detailed Description	24
4.62 Subscribe Interface Reference	24
4.62.1 Detailed Description	24
4.63 Surface Interface Reference	25
4.63.1 Detailed Description	25
4.64 Test Interface Reference	25
4.64.1 Detailed Description	25
4.65 Time Interface Reference	25
4.65.1 Detailed Description	25
4.66 TopicInfo Interface Reference	25

4.66.1 Detailed Description	25
4.67 Trackvisual Interface Reference	26
4.67.1 Detailed Description	26
4.68 Vector2d Interface Reference	26
4.68.1 Detailed Description	26
4.69 Vector3d Interface Reference	26
4.69.1 Detailed Description	26
4.70 Visual Interface Reference	26
4.70.1 Detailed Description	26
4.71 WorldControl Interface Reference	27
4.71.1 Detailed Description	27
4.72 WorldModify Interface Reference	27
4.72.1 Detailed Description	27
4.73 WorldReset Interface Reference	27
4.73.1 Detailed Description	27
4.74 WorldStatistics Interface Reference	27
4.74.1 Detailed Description	27
5 File Documentation	29
5.1 axis.proto File Reference	29
5.1.1 Variable Documentation	29
5.1.1.1 Axis	29
5.1.1.2 damping	29
5.1.1.3 friction	29
5.1.1.4 limit_effort	29
5.1.1.5 limit_lower	29
5.1.1.6 limit_upper	29
5.1.1.7 limit_velocity	29
5.1.1.8 msgs	30
5.1.1.9 proto	30
5.2 boxgeom.proto File Reference	30
5.2.1 Variable Documentation	30
5.2.1.1 BoxGeom	30
5.2.1.2 msgs	30
5.2.1.3 proto	30
5.3 camerasensor.proto File Reference	30
5.3.1 Variable Documentation	30

5.3.1.1	CameraSensor	30
5.3.1.2	far_clip	31
5.3.1.3	image_format	31
5.3.1.4	image_size	31
5.3.1.5	msgs	31
5.3.1.6	near_clip	31
5.3.1.7	proto	31
5.3.1.8	save_enabled	31
5.3.1.9	save_path	31
5.4	collision.proto File Reference	31
5.4.1	Variable Documentation	31
5.4.1.1	Collision	31
5.4.1.2	geometry	31
5.4.1.3	laser_retro	31
5.4.1.4	max_contacts	31
5.4.1.5	msgs	31
5.4.1.6	name	31
5.4.1.7	pose	32
5.4.1.8	proto	32
5.4.1.9	surface	32
5.4.1.10	visual	32
5.5	color.proto File Reference	32
5.5.1	Variable Documentation	32
5.5.1.1	a	32
5.5.1.2	b	32
5.5.1.3	Color	32
5.5.1.4	g	32
5.5.1.5	msgs	32
5.6	contact.proto File Reference	32
5.6.1	Variable Documentation	33
5.6.1.1	collision2	33
5.6.1.2	Contact	33
5.6.1.3	depth	33
5.6.1.4	msgs	33
5.6.1.5	normal	33
5.6.1.6	position	33
5.6.1.7	proto	33

5.6.1.8	time	33
5.6.1.9	wrench	33
5.7	contacts.proto File Reference	33
5.7.1	Variable Documentation	33
5.7.1.1	Contacts	33
5.7.1.2	msgs	33
5.7.1.3	proto	33
5.7.1.4	time	33
5.8	contactsensor.proto File Reference	34
5.8.1	Variable Documentation	34
5.8.1.1	ContactSensor	34
5.8.1.2	msgs	34
5.9	cylindergeom.proto File Reference	34
5.9.1	Variable Documentation	34
5.9.1.1	CylinderGeom	34
5.9.1.2	length	34
5.9.1.3	msgs	34
5.10	factory.proto File Reference	34
5.10.1	Variable Documentation	35
5.10.1.1	clone_model_name	35
5.10.1.2	edit_name	35
5.10.1.3	Factory	35
5.10.1.4	msgs	35
5.10.1.5	pose	35
5.10.1.6	proto	35
5.10.1.7	sdf_filename	35
5.11	fog.proto File Reference	35
5.11.1	Variable Documentation	35
5.11.1.1	color	35
5.11.1.2	density	35
5.11.1.3	end	35
5.11.1.4	Fog	35
5.11.1.5	msgs	36
5.11.1.6	proto	36
5.11.1.7	start	36
5.12	friction.proto File Reference	36
5.12.1	Variable Documentation	36

5.12.1.1	fdir1	36
5.12.1.2	Friction	36
5.12.1.3	msgs	36
5.12.1.4	mu2	36
5.12.1.5	proto	36
5.12.1.6	slip1	36
5.12.1.7	slip2	36
5.13	geometry.proto File Reference	36
5.13.1	Variable Documentation	37
5.13.1.1	box	37
5.13.1.2	cylinder	37
5.13.1.3	Geometry	37
5.13.1.4	heightmap	37
5.13.1.5	image	37
5.13.1.6	mesh	37
5.13.1.7	msgs	37
5.13.1.8	plane	37
5.13.1.9	points	37
5.13.1.10	proto	37
5.13.1.11	sphere	38
5.14	gui.proto File Reference	38
5.14.1	Variable Documentation	38
5.14.1.1	camera	38
5.14.1.2	GUI	38
5.14.1.3	msgs	38
5.14.1.4	proto	38
5.15	gui_camera.proto File Reference	38
5.15.1	Variable Documentation	38
5.15.1.1	GUICamera	38
5.15.1.2	msgs	39
5.15.1.3	pose	39
5.15.1.4	proto	39
5.15.1.5	track	39
5.15.1.6	view_controller	39
5.16	gui_overlay_config.proto File Reference	39
5.16.1	Variable Documentation	39
5.16.1.1	GUIOverlayConfig	39

5.16.1.2	msgs	39
5.17	gz_string.proto File Reference	39
5.17.1	Variable Documentation	39
5.17.1.1	GzString	39
5.17.1.2	msgs	40
5.18	gz_string_v.proto File Reference	40
5.18.1	Variable Documentation	40
5.18.1.1	GzString_V	40
5.18.1.2	msgs	40
5.19	header.proto File Reference	40
5.19.1	Variable Documentation	40
5.19.1.1	Header	40
5.19.1.2	index	40
5.19.1.3	msgs	40
5.19.1.4	proto	40
5.19.1.5	stamp	40
5.20	heightmapgeom.proto File Reference	41
5.20.1	Variable Documentation	41
5.20.1.1	Blend	41
5.20.1.2	blend	41
5.20.1.3	fade_dist	41
5.20.1.4	HeightmapGeom	41
5.20.1.5	msgs	41
5.20.1.6	normal	41
5.20.1.7	origin	41
5.20.1.8	proto	41
5.20.1.9	size	41
5.20.1.10	Texture	41
5.20.1.11	texture	42
5.21	image.proto File Reference	42
5.21.1	Variable Documentation	42
5.21.1.1	data	42
5.21.1.2	height	42
5.21.1.3	Image	42
5.21.1.4	msgs	42
5.21.1.5	pixel_format	42
5.21.1.6	step	42

5.22	image_stamped.proto File Reference	42
5.22.1	Variable Documentation	42
5.22.1.1	image	42
5.22.1.2	ImageStamped	42
5.22.1.3	msgs	43
5.22.1.4	proto	43
5.23	imagegeom.proto File Reference	43
5.23.1	Variable Documentation	43
5.23.1.1	granularity	43
5.23.1.2	height	43
5.23.1.3	ImageGeom	43
5.23.1.4	msgs	43
5.23.1.5	scale	43
5.23.1.6	threshold	43
5.24	imu.proto File Reference	43
5.24.1	Variable Documentation	44
5.24.1.1	angular_velocity	44
5.24.1.2	entity_name	44
5.24.1.3	IMU	44
5.24.1.4	linear_acceleration	44
5.24.1.5	msgs	44
5.24.1.6	orientation	44
5.24.1.7	proto	44
5.25	inertial.proto File Reference	44
5.25.1	Variable Documentation	44
5.25.1.1	Inertial	44
5.25.1.2	ixx	45
5.25.1.3	ixy	45
5.25.1.4	ixz	45
5.25.1.5	iyy	45
5.25.1.6	iyz	45
5.25.1.7	izz	45
5.25.1.8	msgs	45
5.25.1.9	pose	45
5.25.1.10	proto	45
5.26	int.proto File Reference	45
5.26.1	Variable Documentation	45

5.26.1.1	Int	45
5.26.1.2	msgs	45
5.27	joint.proto File Reference	45
5.27.1	Variable Documentation	46
5.27.1.1	angle	46
5.27.1.2	axis1	46
5.27.1.3	axis2	46
5.27.1.4	bounce	46
5.27.1.5	cfm	46
5.27.1.6	child	46
5.27.1.7	fudge_factor	46
5.27.1.8	Joint	46
5.27.1.9	limit_cfm	46
5.27.1.10	limit_erp	46
5.27.1.11	msgs	46
5.27.1.12	parent	46
5.27.1.13	pose	46
5.27.1.14	proto	47
5.27.1.15	suspension_cfm	47
5.27.1.16	suspension_erp	47
5.27.1.17	type	47
5.27.1.18	velocity	47
5.28	joint_animation.proto File Reference	47
5.28.1	Variable Documentation	47
5.28.1.1	joint	47
5.28.1.2	JointAnimation	47
5.28.1.3	msgs	47
5.28.1.4	proto	47
5.28.1.5	time	47
5.29	joint_cmd.proto File Reference	47
5.29.1	Variable Documentation	48
5.29.1.1	axis	48
5.29.1.2	force	48
5.29.1.3	JointCmd	48
5.29.1.4	msgs	48
5.29.1.5	position	48
5.29.1.6	proto	48

5.29.1.7	reset	48
5.29.1.8	velocity	48
5.30	joint_wrench.proto File Reference	48
5.30.1	Variable Documentation	48
5.30.1.1	body_1_force	48
5.30.1.2	body_1_torque	48
5.30.1.3	body_2_force	48
5.30.1.4	body_2_name	49
5.30.1.5	body_2_torque	49
5.30.1.6	JointWrench	49
5.30.1.7	msgs	49
5.30.1.8	proto	49
5.31	laserscan.proto File Reference	49
5.31.1	Variable Documentation	49
5.31.1.1	angle_max	49
5.31.1.2	angle_min	49
5.31.1.3	angle_step	49
5.31.1.4	intensities	49
5.31.1.5	LaserScan	49
5.31.1.6	msgs	50
5.31.1.7	proto	50
5.31.1.8	range_max	50
5.31.1.9	range_min	50
5.31.1.10	ranges	50
5.31.1.11	world_pose	50
5.32	light.proto File Reference	50
5.32.1	Enumeration Type Documentation	50
5.32.1.1	LightType	50
5.32.2	Variable Documentation	50
5.32.2.1	attenuation_constant	50
5.32.2.2	attenuation_linear	51
5.32.2.3	attenuation_quadratic	51
5.32.2.4	cast_shadows	51
5.32.2.5	diffuse	51
5.32.2.6	direction	51
5.32.2.7	Light	51
5.32.2.8	msgs	51

5.32.2.9	pose	51
5.32.2.10	proto	51
5.32.2.11	range	51
5.32.2.12	specular	51
5.32.2.13	spot_falloff	51
5.32.2.14	spot_inner_angle	51
5.32.2.15	spot_outer_angle	51
5.32.2.16	type	51
5.33	link.proto File Reference	51
5.33.1	Variable Documentation	52
5.33.1.1	collision	52
5.33.1.2	enabled	52
5.33.1.3	gravity	52
5.33.1.4	inertial	52
5.33.1.5	kinematic	52
5.33.1.6	Link	52
5.33.1.7	msgs	52
5.33.1.8	name	52
5.33.1.9	pose	52
5.33.1.10	projector	52
5.33.1.11	proto	52
5.33.1.12	self_collide	52
5.33.1.13	sensor	52
5.33.1.14	visual	52
5.34	mainpage_msgs.html File Reference	52
5.35	material.proto File Reference	52
5.35.1	Variable Documentation	53
5.35.1.1	ambient	53
5.35.1.2	diffuse	53
5.35.1.3	emissive	53
5.35.1.4	Material	53
5.35.1.5	msgs	53
5.35.1.6	normal_map	53
5.35.1.7	proto	53
5.35.1.8	shader_type	53
5.35.1.9	specular	53
5.36	meshgeom.proto File Reference	53

5.36.1	Variable Documentation	54
5.36.1.1	MeshGeom	54
5.36.1.2	msgs	54
5.36.1.3	proto	54
5.36.1.4	scale	54
5.37	model.proto File Reference	54
5.37.1	Variable Documentation	54
5.37.1.1	deleted	54
5.37.1.2	id	54
5.37.1.3	is_static	54
5.37.1.4	joint	54
5.37.1.5	link	54
5.37.1.6	Model	54
5.37.1.7	msgs	55
5.37.1.8	pose	55
5.37.1.9	proto	55
5.37.1.10	visual	55
5.38	model_configuration.proto File Reference	55
5.38.1	Variable Documentation	55
5.38.1.1	joint_names	55
5.38.1.2	joint_positions	55
5.38.1.3	link_name	55
5.38.1.4	ModelConfiguration	55
5.38.1.5	msgs	55
5.38.1.6	pose	55
5.38.1.7	proto	55
5.39	model_v.proto File Reference	55
5.39.1	Variable Documentation	56
5.39.1.1	Model_V	56
5.39.1.2	msgs	56
5.39.1.3	proto	56
5.40	packet.proto File Reference	56
5.40.1	Variable Documentation	56
5.40.1.1	msgs	56
5.40.1.2	Packet	56
5.40.1.3	proto	56
5.40.1.4	serialized_data	56

5.40.1.5	type	56
5.41	physics.proto File Reference	56
5.41.1	Variable Documentation	57
5.41.1.1	cfm	57
5.41.1.2	contact_max_correcting_vel	57
5.41.1.3	contact_surface_layer	57
5.41.1.4	dt	57
5.41.1.5	erp	57
5.41.1.6	gravity	57
5.41.1.7	iters	57
5.41.1.8	msgs	57
5.41.1.9	Physics	57
5.41.1.10	proto	57
5.41.1.11	solver_type	57
5.41.1.12	sor	57
5.41.1.13	update_rate	57
5.42	pid.proto File Reference	57
5.42.1	Variable Documentation	58
5.42.1.1	d_gain	58
5.42.1.2	i_gain	58
5.42.1.3	i_max	58
5.42.1.4	i_min	58
5.42.1.5	limit	58
5.42.1.6	msgs	58
5.42.1.7	p_gain	58
5.42.1.8	PID	58
5.43	planegeom.proto File Reference	58
5.43.1	Variable Documentation	58
5.43.1.1	d	58
5.43.1.2	msgs	58
5.43.1.3	PlaneGeom	58
5.43.1.4	proto	59
5.43.1.5	size	59
5.44	plugin.proto File Reference	59
5.44.1	Variable Documentation	59
5.44.1.1	filename	59
5.44.1.2	msgs	59

5.44.1.3	Plugin	59
5.45	pose.proto File Reference	59
5.45.1	Variable Documentation	59
5.45.1.1	msgs	59
5.45.1.2	orientation	59
5.45.1.3	Pose	59
5.45.1.4	position	60
5.45.1.5	proto	60
5.46	pose_animation.proto File Reference	60
5.46.1	Variable Documentation	60
5.46.1.1	msgs	60
5.46.1.2	pose	60
5.46.1.3	PoseAnimation	60
5.46.1.4	proto	60
5.46.1.5	time	60
5.47	pose_stamped.proto File Reference	60
5.47.1	Variable Documentation	60
5.47.1.1	msgs	60
5.47.1.2	pose	60
5.47.1.3	PoseStamped	60
5.47.1.4	proto	61
5.48	pose_trajectory.proto File Reference	61
5.48.1	Variable Documentation	61
5.48.1.1	id	61
5.48.1.2	msgs	61
5.48.1.3	pose_stamped	61
5.48.1.4	PoseTrajectory	61
5.48.1.5	proto	61
5.49	projector.proto File Reference	61
5.49.1	Variable Documentation	62
5.49.1.1	enabled	62
5.49.1.2	far_clip	62
5.49.1.3	fov	62
5.49.1.4	msgs	62
5.49.1.5	near_clip	62
5.49.1.6	pose	62
5.49.1.7	Projector	62

5.49.1.8	proto	62
5.49.1.9	texture	62
5.50	publish.proto File Reference	62
5.50.1	Variable Documentation	62
5.50.1.1	host	62
5.50.1.2	msg_type	62
5.50.1.3	msgs	62
5.50.1.4	port	62
5.50.1.5	Publish	62
5.51	publishers.proto File Reference	63
5.51.1	Variable Documentation	63
5.51.1.1	msgs	63
5.51.1.2	proto	63
5.51.1.3	Publishers	63
5.52	quaternion.proto File Reference	63
5.52.1	Variable Documentation	63
5.52.1.1	msgs	63
5.52.1.2	Quaternion	63
5.52.1.3	w	63
5.52.1.4	y	63
5.52.1.5	z	63
5.53	raysensor.proto File Reference	64
5.53.1	Variable Documentation	64
5.53.1.1	horizontal_max_angle	64
5.53.1.2	horizontal_min_angle	64
5.53.1.3	horizontal_resolution	64
5.53.1.4	horizontal_samples	64
5.53.1.5	msgs	64
5.53.1.6	range_max	64
5.53.1.7	range_min	64
5.53.1.8	range_resolution	64
5.53.1.9	RaySensor	64
5.53.1.10	vertical_max_angle	64
5.53.1.11	vertical_min_angle	64
5.53.1.12	vertical_resolution	64
5.53.1.13	vertical_samples	64
5.54	request.proto File Reference	65

5.54.1	Variable Documentation	65
5.54.1.1	data	65
5.54.1.2	dbl_data	65
5.54.1.3	msgs	65
5.54.1.4	Request	65
5.54.1.5	request	65
5.55	response.proto File Reference	65
5.55.1	Variable Documentation	65
5.55.1.1	msgs	65
5.55.1.2	request	65
5.55.1.3	Response	65
5.55.1.4	response	66
5.55.1.5	serialized_data	66
5.55.1.6	type	66
5.56	road.proto File Reference	66
5.56.1	Variable Documentation	66
5.56.1.1	msgs	66
5.56.1.2	point	66
5.56.1.3	proto	66
5.56.1.4	Road	66
5.56.1.5	width	66
5.57	scene.proto File Reference	66
5.57.1	Variable Documentation	67
5.57.1.1	ambient	67
5.57.1.2	background	67
5.57.1.3	fog	67
5.57.1.4	grid	67
5.57.1.5	joint	67
5.57.1.6	light	67
5.57.1.7	model	67
5.57.1.8	msgs	67
5.57.1.9	proto	67
5.57.1.10	Scene	67
5.57.1.11	shadows	67
5.57.1.12	sky	67
5.58	selection.proto File Reference	67
5.58.1	Variable Documentation	67

5.58.1.1	msgs	67
5.58.1.2	name	67
5.58.1.3	proto	67
5.58.1.4	selected	68
5.58.1.5	Selection	68
5.59	sensor.proto File Reference	68
5.59.1	Variable Documentation	68
5.59.1.1	always_on	68
5.59.1.2	camera	68
5.59.1.3	contact	68
5.59.1.4	msgs	68
5.59.1.5	parent	68
5.59.1.6	pose	68
5.59.1.7	proto	68
5.59.1.8	ray	68
5.59.1.9	Sensor	68
5.59.1.10	topic	69
5.59.1.11	type	69
5.59.1.12	update_rate	69
5.59.1.13	visualize	69
5.60	server_control.proto File Reference	69
5.60.1	Variable Documentation	69
5.60.1.1	msgs	69
5.60.1.2	new_world	69
5.60.1.3	open_filename	69
5.60.1.4	proto	69
5.60.1.5	save_filename	69
5.60.1.6	ServerControl	69
5.61	shadows.proto File Reference	69
5.61.1	Variable Documentation	70
5.61.1.1	color	70
5.61.1.2	msgs	70
5.61.1.3	proto	70
5.61.1.4	Shadows	70
5.62	sky.proto File Reference	70
5.62.1	Variable Documentation	70
5.62.1.1	cloud_ambient	70

5.62.1.2	humidity	70
5.62.1.3	mean_cloud_size	70
5.62.1.4	msgs	70
5.62.1.5	proto	70
5.62.1.6	Sky	70
5.62.1.7	sunrise	71
5.62.1.8	sunset	71
5.62.1.9	wind_direction	71
5.62.1.10	wind_speed	71
5.63	spheregeom.proto File Reference	71
5.63.1	Variable Documentation	71
5.63.1.1	msgs	71
5.63.1.2	SphereGeom	71
5.64	subscribe.proto File Reference	71
5.64.1	Variable Documentation	71
5.64.1.1	host	71
5.64.1.2	latching	71
5.64.1.3	msg_type	71
5.64.1.4	msgs	72
5.64.1.5	port	72
5.64.1.6	Subscribe	72
5.65	surface.proto File Reference	72
5.65.1	Variable Documentation	72
5.65.1.1	bounce_threshold	72
5.65.1.2	kd	72
5.65.1.3	kp	72
5.65.1.4	max_vel	72
5.65.1.5	min_depth	72
5.65.1.6	msgs	72
5.65.1.7	proto	72
5.65.1.8	restitution_coefficient	72
5.65.1.9	soft_cfm	72
5.65.1.10	soft_erp	72
5.65.1.11	Surface	73
5.66	test.proto File Reference	73
5.66.1	Variable Documentation	73
5.66.1.1	msgs	73

5.66.1.2	proto	73
5.66.1.3	Test	73
5.67	time.proto File Reference	73
5.67.1	Variable Documentation	73
5.67.1.1	msgs	73
5.67.1.2	nsec	73
5.67.1.3	Time	73
5.68	topic_info.proto File Reference	74
5.68.1	Variable Documentation	74
5.68.1.1	msgs	74
5.68.1.2	proto	74
5.68.1.3	publisher	74
5.68.1.4	subscriber	74
5.68.1.5	TopicInfo	74
5.69	track_visual.proto File Reference	74
5.69.1	Variable Documentation	74
5.69.1.1	inherit_orientation	74
5.69.1.2	max_dist	74
5.69.1.3	min_dist	74
5.69.1.4	msgs	74
5.69.1.5	TrackVisual	74
5.70	vector2d.proto File Reference	75
5.70.1	Variable Documentation	75
5.70.1.1	msgs	75
5.70.1.2	proto	75
5.70.1.3	Vector2d	75
5.70.1.4	y	75
5.71	vector3d.proto File Reference	75
5.71.1	Variable Documentation	75
5.71.1.1	msgs	75
5.71.1.2	proto	75
5.71.1.3	Vector3d	75
5.71.1.4	y	76
5.71.1.5	z	76
5.72	visual.proto File Reference	76
5.72.1	Variable Documentation	76
5.72.1.1	cast_shadows	76

5.72.1.2	delete_me	76
5.72.1.3	geometry	76
5.72.1.4	is_static	76
5.72.1.5	laser_retro	76
5.72.1.6	material	76
5.72.1.7	msgs	76
5.72.1.8	parent_name	76
5.72.1.9	plugin	76
5.72.1.10	pose	76
5.72.1.11	proto	76
5.72.1.12	transparency	76
5.72.1.13	visible	76
5.72.1.14	Visual	77
5.73	world_control.proto File Reference	77
5.73.1	Variable Documentation	77
5.73.1.1	msgs	77
5.73.1.2	proto	77
5.73.1.3	reset	77
5.73.1.4	step	77
5.73.1.5	WorldControl	77
5.74	world_modify.proto File Reference	77
5.74.1	Variable Documentation	77
5.74.1.1	create	77
5.74.1.2	msgs	77
5.74.1.3	remove	78
5.74.1.4	WorldModify	78
5.75	world_reset.proto File Reference	78
5.75.1	Variable Documentation	78
5.75.1.1	model_only	78
5.75.1.2	msgs	78
5.75.1.3	proto	78
5.75.1.4	time_only	78
5.75.1.5	WorldReset	78
5.76	world_stats.proto File Reference	78
5.76.1	Variable Documentation	79
5.76.1.1	model_count	79
5.76.1.2	msgs	79

5.76.1.3	pause_time	79
5.76.1.4	paused	79
5.76.1.5	proto	79
5.76.1.6	real_time	79
5.76.1.7	WorldStatistics	79

Index

Chapter 1

Gazebo Messages Reference

Gazebo uses Google Protobufs for message specification and serialization.

Messages Definitions

Chapter 2

Class Index

2.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

Axis		
	Msgs::Joint axis message	9
BoxGeom		
	Information about a box geometry	9
CameraSensor		
	Information about a camera sensor element	9
Collision		
	Information about a collision element	10
Color		
	Color (p. 10) message	10
Contact		
	Contact (p. 10) message for passing info between two entities	10
Contacts		
	Contacts (p. 10) from collision detection	10
ContactSensor		
	Information about a contact sensor element	11
CylinderGeom		
	Information about a cylinder geometry	11
Entities		
	Information about all entities in a world	11
Factory		
	Message to create new model in gazebo	11
Fog		
	Message for fog data	12
Frction		
	Information about friction	12
Geometry		
	Information about a geometry element	12
GUI		
	Message for a GUI (p. 12)	12
GUICamera		
	Message for a GUI (p. 12) Camera	13
GUIOverlayConfig		
	Message for a gui overlay configuration	13

GzString	A message for string data	13
GzString_V	A message for a vector of string data	13
Header	General information included by many messages	14
HeightmapGeom	Message for a heightmap geometry	14
Image	Message for an image	14
ImageGeom	Message for a image geometry	14
ImageStamped	Message for an image with a time	15
IMU	Data from an IMU (p. 15) sensor	15
Inertial	Information about inertia	15
Int	Integer message	15
Joint	Message for creating joint in rendering::Scene	16
JointAnimation	Message for a model joint animation, does not appear to be used	16
JointCmd	Message for joint command, used by physics::JointControlWidget	16
LaserScan	Data from a laser scan	17
Light	Message for a light	17
Link	Information about a link	17
Material	Information about a material	17
MeshGeom	Message for a mesh geometry	18
Model	Information about a model	18
ModelConfiguration	Message for model configuration (joint positions)	18
Packet	Message that encapsulates another message with a type description	18
Physics	A message containing a description of the global physics properties	19
PID	Message for simple PID (p. 19) controllers	19
PlaneGeom	Message for a plane geometry	19
Plugin	A message containing visual information for gazebo::Plugin	19
Pose	Message for a pose	20
PoseAnimation	Message for a model pose animation	20

PoseStamped	
Message for a pose with a time	20
PoseTrajectory	
Message for a pose trajectory	20
Projector	
Information about a projector	21
Publish	
Message that contains information about a publisher of data	21
Publishers	
A list of publishers	21
Quaternion	
A message for a quaternion	21
RaySensor	
Information about a ray sensor element	22
Request	
A message containing a string request	22
Response	
Message that encapsulates a respons message with a type description	22
Road	
Message for a road	22
Scene	
A message containing a description of a scene	23
Selection	
A message for GUI (p. 12) selection data	23
Sensor	
Information about a sensor element	23
ServerControl	
A message that allows for control of the server functions	23
Shadows	
A message for shadow data	24
Sky	
Information about the sky	24
SphereGeom	
Information about a sphere geometry	24
Subscribe	
A message for subscription data	24
Surface	
Information about a surface element	25
Test	
A test message	25
Time	
A message for time data	25
TopicInfo	
A message for topic information	25
Trackvisual	
Message for a trackking a rendering::Visual with a rendering::Camera	26
Vector2d	
Message for a vector2 double	26
Vector3d	
Message for a vector3 double	26
Visual	
A message containing visual information for rendering::Visual	26
WorldControl	
A message that allows for control of world functions	27

WorldModify	
A message that allows for modifying (open, close) worlds	27
WorldReset	
A message that controls how the world is reset	27
WorldStatistics	
A message statistics about a world	27

Chapter 3

File Index

3.1 File List

Here is a list of all files with brief descriptions:

axis.proto	29
boxgeom.proto	30
camerasensor.proto	30
collision.proto	31
color.proto	32
contact.proto	32
contacts.proto	33
contactsensor.proto	34
cylindergeom.proto	34
factory.proto	34
fog.proto	35
friction.proto	36
geometry.proto	36
gui.proto	38
gui_camera.proto	38
gui_overlay_config.proto	39
gz_string.proto	39
gz_string_v.proto	40
header.proto	40
heightmapgeom.proto	41
image.proto	42
image_stamped.proto	42
imagegeom.proto	43
imu.proto	43
inertial.proto	44
int.proto	45
joint.proto	45
joint_animation.proto	47
joint_cmd.proto	47
joint_wrench.proto	48
laserscan.proto	49
light.proto	50
link.proto	51
mainpage_msgs.html	52

material.proto	52
meshgeom.proto	53
model.proto	54
model_configuration.proto	55
model_v.proto	55
packet.proto	56
physics.proto	56
pid.proto	57
planegeom.proto	58
plugin.proto	59
pose.proto	59
pose_animation.proto	60
pose_stamped.proto	60
pose_trajectory.proto	61
projector.proto	61
publish.proto	62
publishers.proto	63
quaternion.proto	63
raysensor.proto	64
request.proto	65
response.proto	65
road.proto	66
scene.proto	66
selection.proto	67
sensor.proto	68
server_control.proto	69
shadows.proto	69
sky.proto	70
spheregeom.proto	71
subscribe.proto	71
surface.proto	72
test.proto	73
time.proto	73
topic_info.proto	74
track_visual.proto	74
vector2d.proto	75
vector3d.proto	75
visual.proto	76
world_control.proto	77
world_modify.proto	77
world_reset.proto	78
world_stats.proto	78

Chapter 4

Class Documentation

4.1 Axis Interface Reference

msgs::Joint axis message

4.1.1 Detailed Description

msgs::Joint axis message

The documentation for this interface was generated from the following file:

- **axis.proto**

4.2 BoxGeom Interface Reference

Information about a box geometry.

4.2.1 Detailed Description

Information about a box geometry.

The documentation for this interface was generated from the following file:

- **boxgeom.proto**

4.3 CameraSensor Interface Reference

Information about a camera sensor element.

4.3.1 Detailed Description

Information about a camera sensor element.

The documentation for this interface was generated from the following file:

- **camerasensor.proto**

4.4 Collision Interface Reference

Information about a collision element.

4.4.1 Detailed Description

Information about a collision element.

The documentation for this interface was generated from the following file:

- **collision.proto**

4.5 Color Interface Reference

Color (p. 10) message.

4.5.1 Detailed Description

Color (p. 10) message.

The documentation for this interface was generated from the following file:

- **color.proto**

4.6 Contact Interface Reference

Contact (p. 10) message for passing info between two entities.

4.6.1 Detailed Description

Contact (p. 10) message for passing info between two entities.

The documentation for this interface was generated from the following file:

- **contact.proto**

4.7 Contacts Interface Reference

Contacts (p. 10) from collision detection.

4.7.1 Detailed Description

Contacts (p. 10) from collision detection.

The documentation for this interface was generated from the following file:

- **contacts.proto**

4.8 ContactSensor Interface Reference

Information about a contact sensor element.

4.8.1 Detailed Description

Information about a contact sensor element.

The documentation for this interface was generated from the following file:

- **contactsensor.proto**

4.9 CylinderGeom Interface Reference

Information about a cylinder geometry.

4.9.1 Detailed Description

Information about a cylinder geometry.

The documentation for this interface was generated from the following file:

- **cylindergeom.proto**

4.10 Entities Interface Reference

Information about all entities in a world.

4.10.1 Detailed Description

Information about all entities in a world.

The documentation for this interface was generated from the following file:

- **model_v.proto**

4.11 Factory Interface Reference

Message to create new model in gazebo.

4.11.1 Detailed Description

Message to create new model in gazebo.

The documentation for this interface was generated from the following file:

- **factory.proto**

4.12 Fog Interface Reference

Message for fog data.

4.12.1 Detailed Description

Message for fog data.

The documentation for this interface was generated from the following file:

- **fog.proto**

4.13 Frction Interface Reference

Information about friction.

4.13.1 Detailed Description

Information about friction.

The documentation for this interface was generated from the following file:

- **friction.proto**

4.14 Geometry Interface Reference

Information about a geometry element.

4.14.1 Detailed Description

Information about a geometry element.

The documentation for this interface was generated from the following file:

- **geometry.proto**

4.15 GUI Interface Reference

Message for a **GUI** (p. 12).

4.15.1 Detailed Description

Message for a **GUI** (p. 12).

The documentation for this interface was generated from the following file:

- **gui.proto**

4.16 GUICamera Interface Reference

Message for a **GUI** (p. 12) Camera.

4.16.1 Detailed Description

Message for a **GUI** (p. 12) Camera.

The documentation for this interface was generated from the following file:

- **gui_camera.proto**

4.17 GUIOverlayConfig Interface Reference

Message for a gui overlay configuration.

4.17.1 Detailed Description

Message for a gui overlay configuration.

The documentation for this interface was generated from the following file:

- **gui_overlay_config.proto**

4.18 GzString Interface Reference

A message for string data.

4.18.1 Detailed Description

A message for string data.

The documentation for this interface was generated from the following file:

- **gz_string.proto**

4.19 GzString_V Interface Reference

A message for a vector of string data.

4.19.1 Detailed Description

A message for a vector of string data.

The documentation for this interface was generated from the following file:

- **gz_string_v.proto**

4.20 Header Interface Reference

General information included by many messages.

4.20.1 Detailed Description

General information included by many messages.

The documentation for this interface was generated from the following file:

- **header.proto**

4.21 HeightmapGeom Interface Reference

Message for a heightmap geometry.

4.21.1 Detailed Description

Message for a heightmap geometry.

The documentation for this interface was generated from the following file:

- **heightmapgeom.proto**

4.22 Image Interface Reference

Message for an image.

4.22.1 Detailed Description

Message for an image.

The documentation for this interface was generated from the following file:

- **image.proto**

4.23 ImageGeom Interface Reference

Message for a image geometry.

4.23.1 Detailed Description

Message for a image geometry.

The documentation for this interface was generated from the following file:

- **imagegeom.proto**

4.24 ImageStamped Interface Reference

Message for an image with a time.

4.24.1 Detailed Description

Message for an image with a time.

The documentation for this interface was generated from the following file:

- **image_stamped.proto**

4.25 IMU Interface Reference

Data from an **IMU** (p. 15) sensor.

4.25.1 Detailed Description

Data from an **IMU** (p. 15) sensor.

The documentation for this interface was generated from the following file:

- **imu.proto**

4.26 Inertial Interface Reference

Information about inertia.

4.26.1 Detailed Description

Information about inertia.

The documentation for this interface was generated from the following file:

- **inertial.proto**

4.27 Int Interface Reference

Integer message.

4.27.1 Detailed Description

Integer message.

The documentation for this interface was generated from the following file:

- **int.proto**

4.28 Joint Interface Reference

Message for creating joint in rendering::Scene.

4.28.1 Detailed Description

Message for creating joint in rendering::Scene.

Joint (p. 16) wrench message.

The documentation for this interface was generated from the following file:

- **joint.proto**

4.29 JointAnimation Interface Reference

Message for a model joint animation, does not appear to be used.

4.29.1 Detailed Description

Message for a model joint animation, does not appear to be used.

The documentation for this interface was generated from the following file:

- **joint_animation.proto**

4.30 JointCmd Interface Reference

Message for joint command, used by physics::JointControlWidget.

4.30.1 Detailed Description

Message for joint command, used by physics::JointControlWidget.

The documentation for this interface was generated from the following file:

- **joint_cmd.proto**

4.31 LaserScan Interface Reference

Data from a laser scan.

4.31.1 Detailed Description

Data from a laser scan.

The documentation for this interface was generated from the following file:

- **laserscan.proto**

4.32 Light Interface Reference

Message for a light.

4.32.1 Detailed Description

Message for a light.

The documentation for this interface was generated from the following file:

- **light.proto**

4.33 Link Interface Reference

Information about a link.

4.33.1 Detailed Description

Information about a link.

The documentation for this interface was generated from the following file:

- **link.proto**

4.34 Material Interface Reference

Information about a material.

4.34.1 Detailed Description

Information about a material.

The documentation for this interface was generated from the following file:

- **material.proto**

4.35 MeshGeom Interface Reference

Message for a mesh geometry.

4.35.1 Detailed Description

Message for a mesh geometry.

The documentation for this interface was generated from the following file:

- **meshgeom.proto**

4.36 Model Interface Reference

Information about a model.

4.36.1 Detailed Description

Information about a model.

The documentation for this interface was generated from the following file:

- **model.proto**

4.37 ModelConfiguration Interface Reference

Message for model configuration (joint positions)

4.37.1 Detailed Description

Message for model configuration (joint positions)

The documentation for this interface was generated from the following file:

- **model_configuration.proto**

4.38 Packet Interface Reference

Message that encapsulates another message with a type description.

4.38.1 Detailed Description

Message that encapsulates another message with a type description.

The documentation for this interface was generated from the following file:

- **packet.proto**

4.39 Physics Interface Reference

A message containing a description of the global physics properties.

4.39.1 Detailed Description

A message containing a description of the global physics properties.

The documentation for this interface was generated from the following file:

- **physics.proto**

4.40 PID Interface Reference

Message for simple **PID** (p. 19) controllers.

4.40.1 Detailed Description

Message for simple **PID** (p. 19) controllers.

The documentation for this interface was generated from the following file:

- **pid.proto**

4.41 PlaneGeom Interface Reference

Message for a plane geometry.

4.41.1 Detailed Description

Message for a plane geometry.

The documentation for this interface was generated from the following file:

- **planegeom.proto**

4.42 Plugin Interface Reference

A message containing visual information for gazebo::Plugin.

4.42.1 Detailed Description

A message containing visual information for gazebo::Plugin.

The documentation for this interface was generated from the following file:

- **plugin.proto**

4.43 Pose Interface Reference

Message for a pose.

4.43.1 Detailed Description

Message for a pose.

The documentation for this interface was generated from the following file:

- **pose.proto**

4.44 PoseAnimation Interface Reference

Message for a model pose animation.

4.44.1 Detailed Description

Message for a model pose animation.

The documentation for this interface was generated from the following file:

- **pose_animation.proto**

4.45 PoseStamped Interface Reference

Message for a pose with a time.

4.45.1 Detailed Description

Message for a pose with a time.

The documentation for this interface was generated from the following file:

- **pose_stamped.proto**

4.46 PoseTrajectory Interface Reference

Message for a pose trajectory.

4.46.1 Detailed Description

Message for a pose trajectory.

The documentation for this interface was generated from the following file:

- **pose_trajectory.proto**

4.47 Projector Interface Reference

Information about a projector.

4.47.1 Detailed Description

Information about a projector.

The documentation for this interface was generated from the following file:

- **projector.proto**

4.48 Publish Interface Reference

Message that contains information about a publisher of data.

4.48.1 Detailed Description

Message that contains information about a publisher of data.

The documentation for this interface was generated from the following file:

- **publish.proto**

4.49 Publishers Interface Reference

A list of publishers.

4.49.1 Detailed Description

A list of publishers.

The documentation for this interface was generated from the following file:

- **publishers.proto**

4.50 Quaternion Interface Reference

A message for a quaternion.

4.50.1 Detailed Description

A message for a quaternion.

The documentation for this interface was generated from the following file:

- **quaternion.proto**

4.51 RaySensor Interface Reference

Information about a ray sensor element.

4.51.1 Detailed Description

Information about a ray sensor element.

The documentation for this interface was generated from the following file:

- **raysensor.proto**

4.52 Request Interface Reference

A message containing a string request.

4.52.1 Detailed Description

A message containing a string request.

The documentation for this interface was generated from the following file:

- **request.proto**

4.53 Response Interface Reference

Message that encapsulates a respons message with a type description.

4.53.1 Detailed Description

Message that encapsulates a respons message with a type description.

The documentation for this interface was generated from the following file:

- **response.proto**

4.54 Road Interface Reference

Message for a road.

4.54.1 Detailed Description

Message for a road.

The documentation for this interface was generated from the following file:

- **road.proto**

4.55 Scene Interface Reference

A message containing a description of a scene.

4.55.1 Detailed Description

A message containing a description of a scene.

The documentation for this interface was generated from the following file:

- **scene.proto**

4.56 Selection Interface Reference

A message for **GUI** (p. 12) selection data.

4.56.1 Detailed Description

A message for **GUI** (p. 12) selection data.

The documentation for this interface was generated from the following file:

- **selection.proto**

4.57 Sensor Interface Reference

Information about a sensor element.

4.57.1 Detailed Description

Information about a sensor element.

The documentation for this interface was generated from the following file:

- **sensor.proto**

4.58 ServerControl Interface Reference

A message that allows for control of the server functions.

4.58.1 Detailed Description

A message that allows for control of the server functions.

The documentation for this interface was generated from the following file:

- **server_control.proto**

4.59 Shadows Interface Reference

A message for shadow data.

4.59.1 Detailed Description

A message for shadow data.

The documentation for this interface was generated from the following file:

- **shadows.proto**

4.60 Sky Interface Reference

Information about the sky.

4.60.1 Detailed Description

Information about the sky.

The documentation for this interface was generated from the following file:

- **sky.proto**

4.61 SphereGeom Interface Reference

Information about a sphere geometry.

4.61.1 Detailed Description

Information about a sphere geometry.

The documentation for this interface was generated from the following file:

- **spheregeom.proto**

4.62 Subscribe Interface Reference

A message for subscription data.

4.62.1 Detailed Description

A message for subscription data.

The documentation for this interface was generated from the following file:

- **subscribe.proto**

4.63 Surface Interface Reference

Information about a surface element.

4.63.1 Detailed Description

Information about a surface element.

The documentation for this interface was generated from the following file:

- **surface.proto**

4.64 Test Interface Reference

A test message.

4.64.1 Detailed Description

A test message.

The documentation for this interface was generated from the following file:

- **test.proto**

4.65 Time Interface Reference

A message for time data.

4.65.1 Detailed Description

A message for time data.

The documentation for this interface was generated from the following file:

- **time.proto**

4.66 TopicInfo Interface Reference

A message for topic information.

4.66.1 Detailed Description

A message for topic information.

The documentation for this interface was generated from the following file:

- **topic_info.proto**

4.67 Trackvisual Interface Reference

Message for a tracking a rendering::Visual with a rendering::Camera.

4.67.1 Detailed Description

Message for a tracking a rendering::Visual with a rendering::Camera.

The documentation for this interface was generated from the following file:

- **track_visual.proto**

4.68 Vector2d Interface Reference

Message for a vector2 double.

4.68.1 Detailed Description

Message for a vector2 double.

The documentation for this interface was generated from the following file:

- **vector2d.proto**

4.69 Vector3d Interface Reference

Message for a vector3 double.

4.69.1 Detailed Description

Message for a vector3 double.

The documentation for this interface was generated from the following file:

- **vector3d.proto**

4.70 Visual Interface Reference

A message containing visual information for rendering::Visual.

4.70.1 Detailed Description

A message containing visual information for rendering::Visual.

The documentation for this interface was generated from the following file:

- **visual.proto**

4.71 WorldControl Interface Reference

A message that allows for control of world functions.

4.71.1 Detailed Description

A message that allows for control of world functions.

The documentation for this interface was generated from the following file:

- **world_control.proto**

4.72 WorldModify Interface Reference

A message that allows for modifying (open, close) worlds.

4.72.1 Detailed Description

A message that allows for modifying (open, close) worlds.

The documentation for this interface was generated from the following file:

- **world_modify.proto**

4.73 WorldReset Interface Reference

A message that controls how the world is reset.

4.73.1 Detailed Description

A message that controls how the world is reset.

The documentation for this interface was generated from the following file:

- **world_reset.proto**

4.74 WorldStatistics Interface Reference

A message statistics about a world.

4.74.1 Detailed Description

A message statistics about a world.

The documentation for this interface was generated from the following file:

- **world_stats.proto**

Chapter 5

File Documentation

5.1 axis.proto File Reference

Variables

- message **Axis**
- required double **damping** = 6
- required double **friction** = 7
- required double **limit_effort** = 4
- required double **limit_lower** = 2
- required double **limit_upper** = 3
- required double **limit_velocity** = 5
- package gazebo **msgs**
- import vector3d **proto**

5.1.1 Variable Documentation

5.1.1.1 message Axis

Initial value:

```
{  
  required Vector3d xyz = 1
```

5.1.1.2 required double damping = 6

5.1.1.3 required double friction = 7

5.1.1.4 required double limit_effort = 4

5.1.1.5 required double limit_lower = 2

5.1.1.6 required double limit_upper = 3

5.1.1.7 required double limit_velocity = 5

5.1.1.8 package gazebo msgs

5.1.1.9 import time proto

5.2 boxgeom.proto File Reference

Variables

- message **BoxGeom**
- package gazebo **msgs**
- import vector3d **proto**

5.2.1 Variable Documentation

5.2.1.1 message **BoxGeom**

Initial value:

```
{  
  required Vector3d size = 1
```

5.2.1.2 package gazebo msgs

5.2.1.3 import vector3d proto

5.3 camerasensor.proto File Reference

Variables

- message **CameraSensor**
- optional double **far_clip** = 5
- optional string **image_format** = 3
- optional **Vector2d image_size** = 2
- package gazebo **msgs**
- optional double **near_clip** = 4
- import vector2d **proto**
- optional bool **save_enabled** = 6
- optional string **save_path** = 7

5.3.1 Variable Documentation

5.3.1.1 message **CameraSensor**

Initial value:

```
{  
  optional double horizontal_fov = 1
```


5.3.1.2 optional double far_clip = 5

5.3.1.3 optional string image_format = 3

5.3.1.4 optional Vector2d image_size = 2

5.3.1.5 package gazebo msgs

5.3.1.6 optional double near_clip = 4

5.3.1.7 import vector2d proto

5.3.1.8 optional bool save_enabled = 6

5.3.1.9 optional string save_path = 7

5.4 collision.proto File Reference

Variables

- message **Collision**
- optional **Geometry geometry** = 6
- optional double **laser_retro** = 3
- optional double **max_contacts** = 4
- package gazebo **msgs**
- required string **name** = 2
- optional **Pose pose** = 5
- import header **proto**
- optional **Surface surface** = 7
- repeated **Visual visual** = 8

5.4.1 Variable Documentation

5.4.1.1 message Collision

Initial value:

```
{  
  required uint32 id           = 1
```

5.4.1.2 optional **Geometry geometry** = 6

5.4.1.3 optional double **laser_retro** = 3

5.4.1.4 optional double **max_contacts** = 4

5.4.1.5 package gazebo **msgs**

5.4.1.6 required string **name** = 2

5.4.1.7 optional Pose pose = 5

5.4.1.8 import visual proto

5.4.1.9 optional Surface surface = 7

5.4.1.10 repeated Visual visual = 8

5.5 color.proto File Reference

Variables

- optional float **a** = 5 [default = 1.0]
- required float **b** = 4
- message **Color**
- required float **g** = 3
- package gazebo **msgs**

5.5.1 Variable Documentation

5.5.1.1 optional float a = 5 [default = 1.0]

5.5.1.2 required float b = 4

5.5.1.3 message Color

Initial value:

```
{
  required float r = 2
```

5.5.1.4 required float g = 3

5.5.1.5 package gazebo msgs

5.6 contact.proto File Reference

Variables

- required string **collision2** = 2
- message **Contact**
- repeated double **depth** = 5
- package gazebo **msgs**
- repeated **Vector3d** **normal** = 4
- repeated **Vector3d** **position** = 3
- import vector3d **proto**
- required **Time** **time** = 7
- repeated **JointWrench** **wrench** = 6

5.6.1 Variable Documentation

5.6.1.1 required string collision2 = 2

5.6.1.2 message Contact

Initial value:

```
{  
  required string collision1 = 1
```

5.6.1.3 repeated double depth = 5

5.6.1.4 package gazebo msgs

5.6.1.5 repeated Vector3d normal = 4

5.6.1.6 repeated Vector3d position = 3

5.6.1.7 import joint_wrench proto

5.6.1.8 required Time time = 7

5.6.1.9 repeated JointWrench wrench = 6

5.7 contacts.proto File Reference

Variables

- message **Contacts**
- package gazebo **msgs**
- import **contact proto**
- required **Time time** = 2

5.7.1 Variable Documentation

5.7.1.1 message Contacts

Initial value:

```
{  
  repeated Contact contact = 1
```

5.7.1.2 package gazebo msgs

5.7.1.3 import time proto

5.7.1.4 required Time time = 2

5.8 contactsensor.proto File Reference

Variables

- message **ContactSensor**
- package gazebo **msgs**

5.8.1 Variable Documentation

5.8.1.1 message ContactSensor

Initial value:

```
{  
  optional string collision_name = 1
```

5.8.1.2 package gazebo msgs

5.9 cylindergeom.proto File Reference

Variables

- message **CylinderGeom**
- required double **length** = 2
- package gazebo **msgs**

5.9.1 Variable Documentation

5.9.1.1 message CylinderGeom

Initial value:

```
{  
  required double radius = 1
```

5.9.1.2 required double length = 2

5.9.1.3 package gazebo msgs

5.10 factory.proto File Reference

Variables

- optional string **clone_model_name** = 5
- optional string **edit_name** = 4
- message **Factory**
- package gazebo **msgs**

- optional **Pose pose** = 3
- import header **proto**
- optional string **sdf_filename** = 2

5.10.1 Variable Documentation

5.10.1.1 optional string clone_model_name = 5

5.10.1.2 optional string edit_name = 4

5.10.1.3 message **Factory**

Initial value:

```
{
  optional string sdf = 1
```

5.10.1.4 package gazebo msgs

5.10.1.5 optional **Pose pose** = 3

5.10.1.6 import **pose proto**

5.10.1.7 optional string sdf_filename = 2

5.11 fog.proto File Reference

Variables

- optional **Color color** = 2
- optional float **density** = 3
- optional float **end** = 5
- message **Fog**
- package gazebo **msgs**
- import **color proto**
- optional float **start** = 4

5.11.1 Variable Documentation

5.11.1.1 optional **Color color** = 2

5.11.1.2 optional float density = 3

5.11.1.3 optional float end = 5

5.11.1.4 message **Fog**

Initial value:

```

{
  enum FogType
  {
    NONE          = 1;
    LINEAR        = 2;
    EXPONENTIAL   = 3;
    EXPONENTIAL2  = 4;
  }
  optional FogType type = 1
}

```

5.11.1.5 package gazebo msgs

5.11.1.6 import color proto

5.11.1.7 optional float start = 4

5.12 friction.proto File Reference

Variables

- optional **Vector3d** **fdir1** = 3
- message **Friction**
- package gazebo **msgs**
- optional double **mu2** = 2
- import vector3d **proto**
- optional double **slip1** = 4
- optional double **slip2** = 5

5.12.1 Variable Documentation

5.12.1.1 optional Vector3d fdir1 = 3

5.12.1.2 message Friction

Initial value:

```

{
  optional double mu = 1
}

```

5.12.1.3 package gazebo msgs

5.12.1.4 optional double mu2 = 2

5.12.1.5 import vector3d proto

5.12.1.6 optional double slip1 = 4

5.12.1.7 optional double slip2 = 5

5.13 geometry.proto File Reference

Variables

- optional **BoxGeom** **box** = 2
- optional **CylinderGeom** **cylinder** = 3
- message **Geometry**
- optional **HeightmapGeom** **heightmap** = 7
- optional **ImageGeom** **image** = 6
- optional **MeshGeom** **mesh** = 8
- package gazebo **msgs**
- optional **PlaneGeom** **plane** = 4
- repeated **Vector3d** **points** = 9
- import boxgeom **proto**
- optional **SphereGeom** **sphere** = 5

5.13.1 Variable Documentation

5.13.1.1 optional **BoxGeom** **box** = 2

5.13.1.2 optional **CylinderGeom** **cylinder** = 3

5.13.1.3 message **Geometry**

Initial value:

```
{
  enum Type
  {
    BOX          = 1;
    CYLINDER     = 2;
    SPHERE       = 3;
    PLANE        = 4;
    IMAGE        = 5;
    HEIGHTMAP    = 6;
    MESH         = 7;
    TRIANGLE_FAN = 8;
    LINE_STRIP   = 9;
    EMPTY       = 10;
  }

  optional Type type = 1
```

5.13.1.4 optional **HeightmapGeom** **heightmap** = 7

5.13.1.5 optional **ImageGeom** **image** = 6

5.13.1.6 optional **MeshGeom** **mesh** = 8

5.13.1.7 package gazebo **msgs**

5.13.1.8 optional **PlaneGeom** **plane** = 4

5.13.1.9 repeated **Vector3d** **points** = 9

5.13.1.10 import vector3d **proto**

5.13.1.11 optional `SphereGeom sphere = 5`

5.14 `gui.proto` File Reference

Variables

- optional `GUICamera camera = 2`
- message `GUI`
- package gazebo `msgs`
- import `gui_camera proto`

5.14.1 Variable Documentation

5.14.1.1 optional `GUICamera camera = 2`

5.14.1.2 message `GUI`

Initial value:

```
{
  optional bool fullscreen = 1
```

5.14.1.3 package gazebo `msgs`

5.14.1.4 import `gui_camera proto`

5.15 `gui_camera.proto` File Reference

Variables

- message `GUICamera`
- package gazebo `msgs`
- optional `Pose pose = 3`
- import `pose proto`
- optional `TrackVisual track = 4`
- optional string `view_controller = 2`

5.15.1 Variable Documentation

5.15.1.1 message `GUICamera`

Initial value:

```
{
  required string name = 1
```


5.15.1.2 package gazebo msgs

5.15.1.3 optional Pose pose = 3

5.15.1.4 import track.visual proto

5.15.1.5 optional TrackVisual track = 4

5.15.1.6 optional string view_controller = 2

5.16 gui_overlay_config.proto File Reference

Variables

- message **GUIOverlayConfig**
- package gazebo **msgs**

5.16.1 Variable Documentation

5.16.1.1 message GUIOverlayConfig

Initial value:

```
{  
  required string layout_filename = 1
```

5.16.1.2 package gazebo msgs

5.17 gz_string.proto File Reference

Variables

- message **GzString**
- package gazebo **msgs**

5.17.1 Variable Documentation

5.17.1.1 message GzString

Initial value:

```
{  
  required string data = 1
```

5.17.1.2 package gazebo msgs

5.18 gz_string_v.proto File Reference

Variables

- message **GzString_V**
- package gazebo **msgs**

5.18.1 Variable Documentation

5.18.1.1 message GzString_V

Initial value:

```
{  
  repeated string data = 1
```

5.18.1.2 package gazebo msgs

5.19 header.proto File Reference

Variables

- message **Header**
- optional int32 **index** = 3
- package gazebo **msgs**
- import **time proto**
- optional **Time stamp** = 2

5.19.1 Variable Documentation

5.19.1.1 message Header

Initial value:

```
{  
  optional string str_id = 1
```

5.19.1.2 optional int32 index = 3

5.19.1.3 package gazebo msgs

5.19.1.4 import time proto

5.19.1.5 optional Time stamp = 2

5.20 heightmapgeom.proto File Reference

Variables

- message **Blend**
- repeated **Blend** **blend** = 5
- required double **fade_dist** = 2
- message **HeightmapGeom**
- package gazebo **msgs**
- required string **normal** = 2
- optional **Vector3d** **origin** = 3
- import **image** **proto**
- required **Vector3d** **size** = 2
- message **Texture**
- repeated **Texture** **texture** = 4

5.20.1 Variable Documentation

5.20.1.1 message Blend

Initial value:

```
{
  required double min_height = 1
```

5.20.1.2 repeated Blend blend = 5

5.20.1.3 required double fade_dist = 2

5.20.1.4 message HeightmapGeom

Initial value:

```
{
  required Image image = 1
```

5.20.1.5 package gazebo msgs

5.20.1.6 required string normal = 2

5.20.1.7 optional Vector3d origin = 3

5.20.1.8 import vector3d proto

5.20.1.9 required double size = 2

5.20.1.10 message Texture

Initial value:

```
{
  required string diffuse = 1
```

5.20.1.11 repeated Texture texture = 4

5.21 image.proto File Reference

Variables

- required bytes **data** = 5
- required uint32 **height** = 2
- message **Image**
- package gazebo **msgs**
- required uint32 **pixel_format** = 3
- required uint32 **step** = 4

5.21.1 Variable Documentation

5.21.1.1 required bytes data = 5

5.21.1.2 required uint32 height = 2

5.21.1.3 message Image

Initial value:

```
{
  required uint32 width          = 1
```

5.21.1.4 package gazebo msgs

5.21.1.5 required uint32 pixel_format = 3

5.21.1.6 required uint32 step = 4

5.22 image_stamped.proto File Reference

Variables

- required **Image image** = 2
- message **ImageStamped**
- package gazebo **msgs**
- import **time proto**

5.22.1 Variable Documentation

5.22.1.1 required Image image = 2

5.22.1.2 message ImageStamped

Initial value:

```
{
  required Time time          = 1
```

5.22.1.3 package gazebo msgs

5.22.1.4 import image proto

5.23 imagegeom.proto File Reference

Variables

- optional int32 **granularity** = 5
- optional double **height** = 4
- message **ImageGeom**
- package gazebo **msgs**
- optional double **scale** = 2
- optional int32 **threshold** = 3 [default = 255]

5.23.1 Variable Documentation

5.23.1.1 optional int32 granularity = 5

5.23.1.2 optional double height = 4

5.23.1.3 message ImageGeom

Initial value:

```
{
  required string uri          = 1
```

5.23.1.4 package gazebo msgs

5.23.1.5 optional double scale = 2

5.23.1.6 optional int32 threshold = 3 [default = 255]

5.24 imu.proto File Reference

Variables

- required **Vector3d** **angular_velocity** = 4
- required string **entity_name** = 2
- message **IMU**
- required **Vector3d** **linear_acceleration** = 5
- package gazebo **msgs**
- required **Quaternion** **orientation** = 3
- import **time proto**

5.24.1 Variable Documentation

5.24.1.1 required Vector3d angular_velocity = 4

5.24.1.2 required string entity_name = 2

5.24.1.3 message IMU

Initial value:

```
{
  required Time stamp           = 1
```

5.24.1.4 required Vector3d linear_acceleration = 5

5.24.1.5 package gazebo msgs

5.24.1.6 required Quaternion orientation = 3

5.24.1.7 import quaternion proto

5.25 inertial.proto File Reference

Variables

- message **Inertial**
- optional double **ixx** = 3
- optional double **ixy** = 4
- optional double **ixz** = 5
- optional double **iyy** = 6
- optional double **iyz** = 7
- optional double **izz** = 8
- package gazebo **msgs**
- optional **Pose pose** = 2
- import **pose proto**

5.25.1 Variable Documentation

5.25.1.1 message Inertial

Initial value:

```
{
  optional double mass           = 1
```

5.25.1.2 optional double `ixx` = 3

5.25.1.3 optional double `ixy` = 4

5.25.1.4 optional double `ixz` = 5

5.25.1.5 optional double `iyy` = 6

5.25.1.6 optional double `iyz` = 7

5.25.1.7 optional double `izz` = 8

5.25.1.8 package gazebo msgs

5.25.1.9 optional Pose `pose` = 2

5.25.1.10 import pose proto

5.26 int.proto File Reference

Variables

- message `Int`
- package gazebo `msgs`

5.26.1 Variable Documentation

5.26.1.1 message `Int`

Initial value:

```
{  
  required int32 data = 1
```

5.26.1.2 package gazebo msgs

5.27 joint.proto File Reference

Variables

- repeated double `angle` = 2
- optional `Axis` `axis1` = 7
- optional `Axis` `axis2` = 8
- optional double `bounce` = 10
- optional double `cfm` = 9
- optional string `child` = 5
- optional double `fudge_factor` = 12
- message `Joint`

- optional double **limit_cfm** = 13
- optional double **limit_erp** = 14
- package gazebo **msgs**
- optional string **parent** = 4
- optional **Pose** **pose** = 6
- import vector3d **proto**
- optional double **suspension_cfm** = 15
- optional double **suspension_erp** = 16
- optional Type **type** = 3
- optional double **velocity** = 11

5.27.1 Variable Documentation

5.27.1.1 repeated double angle = 2

5.27.1.2 optional **Axis** axis1 = 7

5.27.1.3 optional **Axis** axis2 = 8

5.27.1.4 optional double bounce = 10

5.27.1.5 optional double cfm = 9

5.27.1.6 optional string child = 5

5.27.1.7 optional double fudge_factor = 12

5.27.1.8 message **Joint**

Initial value:

```
{
  enum Type
  {
    REVOLUTE = 1;
    REVOLUTE2 = 2;
    PRISMATIC = 3;
    UNIVERSAL = 4;
    BALL = 5;
    SCREW = 6;
  }
  required string name = 1
```

5.27.1.9 optional double limit_cfm = 13

5.27.1.10 optional double limit_erp = 14

5.27.1.11 package gazebo msgs

5.27.1.12 optional string parent = 4

5.27.1.13 optional **Pose** pose = 6

5.27.1.14 import pose proto

5.27.1.15 optional double suspension_cfm = 15

5.27.1.16 optional double suspension_erp = 16

5.27.1.17 optional Type type = 3

5.27.1.18 optional double velocity = 11

5.28 joint_animation.proto File Reference

Variables

- repeated **Joint** **joint** = 2
- message **JointAnimation**
- package gazebo **msgs**
- import **pose proto**
- repeated **Time** **time** = 3

5.28.1 Variable Documentation

5.28.1.1 repeated **Joint** **joint** = 2

5.28.1.2 message **JointAnimation**

Initial value:

```
{
  message Joint
  {
    repeated string name = 1;
    repeated double angle = 2;
  }

  required string model_name = 1
```

5.28.1.3 package gazebo **msgs**

5.28.1.4 import time proto

5.28.1.5 repeated **Time** **time** = 3

5.29 joint_cmd.proto File Reference

Variables

- optional int32 **axis** = 2 [default=0]
- optional double **force** = 3
- message **JointCmd**
- package gazebo **msgs**

- optional **PID position** = 4
- import vector3d **proto**
- optional bool **reset** = 6
- optional **PID velocity** = 5

5.29.1 Variable Documentation

5.29.1.1 optional int32 **axis** = 2 [default=0]

5.29.1.2 optional double **force** = 3

5.29.1.3 message **JointCmd**

Initial value:

```
{
  required string name      = 1
```

5.29.1.4 package gazebo **msgs**

5.29.1.5 optional **PID position** = 4

5.29.1.6 import pid **proto**

5.29.1.7 optional bool **reset** = 6

5.29.1.8 optional **PID velocity** = 5

5.30 joint_wrench.proto File Reference

Variables

- required **Vector3d body_1_force** = 3
- required **Vector3d body_1_torque** = 5
- required **Vector3d body_2_force** = 4
- required string **body_2_name** = 2
- required **Vector3d body_2_torque** = 6
- message **JointWrench**
- package gazebo **msgs**
- import vector3d **proto**

5.30.1 Variable Documentation

5.30.1.1 required **Vector3d body_1_force** = 3

5.30.1.2 required **Vector3d body_1_torque** = 5

5.30.1.3 required **Vector3d body_2_force** = 4

5.30.1.4 required string body_2_name = 2

5.30.1.5 required Vector3d body_2.torque = 6

5.30.1.6 message JointWrench

Initial value:

```
{
  required string body_1_name = 1
```

5.30.1.7 package gazebo msgs

5.30.1.8 import vector3d proto

5.31 laserscan.proto File Reference

Variables

- required double **angle_max** = 4
- required double **angle_min** = 3
- required double **angle_step** = 5
- repeated double **intensities** = 9
- message **LaserScan**
- package gazebo **msgs**
- import **pose proto**
- required double **range_max** = 7
- required double **range_min** = 6
- repeated double **ranges** = 8
- required **Pose world_pose** = 2

5.31.1 Variable Documentation

5.31.1.1 required double angle_max = 4

5.31.1.2 required double angle_min = 3

5.31.1.3 required double angle_step = 5

5.31.1.4 repeated double intensities = 9

5.31.1.5 message LaserScan

Initial value:

```
{
  required string frame = 1
```

5.31.1.6 package gazebo msgs

5.31.1.7 import pose proto

5.31.1.8 required double range_max = 7

5.31.1.9 required double range_min = 6

5.31.1.10 repeated double ranges = 8

5.31.1.11 required Pose world_pose = 2

5.32 light.proto File Reference

Enumerations

- enum **LightType** { **DIRECTIONAL** = 3 }

Variables

- optional float **attenuation_constant** = 6
- optional float **attenuation_linear** = 7
- optional float **attenuation_quadratic** = 8
- optional bool **cast_shadows** = 11
- optional **Color** **diffuse** = 4
- optional **Vector3d** **direction** = 9
- message **Light**
- package gazebo **msgs**
- optional **Pose** **pose** = 3
- import header **proto**
- optional float **range** = 10
- optional **Color** **specular** = 5
- optional float **spot_falloff** = 14
- optional float **spot_inner_angle** = 12
- optional float **spot_outer_angle** = 13
- enum **LightType** **type** = 2

5.32.1 Enumeration Type Documentation

5.32.1.1 enum LightType

Enumerator:

DIRECTIONAL

5.32.2 Variable Documentation

5.32.2.1 optional float attenuation_constant = 6

5.32.2.2 optional float `attenuation_linear` = 7

5.32.2.3 optional float `attenuation_quadratic` = 8

5.32.2.4 optional bool `cast_shadows` = 11

5.32.2.5 optional **Color** `diffuse` = 4

5.32.2.6 optional **Vector3d** `direction` = 9

5.32.2.7 message **Light**

Initial value:

```
{
  required string name = 1
```

5.32.2.8 package gazebo **msgs**

5.32.2.9 optional **Pose** `pose` = 3

5.32.2.10 import color proto

5.32.2.11 optional float `range` = 10

5.32.2.12 optional **Color** `specular` = 5

5.32.2.13 optional float `spot_falloff` = 14

5.32.2.14 optional float `spot_inner_angle` = 12

5.32.2.15 optional float `spot_outer_angle` = 13

5.32.2.16 enum **LightType** `type` = 2

5.33 link.proto File Reference

Variables

- repeated **Collision** `collision` = 10
- optional bool **enabled** = 6
- optional bool **gravity** = 4
- optional **Inertial** `inertial` = 7
- optional bool **kinematic** = 5
- message **Link**
- package gazebo **msgs**
- required string **name** = 2
- optional **Pose** `pose` = 8
- repeated **Projector** `projector` = 12
- import header **proto**

- optional bool **self_collide** = 3
- repeated **Sensor sensor** = 11
- repeated **Visual visual** = 9

5.33.1 Variable Documentation

5.33.1.1 repeated **Collision collision** = 10

5.33.1.2 optional bool **enabled** = 6

5.33.1.3 optional bool **gravity** = 4

5.33.1.4 optional **Inertial inertial** = 7

5.33.1.5 optional bool **kinematic** = 5

5.33.1.6 message **Link**

Initial value:

```
{
  required uint32 id          = 1
```

5.33.1.7 package **gazebo msgs**

5.33.1.8 required string **name** = 2

5.33.1.9 optional **Pose pose** = 8

5.33.1.10 repeated **Projector projector** = 12

5.33.1.11 import **pose proto**

5.33.1.12 optional bool **self_collide** = 3

5.33.1.13 repeated **Sensor sensor** = 11

5.33.1.14 repeated **Visual visual** = 9

5.34 mainpage_msgs.html File Reference

5.35 material.proto File Reference

Variables

- optional **Color ambient** = 4
- optional **Color diffuse** = 5
- optional **Color emissive** = 7
- message **Material**

- package gazebo **msgs**
- optional string **normal_map** = 3
- import **color proto**
- optional ShaderType **shader_type** = 2
- optional **Color specular** = 6

5.35.1 Variable Documentation

5.35.1.1 optional **Color ambient** = 4

5.35.1.2 optional **Color diffuse** = 5

5.35.1.3 optional **Color emissive** = 7

5.35.1.4 message **Material**

Initial value:

```
{
  enum ShaderType
  {
    VERTEX          = 1;
    PIXEL           = 2;
    NORMAL_MAP_OBJECT_SPACE = 3;
    NORMAL_MAP_TANGENT_SPACE = 4;
  }

  message Script
  {
    required string uri = 1;
    required string name = 2;
  }

  optional Script script = 1
```

5.35.1.5 package gazebo **msgs**

5.35.1.6 optional string **normal_map** = 3

5.35.1.7 import **color proto**

5.35.1.8 optional ShaderType **shader_type** = 2

5.35.1.9 optional **Color specular** = 6

5.36 meshgeom.proto File Reference

Variables

- message **MeshGeom**
- package gazebo **msgs**
- import vector3d **proto**
- optional **Vector3d scale** = 2

5.36.1 Variable Documentation

5.36.1.1 message MeshGeom

Initial value:

```
{
  required string filename = 1
```

5.36.1.2 package gazebo msgs

5.36.1.3 import vector3d proto

5.36.1.4 optional Vector3d scale = 2

5.37 model.proto File Reference

Variables

- optional bool **deleted** = 7
- optional uint32 **id** = 2
- optional bool **is_static** = 3
- repeated **Joint joint** = 5
- repeated **Link link** = 6
- message **Model**
- package gazebo **msgs**
- optional **Pose pose** = 4
- import **joint proto**
- repeated **Visual visual** = 8

5.37.1 Variable Documentation

5.37.1.1 optional bool deleted = 7

5.37.1.2 optional uint32 id = 2

5.37.1.3 optional bool is_static = 3

5.37.1.4 repeated Joint joint = 5

5.37.1.5 repeated Link link = 6

5.37.1.6 message Model

Initial value:

```
{
  required string name = 1
```


5.37.1.7 package gazebo msgs

5.37.1.8 optional Pose pose = 4

5.37.1.9 import visual proto

5.37.1.10 repeated Visual visual = 8

5.38 model_configuration.proto File Reference

Variables

- repeated string **joint_names** = 2
- repeated double **joint_positions** = 3
- optional string **link_name** = 5
- message **ModelConfiguration**
- package gazebo **msgs**
- optional **Pose pose** = 4
- import **time proto**

5.38.1 Variable Documentation

5.38.1.1 repeated string joint_names = 2

5.38.1.2 repeated double joint_positions = 3

5.38.1.3 optional string link_name = 5

5.38.1.4 message ModelConfiguration

Initial value:

```
{  
  required Time time = 1
```

5.38.1.5 package gazebo msgs

5.38.1.6 optional Pose pose = 4

5.38.1.7 import pose proto

5.39 model_v.proto File Reference

Variables

- message **Model_V**
- package gazebo **msgs**
- import **model proto**

5.39.1 Variable Documentation

5.39.1.1 message Model_V

Initial value:

```
{
  repeated Model models = 2
```

5.39.1.2 package gazebo msgs

5.39.1.3 import model proto

5.40 packet.proto File Reference

Variables

- package gazebo **msgs**
- message **Packet**
- import **time proto**
- required bytes **serialized_data** = 3
- required string **type** = 2

5.40.1 Variable Documentation

5.40.1.1 package gazebo msgs

5.40.1.2 message Packet

Initial value:

```
{
  required Time stamp = 1
```

5.40.1.3 import time proto

5.40.1.4 required bytes serialized_data = 3

5.40.1.5 required string type = 2

5.41 physics.proto File Reference

Variables

- optional double **cfm** = 7
- optional double **contact_max_correcting_vel** = 9
- optional double **contact_surface_layer** = 10
- optional double **dt** = 4

- optional double **erp** = 8
- optional **Vector3d** **gravity** = 11
- optional int32 **iters** = 5
- package gazebo **msgs**
- message **Physics**
- import vector3d **proto**
- optional string **solver_type** = 3
- optional double **sor** = 6
- optional double **update_rate** = 12

5.41.1 Variable Documentation

5.41.1.1 optional double **cfm** = 7

5.41.1.2 optional double **contact_max_correcting_vel** = 9

5.41.1.3 optional double **contact_surface_layer** = 10

5.41.1.4 optional double **dt** = 4

5.41.1.5 optional double **erp** = 8

5.41.1.6 optional **Vector3d** **gravity** = 11

5.41.1.7 optional int32 **iters** = 5

5.41.1.8 package gazebo **msgs**

5.41.1.9 message **Physics**

Initial value:

```
{
  enum Type
  {
    ODE = 1;
  }
  required Type type = 2[default=ODE]
```

5.41.1.10 import header **proto**

5.41.1.11 optional string **solver_type** = 3

5.41.1.12 optional double **sor** = 6

5.41.1.13 optional double **update_rate** = 12

5.42 pid.proto File Reference

Variables

- optional double **d_gain** = 4[default=0.0]

- optional double **i_gain** = 3[default=0.0]
- optional double **i_max** = 5[default=0.0]
- optional double **i_min** = 6[default=0.0]
- optional double **limit** = 7[default=0.0]
- package gazebo **msgs**
- optional double **p_gain** = 2[default=0.0]
- message **PID**

5.42.1 Variable Documentation

5.42.1.1 optional double d_gain = 4[default=0.0]

5.42.1.2 optional double i_gain = 3[default=0.0]

5.42.1.3 optional double i_max = 5[default=0.0]

5.42.1.4 optional double i_min = 6[default=0.0]

5.42.1.5 optional double limit = 7[default=0.0]

5.42.1.6 package gazebo msgs

5.42.1.7 optional double p_gain = 2[default=0.0]

5.42.1.8 message PID

Initial value:

```
{
  optional double target = 1[default=0.0]
```

5.43 planegeom.proto File Reference

Variables

- optional double **d** = 3 [default = 0]
- package gazebo **msgs**
- message **PlaneGeom**
- import vector3d **proto**
- required **Vector2d** size = 2

5.43.1 Variable Documentation

5.43.1.1 optional double d = 3 [default = 0]

5.43.1.2 package gazebo msgs

5.43.1.3 message PlaneGeom

Initial value:

```
{  
  required Vector3d normal = 1
```

5.43.1.4 import vector2d proto

5.43.1.5 required Vector2d size = 2

5.44 plugin.proto File Reference

Variables

- required string **filename** = 2
- package gazebo **msgs**
- message **Plugin**

5.44.1 Variable Documentation

5.44.1.1 required string filename = 2

5.44.1.2 package gazebo msgs

5.44.1.3 message Plugin

Initial value:

```
{  
  required string name = 1
```

5.45 pose.proto File Reference

Variables

- package gazebo **msgs**
- required **Quaternion orientation** = 3
- message **Pose**
- required **Vector3d position** = 2
- import vector3d **proto**

5.45.1 Variable Documentation

5.45.1.1 package gazebo msgs

5.45.1.2 required Quaternion orientation = 3

5.45.1.3 message Pose

Initial value:

```
{  
  optional string name = 1
```

5.45.1.4 required Vector3d position = 2

5.45.1.5 import quaternion proto

5.46 pose_animation.proto File Reference

Variables

- package gazebo **msgs**
- repeated **Pose pose** = 2
- message **PoseAnimation**
- import **pose proto**
- repeated **Time time** = 3

5.46.1 Variable Documentation

5.46.1.1 package gazebo msgs

5.46.1.2 repeated Pose pose = 2

5.46.1.3 message PoseAnimation

Initial value:

```
{
  required string model_name      = 1
```

5.46.1.4 import time proto

5.46.1.5 repeated Time time = 3

5.47 pose_stamped.proto File Reference

Variables

- package gazebo **msgs**
- required **Pose pose** = 2
- message **PoseStamped**
- import **time proto**

5.47.1 Variable Documentation

5.47.1.1 package gazebo msgs

5.47.1.2 required Pose pose = 2

5.47.1.3 message PoseStamped

Initial value:

```
{
  required Time time          = 1
```

5.47.1.4 import pose proto

5.48 pose_trajectory.proto File Reference

Variables

- optional uint32 **id** = 2
- package gazebo **msgs**
- repeated **PoseStamped** **pose_stamped** = 3
- message **PoseTrajectory**
- import **pose_stamped** proto

5.48.1 Variable Documentation

5.48.1.1 optional uint32 id = 2

5.48.1.2 package gazebo msgs

5.48.1.3 repeated PoseStamped pose_stamped = 3

5.48.1.4 message PoseTrajectory

Initial value:

```
{
  optional string name          = 1
```

5.48.1.5 import pose_stamped proto

5.49 projector.proto File Reference

Variables

- optional bool **enabled** = 7[default=true]
- optional double **far_clip** = 6[default=10.0]
- optional double **fov** = 4[default=0.785]
- package gazebo **msgs**
- optional double **near_clip** = 5[default=0.1]
- optional **Pose** **pose** = 3
- message **Projector**
- import **pose** proto
- optional string **texture** = 2

5.49.1 Variable Documentation

- 5.49.1.1 optional bool `enabled` = 7[default=true]
- 5.49.1.2 optional double `far_clip` = 6[default=10.0]
- 5.49.1.3 optional double `fov` = 4[default=0.785]
- 5.49.1.4 package `gazebo_msgs`
- 5.49.1.5 optional double `near_clip` = 5[default=0.1]
- 5.49.1.6 optional `Pose` `pose` = 3
- 5.49.1.7 message `Projector`

Initial value:

```
{
  required string name          = 1
```

- 5.49.1.8 import `pose` proto
- 5.49.1.9 optional string `texture` = 2

5.50 publish.proto File Reference

Variables

- required string `host` = 3
- required string `msg_type` = 2
- package gazebo `msgs`
- required uint32 `port` = 4
- message `Publish`

5.50.1 Variable Documentation

- 5.50.1.1 required string `host` = 3
- 5.50.1.2 required string `msg_type` = 2
- 5.50.1.3 package `gazebo_msgs`
- 5.50.1.4 required uint32 `port` = 4
- 5.50.1.5 message `Publish`

Initial value:

```
{
  required string topic        = 1
```


5.51 publishers.proto File Reference

Variables

- package gazebo **msgs**
- import publish **proto**
- message **Publishers**

5.51.1 Variable Documentation

5.51.1.1 package gazebo msgs

5.51.1.2 import publish proto

5.51.1.3 message **Publishers**

Initial value:

```
{  
  repeated Publish publisher = 1
```

5.52 quaternion.proto File Reference

Variables

- package gazebo **msgs**
- message **Quaternion**
- required double **w** = 5
- required double **y** = 3
- required double **z** = 4

5.52.1 Variable Documentation

5.52.1.1 package gazebo msgs

5.52.1.2 message **Quaternion**

Initial value:

```
{  
  required double x = 2
```

5.52.1.3 required double w = 5

5.52.1.4 required double y = 3

5.52.1.5 required double z = 4

5.53 raysensor.proto File Reference

Variables

- optional double **horizontal_max_angle** = 5
- optional double **horizontal_min_angle** = 4
- optional double **horizontal_resolution** = 3
- optional int32 **horizontal_samples** = 2
- package gazebo **msgs**
- optional double **range_max** = 11
- optional double **range_min** = 10
- optional double **range_resolution** = 12
- message **RaySensor**
- optional double **vertical_max_angle** = 9
- optional double **vertical_min_angle** = 8
- optional double **vertical_resolution** = 7
- optional int32 **vertical_samples** = 6

5.53.1 Variable Documentation

5.53.1.1 optional double horizontal_max_angle = 5

5.53.1.2 optional double horizontal_min_angle = 4

5.53.1.3 optional double horizontal_resolution = 3

5.53.1.4 optional int32 horizontal_samples = 2

5.53.1.5 package gazebo msgs

5.53.1.6 optional double range_max = 11

5.53.1.7 optional double range_min = 10

5.53.1.8 optional double range_resolution = 12

5.53.1.9 message RaySensor

Initial value:

```
{
  optional bool display_scan = 1
```

5.53.1.10 optional double vertical_max_angle = 9

5.53.1.11 optional double vertical_min_angle = 8

5.53.1.12 optional double vertical_resolution = 7

5.53.1.13 optional int32 vertical_samples = 6

5.54 request.proto File Reference

Variables

- optional string **data** = 3
- optional double **dbl_data** = 4
- package gazebo **msgs**
- message **Request**
- required string **request** = 2

5.54.1 Variable Documentation

5.54.1.1 optional string data = 3

5.54.1.2 optional double dbl_data = 4

5.54.1.3 package gazebo msgs

5.54.1.4 message Request

Initial value:

```
{  
  required int32 id          = 1
```

5.54.1.5 required string request = 2

5.55 response.proto File Reference

Variables

- package gazebo **msgs**
- required string **request** = 2
- message **Response**
- required string **response** = 3
- optional bytes **serialized_data** = 5
- optional string **type** = 4

5.55.1 Variable Documentation

5.55.1.1 package gazebo msgs

5.55.1.2 required string request = 2

5.55.1.3 message Response

Initial value:

```
{  
  required int32 id          = 1
```

5.55.1.4 required string response = 3

5.55.1.5 optional bytes serialized_data = 5

5.55.1.6 optional string type = 4

5.56 road.proto File Reference

Variables

- package gazebo **msgs**
- repeated **Vector3d point** = 3
- import vector3d **proto**
- message **Road**
- required double **width** = 2

5.56.1 Variable Documentation

5.56.1.1 package gazebo msgs

5.56.1.2 repeated Vector3d point = 3

5.56.1.3 import vector3d proto

5.56.1.4 message Road

Initial value:

```
{
  required string name      = 1
```

5.56.1.5 required double width = 2

5.57 scene.proto File Reference

Variables

- optional **Color ambient** = 2
- optional **Color background** = 3
- optional **Fog fog** = 6
- optional bool **grid** = 7
- repeated **Joint joint** = 10
- repeated **Light light** = 9
- repeated **Model model** = 8
- package gazebo **msgs**
- import header **proto**
- message **Scene**
- optional bool **shadows** = 5 [default = true]
- optional **Sky sky** = 4

5.57.1 Variable Documentation

5.57.1.1 optional **Color** ambient = 2

5.57.1.2 optional **Color** background = 3

5.57.1.3 optional **Fog** fog = 6

5.57.1.4 optional **bool** grid = 7

5.57.1.5 repeated **Joint** joint = 10

5.57.1.6 repeated **Light** light = 9

5.57.1.7 repeated **Model** model = 8

5.57.1.8 package gazebo msgs

5.57.1.9 import model proto

5.57.1.10 message **Scene**

Initial value:

```
{  
  required string name = 1
```

5.57.1.11 optional **bool** shadows = 5 [default = true]

5.57.1.12 optional **Sky** sky = 4

5.58 selection.proto File Reference

Variables

- package gazebo **msgs**
- required string **name** = 2
- import header **proto**
- optional **bool** **selected** = 3 [default = false]
- message **Selection**

5.58.1 Variable Documentation

5.58.1.1 package gazebo msgs

5.58.1.2 required string name = 2

5.58.1.3 import header proto

5.58.1.4 optional bool `selected` = 3 [default = false]

5.58.1.5 message `Selection`

Initial value:

```
{
  required uint32 id          = 1
```

5.59 sensor.proto File Reference

Variables

- optional bool `always_on` = 4
- optional `CameraSensor` `camera` = 7
- optional `ContactSensor` `contact` = 9
- package gazebo `msgs`
- required string `parent` = 2
- optional `Pose` `pose` = 6
- import `pose proto`
- optional `RaySensor` `ray` = 8
- message `Sensor`
- optional string `topic` = 11
- required string `type` = 3
- optional double `update_rate` = 5
- optional bool `visualize` = 10

5.59.1 Variable Documentation

5.59.1.1 optional bool `always_on` = 4

5.59.1.2 optional `CameraSensor` `camera` = 7

5.59.1.3 optional `ContactSensor` `contact` = 9

5.59.1.4 package gazebo `msgs`

5.59.1.5 required string `parent` = 2

5.59.1.6 optional `Pose` `pose` = 6

5.59.1.7 import `contactsensor proto`

5.59.1.8 optional `RaySensor` `ray` = 8

5.59.1.9 message `Sensor`

Initial value:

```
{
  required string name          = 1
```

5.59.1.10 optional string topic = 11

5.59.1.11 required string type = 3

5.59.1.12 optional double update_rate = 5

5.59.1.13 optional bool visualize = 10

5.60 server_control.proto File Reference

Variables

- package gazebo **msgs**
- optional bool **new_world** = 4
- optional string **open_filename** = 3
- import header **proto**
- optional string **save_filename** = 2
- message **ServerControl**

5.60.1 Variable Documentation

5.60.1.1 package gazebo msgs

5.60.1.2 optional bool new_world = 4

5.60.1.3 optional string open_filename = 3

5.60.1.4 import header proto

5.60.1.5 optional string save_filename = 2

5.60.1.6 message ServerControl

Initial value:

```
{  
  optional string save_world_name = 1
```

5.61 shadows.proto File Reference

Variables

- optional **Color** color = 6
- package gazebo **msgs**
- import **color** proto
- message **Shadows**

5.61.1 Variable Documentation

5.61.1.1 optional **Color** `color` = 6

5.61.1.2 package gazebo `msgs`

5.61.1.3 import `color` proto

5.61.1.4 message `Shadows`

Initial value:

```
{  
  enum ShadowType  
  {  
    STENCIL_ADDITIVE = 1;  
    STENCIL_MODULATIVE = 2;  
    TEXTURE_ADDITIVE = 3;  
    TEXTURE_MODULATIVE = 4;  
  }  
  optional ShadowType type = 5  
}
```

5.62 sky.proto File Reference

Variables

- optional **Color** `cloud_ambient` = 6
- optional double `humidity` = 7
- optional double `mean_cloud_size` = 8
- package gazebo `msgs`
- import `color` proto
- message `Sky`
- optional double `sunrise` = 2
- optional double `sunset` = 3
- optional double `wind_direction` = 5
- optional double `wind_speed` = 4

5.62.1 Variable Documentation

5.62.1.1 optional **Color** `cloud_ambient` = 6

5.62.1.2 optional double `humidity` = 7

5.62.1.3 optional double `mean_cloud_size` = 8

5.62.1.4 package gazebo `msgs`

5.62.1.5 import `color` proto

5.62.1.6 message `Sky`

Initial value:


```
{  
  optional double time = 1
```

5.62.1.7 optional double sunrise = 2

5.62.1.8 optional double sunset = 3

5.62.1.9 optional double wind_direction = 5

5.62.1.10 optional double wind_speed = 4

5.63 spheregeom.proto File Reference

Variables

- package gazebo **msgs**
- message **SphereGeom**

5.63.1 Variable Documentation

5.63.1.1 package gazebo msgs

5.63.1.2 message SphereGeom

Initial value:

```
{  
  required double radius = 1
```

5.64 subscribe.proto File Reference

Variables

- required string **host** = 2
- optional bool **latching** = 5 [default=false]
- required string **msg_type** = 4
- package gazebo **msgs**
- required uint32 **port** = 3
- message **Subscribe**

5.64.1 Variable Documentation

5.64.1.1 required string host = 2

5.64.1.2 optional bool latching = 5 [default=false]

5.64.1.3 required string msg_type = 4

5.64.1.4 package gazebo msgs

5.64.1.5 required uint32 port = 3

5.64.1.6 message **Subscribe**

Initial value:

```
{  
  required string topic = 1
```

5.65 surface.proto File Reference

Variables

- optional double **bounce_threshold** = 3
- optional double **kd** = 7
- optional double **kp** = 6
- optional double **max_vel** = 8
- optional double **min_depth** = 9
- package gazebo **msgs**
- import **friction proto**
- optional double **restitution_coefficient** = 2
- optional double **soft_cfm** = 4
- optional double **soft_erp** = 5
- message **Surface**

5.65.1 Variable Documentation

5.65.1.1 optional double bounce_threshold = 3

5.65.1.2 optional double kd = 7

5.65.1.3 optional double kp = 6

5.65.1.4 optional double max_vel = 8

5.65.1.5 optional double min_depth = 9

5.65.1.6 package gazebo msgs

5.65.1.7 import friction proto

5.65.1.8 optional double restitution_coefficient = 2

5.65.1.9 optional double soft_cfm = 4

5.65.1.10 optional double soft_erp = 5

5.65.1.11 message Surface

Initial value:

```
{
  optional Friction friction = 1
```

5.66 test.proto File Reference

Variables

- package gazebo **msgs**
- import header **proto**
- message **Test**

5.66.1 Variable Documentation

5.66.1.1 package gazebo msgs

5.66.1.2 import header proto

5.66.1.3 message Test

Initial value:

```
{
  required Header header = 1
```

5.67 time.proto File Reference

Variables

- package gazebo **msgs**
- required int32 **nsec** = 2
- message **Time**

5.67.1 Variable Documentation

5.67.1.1 package gazebo msgs

5.67.1.2 required int32 nsec = 2

5.67.1.3 message Time

Initial value:

```
{
  required int32 sec = 1
```

5.68 topic_info.proto File Reference

Variables

- package gazebo **msgs**
- import publish **proto**
- repeated **Publish publisher** = 2
- repeated **Subscribe subscriber** = 3
- message **TopicInfo**

5.68.1 Variable Documentation

5.68.1.1 package gazebo msgs

5.68.1.2 import subscribe proto

5.68.1.3 repeated **Publish publisher** = 2

5.68.1.4 repeated **Subscribe subscriber** = 3

5.68.1.5 message **TopicInfo**

Initial value:

```
{
  required string msg_type      = 1
```

5.69 track_visual.proto File Reference

Variables

- optional bool **inherit_orientation** = 2
- optional double **max_dist** = 4
- optional double **min_dist** = 3
- package gazebo **msgs**
- message **TrackVisual**

5.69.1 Variable Documentation

5.69.1.1 optional bool inherit_orientation = 2

5.69.1.2 optional double max_dist = 4

5.69.1.3 optional double min_dist = 3

5.69.1.4 package gazebo msgs

5.69.1.5 message **TrackVisual**

Initial value:

```
{  
  required string name = 1
```

5.70 vector2d.proto File Reference

Variables

- package gazebo **msgs**
- import header **proto**
- message **Vector2d**
- required double **y** = 2

5.70.1 Variable Documentation

5.70.1.1 package gazebo msgs

5.70.1.2 import header proto

5.70.1.3 message Vector2d

Initial value:

```
{  
  required double x = 1
```

5.70.1.4 required double y = 2

5.71 vector3d.proto File Reference

Variables

- package gazebo **msgs**
- import header **proto**
- message **Vector3d**
- required double **y** = 3
- required double **z** = 4

5.71.1 Variable Documentation

5.71.1.1 package gazebo msgs

5.71.1.2 import header proto

5.71.1.3 message Vector3d

Initial value:

```
{  
  required double x = 2
```

5.71.1.4 required double `y` = 3

5.71.1.5 required double `z` = 4

5.72 visual.proto File Reference

Variables

- optional bool **cast_shadows** = 3
- optional bool **delete_me** = 11
- optional **Geometry geometry** = 7
- optional bool **is_static** = 12
- optional double **laser_retro** = 5
- optional **Material material** = 8
- package gazebo **msgs**
- optional string **parent_name** = 2
- optional **Plugin plugin** = 13
- optional **Pose pose** = 6
- import **pose proto**
- optional double **transparency** = 4
- optional bool **visible** = 9
- message **Visual**

5.72.1 Variable Documentation

5.72.1.1 optional bool `cast_shadows` = 3

5.72.1.2 optional bool `delete_me` = 11

5.72.1.3 optional **Geometry geometry** = 7

5.72.1.4 optional bool `is_static` = 12

5.72.1.5 optional double `laser_retro` = 5

5.72.1.6 optional **Material material** = 8

5.72.1.7 package gazebo **msgs**

5.72.1.8 optional string `parent_name` = 2

5.72.1.9 optional **Plugin plugin** = 13

5.72.1.10 optional **Pose pose** = 6

5.72.1.11 import **plugin proto**

5.72.1.12 optional double `transparency` = 4

5.72.1.13 optional bool `visible` = 9

5.72.1.14 message Visual

Initial value:

```
{  
  required string name          = 1
```

5.73 world_control.proto File Reference

Variables

- package gazebo **msgs**
- import header **proto**
- optional **WorldReset** **reset** = 3
- optional bool **step** = 2
- message **WorldControl**

5.73.1 Variable Documentation

5.73.1.1 package gazebo msgs

5.73.1.2 import world_reset proto

5.73.1.3 optional WorldReset reset = 3

5.73.1.4 optional bool step = 2

5.73.1.5 message WorldControl

Initial value:

```
{  
  optional bool pause          = 1
```

5.74 world_modify.proto File Reference

Variables

- optional bool **create** = 3
- package gazebo **msgs**
- optional bool **remove** = 2
- message **WorldModify**

5.74.1 Variable Documentation

5.74.1.1 optional bool create = 3

5.74.1.2 package gazebo msgs

5.74.1.3 optional bool `remove` = 2

5.74.1.4 message `WorldModify`

Initial value:

```
{
  required string world_name = 1
```

5.75 world_reset.proto File Reference

Variables

- optional bool **model_only** = 3[default = false]
- package gazebo **msgs**
- import header **proto**
- optional bool **time_only** = 2[default = false]
- message **WorldReset**

5.75.1 Variable Documentation

5.75.1.1 optional bool `model_only` = 3[default = false]

5.75.1.2 package gazebo msgs

5.75.1.3 import header proto

5.75.1.4 optional bool `time_only` = 2[default = false]

5.75.1.5 message `WorldReset`

Initial value:

```
{
  optional bool all = 1[default = true]
```

5.76 world_stats.proto File Reference

Variables

- optional int32 **model_count** = 6
- package gazebo **msgs**
- required **Time pause_time** = 3
- required bool **paused** = 5
- import header **proto**
- required **Time real_time** = 4
- message **WorldStatistics**

5.76.1 Variable Documentation

5.76.1.1 optional int32 model_count = 6

5.76.1.2 package gazebo msgs

5.76.1.3 required Time pause_time = 3

5.76.1.4 required bool paused = 5

5.76.1.5 import time proto

5.76.1.6 required Time real_time = 4

5.76.1.7 message WorldStatistics

Initial value:

```
{  
  required Time  sim_time    = 2
```

Index

a

- color.proto, 32
- always_on
 - sensor.proto, 68
- ambient
 - material.proto, 53
 - scene.proto, 67
- angle
 - joint.proto, 46
- angle_max
 - laserscan.proto, 49
- angle_min
 - laserscan.proto, 49
- angle_step
 - laserscan.proto, 49
- angular_velocity
 - imu.proto, 44
- attenuation_constant
 - light.proto, 50
- attenuation_linear
 - light.proto, 50
- attenuation_quadratic
 - light.proto, 51
- Axis, 9
 - axis.proto, 29
- axis
 - joint_cmd.proto, 48
- axis.proto, 29
 - Axis, 29
 - damping, 29
 - friction, 29
 - limit_effort, 29
 - limit_lower, 29
 - limit_upper, 29
 - limit_velocity, 29
 - msgs, 29
 - proto, 30
- axis1
 - joint.proto, 46
- axis2
 - joint.proto, 46

b

- color.proto, 32
- background
 - scene.proto, 67

Blend

- heightmapgeom.proto, 41
- blend
 - heightmapgeom.proto, 41
- body_1_force
 - joint_wrench.proto, 48
- body_1_torque
 - joint_wrench.proto, 48
- body_2_force
 - joint_wrench.proto, 48
- body_2_name
 - joint_wrench.proto, 48
- body_2_torque
 - joint_wrench.proto, 49
- bounce
 - joint.proto, 46
- bounce_threshold
 - surface.proto, 72
- box
 - geometry.proto, 37
- BoxGeom, 9
 - boxgeom.proto, 30
- boxgeom.proto, 30
 - BoxGeom, 30
 - msgs, 30
 - proto, 30
- camera
 - gui.proto, 38
 - sensor.proto, 68
- CameraSensor, 9
 - camerasensor.proto, 30
- camerasensor.proto, 30
 - CameraSensor, 30
 - far_clip, 30
 - image_format, 31
 - image_size, 31
 - msgs, 31
 - near_clip, 31
 - proto, 31
 - save_enabled, 31
 - save_path, 31
- cast_shadows
 - light.proto, 51
 - visual.proto, 76
- cfm

- joint.proto, 46
- physics.proto, 57
- child
 - joint.proto, 46
- clone_model_name
 - factory.proto, 35
- cloud_ambient
 - sky.proto, 70
- Collision, 10
 - collision.proto, 31
- collision
 - link.proto, 52
- collision.proto, 31
 - Collision, 31
 - geometry, 31
 - laser_retro, 31
 - max_contacts, 31
 - msgs, 31
 - name, 31
 - pose, 31
 - proto, 32
 - surface, 32
 - visual, 32
- collision2
 - contact.proto, 33
- Color, 10
 - color.proto, 32
- color
 - fog.proto, 35
 - shadows.proto, 70
- color.proto, 32
 - a, 32
 - b, 32
 - Color, 32
 - g, 32
 - msgs, 32
- Contact, 10
 - contact.proto, 33
- contact
 - sensor.proto, 68
- contact.proto, 32
 - collision2, 33
 - Contact, 33
 - depth, 33
 - msgs, 33
 - normal, 33
 - position, 33
 - proto, 33
 - time, 33
 - wrench, 33
- contact_max_correcting_vel
 - physics.proto, 57
- contact_surface_layer
 - physics.proto, 57
- ContactSensor, 11
 - contactsensor.proto, 34
- Contacts, 10
 - contacts.proto, 33
- contacts.proto, 33
 - Contacts, 33
 - msgs, 33
 - proto, 33
 - time, 33
- contactsensor.proto, 34
 - ContactSensor, 34
 - msgs, 34
- create
 - world_modify.proto, 77
- cylinder
 - geometry.proto, 37
- CylinderGeom, 11
 - cylindergeom.proto, 34
- cylindergeom.proto, 34
 - CylinderGeom, 34
 - length, 34
 - msgs, 34
- d
 - planegeom.proto, 58
- d_gain
 - pid.proto, 58
- DIRECTIONAL
 - light.proto, 50
- damping
 - axis.proto, 29
- data
 - image.proto, 42
 - request.proto, 65
- dbl_data
 - request.proto, 65
- delete_me
 - visual.proto, 76
- deleted
 - model.proto, 54
- density
 - fog.proto, 35
- depth
 - contact.proto, 33
- diffuse
 - light.proto, 51
 - material.proto, 53
- direction
 - light.proto, 51
- dt
 - physics.proto, 57
- edit_name
 - factory.proto, 35
- emissive

- material.proto, 53
- enabled
 - link.proto, 52
 - projector.proto, 62
- end
 - fog.proto, 35
- Entities, 11
- entity_name
 - imu.proto, 44
- erp
 - physics.proto, 57
- Factory, 11
 - factory.proto, 35
- factory.proto, 34
 - clone_model_name, 35
 - edit_name, 35
 - Factory, 35
 - msgs, 35
 - pose, 35
 - proto, 35
 - sdf_filename, 35
- fade_dist
 - heightmapgeom.proto, 41
- far_clip
 - camerasensor.proto, 30
 - projector.proto, 62
- fdir1
 - friction.proto, 36
- filename
 - plugin.proto, 59
- Fog, 12
 - fog.proto, 35
- fog
 - scene.proto, 67
- fog.proto, 35
 - color, 35
 - density, 35
 - end, 35
 - Fog, 35
 - msgs, 36
 - proto, 36
 - start, 36
- force
 - joint_cmd.proto, 48
- fov
 - projector.proto, 62
- Frction, 12
- Friction
 - friction.proto, 36
- friction
 - axis.proto, 29
- friction.proto, 36
 - fdir1, 36
 - Friction, 36
 - msgs, 36
 - mu2, 36
 - proto, 36
 - slip1, 36
 - slip2, 36
- fudge_factor
 - joint.proto, 46
- g
 - color.proto, 32
- GUI, 12
 - gui.proto, 38
- GUICamera, 13
 - gui_camera.proto, 38
- GUIOverlayConfig, 13
 - gui_overlay_config.proto, 39
- Geometry, 12
 - geometry.proto, 37
- geometry
 - collision.proto, 31
 - visual.proto, 76
- geometry.proto, 36
 - box, 37
 - cylinder, 37
 - Geometry, 37
 - heightmap, 37
 - image, 37
 - mesh, 37
 - msgs, 37
 - plane, 37
 - points, 37
 - proto, 37
 - sphere, 37
- granularity
 - imagegeom.proto, 43
- gravity
 - link.proto, 52
 - physics.proto, 57
- grid
 - scene.proto, 67
- gui.proto, 38
 - camera, 38
 - GUI, 38
 - msgs, 38
 - proto, 38
- gui_camera.proto, 38
 - GUICamera, 38
 - msgs, 38
 - pose, 39
 - proto, 39
 - track, 39
 - view_controller, 39
- gui_overlay_config.proto, 39

- GUIOverlayConfig, 39
 - msgs, 39
- gz_string.proto, 39
 - GzString, 39
 - msgs, 39
- gz_string_v.proto, 40
 - GzString_V, 40
 - msgs, 40
- GzString, 13
 - gz_string.proto, 39
- GzString_V, 13
 - gz_string_v.proto, 40
- Header, 14
 - header.proto, 40
- header.proto, 40
 - Header, 40
 - index, 40
 - msgs, 40
 - proto, 40
 - stamp, 40
- height
 - image.proto, 42
 - imagegeom.proto, 43
- heightmap
 - geometry.proto, 37
- HeightmapGeom, 14
 - heightmapgeom.proto, 41
- heightmapgeom.proto, 41
 - Blend, 41
 - blend, 41
 - fade_dist, 41
 - HeightmapGeom, 41
 - msgs, 41
 - normal, 41
 - origin, 41
 - proto, 41
 - size, 41
 - Texture, 41
 - texture, 41
- horizontal_max_angle
 - raysensor.proto, 64
- horizontal_min_angle
 - raysensor.proto, 64
- horizontal_resolution
 - raysensor.proto, 64
- horizontal_samples
 - raysensor.proto, 64
- host
 - publish.proto, 62
 - subscribe.proto, 71
- humidity
 - sky.proto, 70
- i_gain
 - pid.proto, 58
- i_max
 - pid.proto, 58
- i_min
 - pid.proto, 58
- IMU, 15
 - imu.proto, 44
- id
 - model.proto, 54
 - pose_trajectory.proto, 61
- Image, 14
 - image.proto, 42
- image
 - geometry.proto, 37
 - image_stamped.proto, 42
- image.proto, 42
 - data, 42
 - height, 42
 - Image, 42
 - msgs, 42
 - pixel_format, 42
 - step, 42
- image_format
 - camerasensor.proto, 31
- image_size
 - camerasensor.proto, 31
- image_stamped.proto, 42
 - image, 42
 - ImageStamped, 42
 - msgs, 43
 - proto, 43
- ImageGeom, 14
 - imagegeom.proto, 43
- ImageStamped, 15
 - image_stamped.proto, 42
- imagegeom.proto, 43
 - granularity, 43
 - height, 43
 - ImageGeom, 43
 - msgs, 43
 - scale, 43
 - threshold, 43
- imu.proto, 43
 - angular_velocity, 44
 - entity_name, 44
 - IMU, 44
 - linear_acceleration, 44
 - msgs, 44
 - orientation, 44
 - proto, 44
- index
 - header.proto, 40
- Inertial, 15
 - inertial.proto, 44

- inertial
 - link.proto, 52
- inertial.proto, 44
 - Inertial, 44
 - ixx, 44
 - ixy, 45
 - ixz, 45
 - iyy, 45
 - iyz, 45
 - izz, 45
 - msgs, 45
 - pose, 45
 - proto, 45
- inherit_orientation
 - track_visual.proto, 74
- Int, 15
 - int.proto, 45
- int.proto, 45
 - Int, 45
 - msgs, 45
- intensities
 - laserscan.proto, 49
- is_static
 - model.proto, 54
 - visual.proto, 76
- iters
 - physics.proto, 57
- ixx
 - inertial.proto, 44
- ixy
 - inertial.proto, 45
- ixz
 - inertial.proto, 45
- iyy
 - inertial.proto, 45
- iyz
 - inertial.proto, 45
- izz
 - inertial.proto, 45
- Joint, 16
 - joint.proto, 46
- joint
 - joint_animation.proto, 47
 - model.proto, 54
 - scene.proto, 67
- joint.proto, 45
 - angle, 46
 - axis1, 46
 - axis2, 46
 - bounce, 46
 - cfm, 46
 - child, 46
 - fudge_factor, 46
 - Joint, 46
 - limit_cfm, 46
 - limit_erp, 46
 - msgs, 46
 - parent, 46
 - pose, 46
 - proto, 46
 - suspension_cfm, 47
 - suspension_erp, 47
 - type, 47
 - velocity, 47
- joint_animation.proto, 47
 - joint, 47
 - JointAnimation, 47
 - msgs, 47
 - proto, 47
 - time, 47
- joint_cmd.proto, 47
 - axis, 48
 - force, 48
 - JointCmd, 48
 - msgs, 48
 - position, 48
 - proto, 48
 - reset, 48
 - velocity, 48
- joint_names
 - model_configuration.proto, 55
- joint_positions
 - model_configuration.proto, 55
- joint_wrench.proto, 48
 - body_1_force, 48
 - body_1_torque, 48
 - body_2_force, 48
 - body_2_name, 48
 - body_2_torque, 49
 - JointWrench, 49
 - msgs, 49
 - proto, 49
- JointAnimation, 16
 - joint_animation.proto, 47
- JointCmd, 16
 - joint_cmd.proto, 48
- JointWrench
 - joint_wrench.proto, 49
- kd
 - surface.proto, 72
- kinematic
 - link.proto, 52
- kp
 - surface.proto, 72
- laser_retro
 - collision.proto, 31

- visual.proto, 76
- LaserScan, 17
 - laserscan.proto, 49
- laserscan.proto, 49
 - angle_max, 49
 - angle_min, 49
 - angle_step, 49
 - intensities, 49
 - LaserScan, 49
 - msgs, 49
 - proto, 50
 - range_max, 50
 - range_min, 50
 - ranges, 50
 - world_pose, 50
- latching
 - subscribe.proto, 71
- length
 - cylindergeom.proto, 34
- Light, 17
 - light.proto, 51
- light
 - scene.proto, 67
- light.proto, 50
 - attenuation_constant, 50
 - attenuation_linear, 50
 - attenuation_quadratic, 51
 - cast_shadows, 51
 - DIRECTIONAL, 50
 - diffuse, 51
 - direction, 51
 - Light, 51
 - LightType, 50
 - msgs, 51
 - pose, 51
 - proto, 51
 - range, 51
 - specular, 51
 - spot_falloff, 51
 - spot_inner_angle, 51
 - spot_outer_angle, 51
 - type, 51
- LightType
 - light.proto, 50
- limit
 - pid.proto, 58
- limit_cfm
 - joint.proto, 46
- limit_effort
 - axis.proto, 29
- limit_erp
 - joint.proto, 46
- limit_lower
 - axis.proto, 29
- limit_upper
 - axis.proto, 29
- limit_velocity
 - axis.proto, 29
- linear_acceleration
 - imu.proto, 44
- Link, 17
 - link.proto, 52
- link
 - model.proto, 54
- link.proto, 51
 - collision, 52
 - enabled, 52
 - gravity, 52
 - inertial, 52
 - kinematic, 52
 - Link, 52
 - msgs, 52
 - name, 52
 - pose, 52
 - projector, 52
 - proto, 52
 - self_collide, 52
 - sensor, 52
 - visual, 52
- link_name
 - model_configuration.proto, 55
- mainpage_msgs.html, 52
- Material, 17
 - material.proto, 53
- material
 - visual.proto, 76
- material.proto, 52
 - ambient, 53
 - diffuse, 53
 - emissive, 53
 - Material, 53
 - msgs, 53
 - normal_map, 53
 - proto, 53
 - shader_type, 53
 - specular, 53
- max_contacts
 - collision.proto, 31
- max_dist
 - track_visual.proto, 74
- max_vel
 - surface.proto, 72
- mean_cloud_size
 - sky.proto, 70
- mesh
 - geometry.proto, 37
- MeshGeom, 18

- meshgeom.proto, 54
- meshgeom.proto, 53
 - MeshGeom, 54
 - msgs, 54
 - proto, 54
 - scale, 54
- min_depth
 - surface.proto, 72
- min_dist
 - track_visual.proto, 74
- Model, 18
 - model.proto, 54
- model
 - scene.proto, 67
- model.proto, 54
 - deleted, 54
 - id, 54
 - is_static, 54
 - joint, 54
 - link, 54
 - Model, 54
 - msgs, 54
 - pose, 55
 - proto, 55
 - visual, 55
- Model_V
 - model_v.proto, 56
- model_configuration.proto, 55
 - joint_names, 55
 - joint_positions, 55
 - link_name, 55
 - ModelConfiguration, 55
 - msgs, 55
 - pose, 55
 - proto, 55
- model_count
 - world_stats.proto, 79
- model_only
 - world_reset.proto, 78
- model_v.proto, 55
 - Model_V, 56
 - msgs, 56
 - proto, 56
- ModelConfiguration, 18
 - model_configuration.proto, 55
- msg_type
 - publish.proto, 62
 - subscribe.proto, 71
- msgs
 - axis.proto, 29
 - boxgeom.proto, 30
 - camerasensor.proto, 31
 - collision.proto, 31
 - color.proto, 32
 - contact.proto, 33
 - contacts.proto, 33
 - contactsensor.proto, 34
 - cylindergeom.proto, 34
 - factory.proto, 35
 - fog.proto, 36
 - friction.proto, 36
 - geometry.proto, 37
 - gui.proto, 38
 - gui_camera.proto, 38
 - gui_overlay_config.proto, 39
 - gz_string.proto, 39
 - gz_string_v.proto, 40
 - header.proto, 40
 - heightmapgeom.proto, 41
 - image.proto, 42
 - image_stamped.proto, 43
 - imagegeom.proto, 43
 - imu.proto, 44
 - inertial.proto, 45
 - int.proto, 45
 - joint.proto, 46
 - joint_animation.proto, 47
 - joint_cmd.proto, 48
 - joint_wrench.proto, 49
 - laserscan.proto, 49
 - light.proto, 51
 - link.proto, 52
 - material.proto, 53
 - meshgeom.proto, 54
 - model.proto, 54
 - model_configuration.proto, 55
 - model_v.proto, 56
 - packet.proto, 56
 - physics.proto, 57
 - pid.proto, 58
 - planegeom.proto, 58
 - plugin.proto, 59
 - pose.proto, 59
 - pose_animation.proto, 60
 - pose_stamped.proto, 60
 - pose_trajectory.proto, 61
 - projector.proto, 62
 - publish.proto, 62
 - publishers.proto, 63
 - quaternion.proto, 63
 - raysensor.proto, 64
 - request.proto, 65
 - response.proto, 65
 - road.proto, 66
 - scene.proto, 67
 - selection.proto, 67
 - sensor.proto, 68
 - server_control.proto, 69

- shadows.proto, 70
- sky.proto, 70
- spheregeom.proto, 71
- subscribe.proto, 71
- surface.proto, 72
- test.proto, 73
- time.proto, 73
- topic_info.proto, 74
- track_visual.proto, 74
- vector2d.proto, 75
- vector3d.proto, 75
- visual.proto, 76
- world_control.proto, 77
- world_modify.proto, 77
- world_reset.proto, 78
- world_stats.proto, 79
- mu2
 - friction.proto, 36
- name
 - collision.proto, 31
 - link.proto, 52
 - selection.proto, 67
- near_clip
 - camerasensor.proto, 31
 - projector.proto, 62
- new_world
 - server_control.proto, 69
- normal
 - contact.proto, 33
 - heightmapgeom.proto, 41
- normal_map
 - material.proto, 53
- nsec
 - time.proto, 73
- open_filename
 - server_control.proto, 69
- orientation
 - imu.proto, 44
 - pose.proto, 59
- origin
 - heightmapgeom.proto, 41
- p_gain
 - pid.proto, 58
- PID, 19
 - pid.proto, 58
- Packet, 18
 - packet.proto, 56
- packet.proto, 56
 - msgs, 56
 - Packet, 56
 - proto, 56
 - serialized_data, 56
 - type, 56
- parent
 - joint.proto, 46
 - sensor.proto, 68
- parent_name
 - visual.proto, 76
- pause_time
 - world_stats.proto, 79
- paused
 - world_stats.proto, 79
- Physics, 19
 - physics.proto, 57
- physics.proto, 56
 - cfm, 57
 - contact_max_correcting_vel, 57
 - contact_surface_layer, 57
 - dt, 57
 - erp, 57
 - gravity, 57
 - iters, 57
 - msgs, 57
 - Physics, 57
 - proto, 57
 - solver_type, 57
 - sor, 57
 - update_rate, 57
- pid.proto, 57
 - d_gain, 58
 - i_gain, 58
 - i_max, 58
 - i_min, 58
 - limit, 58
 - msgs, 58
 - p_gain, 58
 - PID, 58
- pixel_format
 - image.proto, 42
- plane
 - geometry.proto, 37
- PlaneGeom, 19
 - planegeom.proto, 58
- planegeom.proto, 58
 - d, 58
 - msgs, 58
 - PlaneGeom, 58
 - proto, 59
 - size, 59
- Plugin, 19
 - plugin.proto, 59
- plugin
 - visual.proto, 76
- plugin.proto, 59
 - filename, 59
 - msgs, 59

- Plugin, 59
- point
 - road.proto, 66
- points
 - geometry.proto, 37
- port
 - publish.proto, 62
 - subscribe.proto, 72
- Pose, 20
 - pose.proto, 59
- pose
 - collision.proto, 31
 - factory.proto, 35
 - gui_camera.proto, 39
 - inertial.proto, 45
 - joint.proto, 46
 - light.proto, 51
 - link.proto, 52
 - model.proto, 55
 - model_configuration.proto, 55
 - pose_animation.proto, 60
 - pose_stamped.proto, 60
 - projector.proto, 62
 - sensor.proto, 68
 - visual.proto, 76
- pose.proto, 59
 - msgs, 59
 - orientation, 59
 - Pose, 59
 - position, 59
 - proto, 60
- pose_animation.proto, 60
 - msgs, 60
 - pose, 60
 - PoseAnimation, 60
 - proto, 60
 - time, 60
- pose_stamped
 - pose_trajectory.proto, 61
- pose_stamped.proto, 60
 - msgs, 60
 - pose, 60
 - PoseStamped, 60
 - proto, 61
- pose_trajectory.proto, 61
 - id, 61
 - msgs, 61
 - pose_stamped, 61
 - PoseTrajectory, 61
 - proto, 61
- PoseAnimation, 20
 - pose_animation.proto, 60
- PoseStamped, 20
 - pose_stamped.proto, 60
- PoseTrajectory, 20
 - pose_trajectory.proto, 61
- position
 - contact.proto, 33
 - joint_cmd.proto, 48
 - pose.proto, 59
- Projector, 21
 - projector.proto, 62
- projector
 - link.proto, 52
- projector.proto, 61
 - enabled, 62
 - far_clip, 62
 - fov, 62
 - msgs, 62
 - near_clip, 62
 - pose, 62
 - Projector, 62
 - proto, 62
 - texture, 62
- proto
 - axis.proto, 30
 - boxgeom.proto, 30
 - camerasensor.proto, 31
 - collision.proto, 32
 - contact.proto, 33
 - contacts.proto, 33
 - factory.proto, 35
 - fog.proto, 36
 - friction.proto, 36
 - geometry.proto, 37
 - gui.proto, 38
 - gui_camera.proto, 39
 - header.proto, 40
 - heightmapgeom.proto, 41
 - image_stamped.proto, 43
 - imu.proto, 44
 - inertial.proto, 45
 - joint.proto, 46
 - joint_animation.proto, 47
 - joint_cmd.proto, 48
 - joint_wrench.proto, 49
 - laserscan.proto, 50
 - light.proto, 51
 - link.proto, 52
 - material.proto, 53
 - meshgeom.proto, 54
 - model.proto, 55
 - model_configuration.proto, 55
 - model_v.proto, 56
 - packet.proto, 56
 - physics.proto, 57
 - planegeom.proto, 59
 - pose.proto, 60

- pose_animation.proto, 60
- pose_stamped.proto, 61
- pose_trajectory.proto, 61
- projector.proto, 62
- publishers.proto, 63
- road.proto, 66
- scene.proto, 67
- selection.proto, 67
- sensor.proto, 68
- server_control.proto, 69
- shadows.proto, 70
- sky.proto, 70
- surface.proto, 72
- test.proto, 73
- topic_info.proto, 74
- vector2d.proto, 75
- vector3d.proto, 75
- visual.proto, 76
- world_control.proto, 77
- world_reset.proto, 78
- world_stats.proto, 79
- Publish, 21
 - publish.proto, 62
- publish.proto, 62
 - host, 62
 - msg_type, 62
 - msgs, 62
 - port, 62
 - Publish, 62
- publisher
 - topic_info.proto, 74
- Publishers, 21
 - publishers.proto, 63
- publishers.proto, 63
 - msgs, 63
 - proto, 63
 - Publishers, 63
- Quaternion, 21
 - quaternion.proto, 63
- quaternion.proto, 63
 - msgs, 63
 - Quaternion, 63
 - w, 63
 - y, 63
 - z, 63
- range
 - light.proto, 51
- range_max
 - laserscan.proto, 50
 - raysensor.proto, 64
- range_min
 - laserscan.proto, 50
 - raysensor.proto, 64
- range_resolution
 - raysensor.proto, 64
- ranges
 - laserscan.proto, 50
- ray
 - sensor.proto, 68
- RaySensor, 22
 - raysensor.proto, 64
- raysensor.proto, 64
 - horizontal_max_angle, 64
 - horizontal_min_angle, 64
 - horizontal_resolution, 64
 - horizontal_samples, 64
 - msgs, 64
 - range_max, 64
 - range_min, 64
 - range_resolution, 64
 - RaySensor, 64
 - vertical_max_angle, 64
 - vertical_min_angle, 64
 - vertical_resolution, 64
 - vertical_samples, 64
- real_time
 - world_stats.proto, 79
- remove
 - world_modify.proto, 77
- Request, 22
 - request.proto, 65
- request
 - request.proto, 65
 - response.proto, 65
- request.proto, 65
 - data, 65
 - dbl_data, 65
 - msgs, 65
 - Request, 65
 - request, 65
- reset
 - joint_cmd.proto, 48
 - world_control.proto, 77
- Response, 22
 - response.proto, 65
- response
 - response.proto, 65
- response.proto, 65
 - msgs, 65
 - request, 65
 - Response, 65
 - response, 65
 - serialized_data, 66
 - type, 66
- restitution_coefficient
 - surface.proto, 72
- Road, 22

- road.proto, 66
- road.proto, 66
 - msgs, 66
 - point, 66
 - proto, 66
 - Road, 66
 - width, 66
- save_enabled
 - camerasensor.proto, 31
- save_filename
 - server_control.proto, 69
- save_path
 - camerasensor.proto, 31
- scale
 - imagegeom.proto, 43
 - meshgeom.proto, 54
- Scene, 23
 - scene.proto, 67
- scene.proto, 66
 - ambient, 67
 - background, 67
 - fog, 67
 - grid, 67
 - joint, 67
 - light, 67
 - model, 67
 - msgs, 67
 - proto, 67
 - Scene, 67
 - shadows, 67
 - sky, 67
- sdf_filename
 - factory.proto, 35
- selected
 - selection.proto, 67
- Selection, 23
 - selection.proto, 68
- selection.proto, 67
 - msgs, 67
 - name, 67
 - proto, 67
 - selected, 67
 - Selection, 68
- self_collide
 - link.proto, 52
- Sensor, 23
 - sensor.proto, 68
- sensor
 - link.proto, 52
- sensor.proto, 68
 - always_on, 68
 - camera, 68
 - contact, 68
 - msgs, 68
 - parent, 68
 - pose, 68
 - proto, 68
 - ray, 68
 - Sensor, 68
 - topic, 68
 - type, 69
 - update_rate, 69
 - visualize, 69
- serialized_data
 - packet.proto, 56
 - response.proto, 66
- server_control.proto, 69
 - msgs, 69
 - new_world, 69
 - open_filename, 69
 - proto, 69
 - save_filename, 69
 - ServerControl, 69
- ServerControl, 23
 - server_control.proto, 69
- shader_type
 - material.proto, 53
- Shadows, 24
 - shadows.proto, 70
- shadows
 - scene.proto, 67
- shadows.proto, 69
 - color, 70
 - msgs, 70
 - proto, 70
 - Shadows, 70
- size
 - heightmapgeom.proto, 41
 - planegeom.proto, 59
- Sky, 24
 - sky.proto, 70
- sky
 - scene.proto, 67
- sky.proto, 70
 - cloud_ambient, 70
 - humidity, 70
 - mean_cloud_size, 70
 - msgs, 70
 - proto, 70
 - Sky, 70
 - sunrise, 71
 - sunset, 71
 - wind_direction, 71
 - wind_speed, 71
- slip1
 - friction.proto, 36
- slip2

- friction.proto, 36
- soft_cfm
 - surface.proto, 72
- soft_erp
 - surface.proto, 72
- solver_type
 - physics.proto, 57
- sor
 - physics.proto, 57
- specular
 - light.proto, 51
 - material.proto, 53
- sphere
 - geometry.proto, 37
- SphereGeom, 24
 - spheregeom.proto, 71
- spheregeom.proto, 71
 - msgs, 71
 - SphereGeom, 71
- spot_falloff
 - light.proto, 51
- spot_inner_angle
 - light.proto, 51
- spot_outer_angle
 - light.proto, 51
- stamp
 - header.proto, 40
- start
 - fog.proto, 36
- step
 - image.proto, 42
 - world_control.proto, 77
- Subscribe, 24
 - subscribe.proto, 72
- subscribe.proto, 71
 - host, 71
 - latching, 71
 - msg_type, 71
 - msgs, 71
 - port, 72
 - Subscribe, 72
- subscriber
 - topic_info.proto, 74
- sunrise
 - sky.proto, 71
- sunset
 - sky.proto, 71
- Surface, 25
 - surface.proto, 72
- surface
 - collision.proto, 32
- surface.proto, 72
 - bounce_threshold, 72
 - kd, 72
 - kp, 72
 - max_vel, 72
 - min_depth, 72
 - msgs, 72
 - proto, 72
 - restitution_coefficient, 72
 - soft_cfm, 72
 - soft_erp, 72
 - Surface, 72
- suspension_cfm
 - joint.proto, 47
- suspension_erp
 - joint.proto, 47
- Test, 25
 - test.proto, 73
- test.proto, 73
 - msgs, 73
 - proto, 73
 - Test, 73
- Texture
 - heightmapgeom.proto, 41
- texture
 - heightmapgeom.proto, 41
 - projector.proto, 62
- threshold
 - imagegeom.proto, 43
- Time, 25
 - time.proto, 73
- time
 - contact.proto, 33
 - contacts.proto, 33
 - joint_animation.proto, 47
 - pose_animation.proto, 60
- time.proto, 73
 - msgs, 73
 - nsec, 73
 - Time, 73
- time_only
 - world_reset.proto, 78
- topic
 - sensor.proto, 68
- topic_info.proto, 74
 - msgs, 74
 - proto, 74
 - publisher, 74
 - subscriber, 74
 - TopicInfo, 74
- TopicInfo, 25
 - topic_info.proto, 74
- track
 - gui_camera.proto, 39
- track_visual.proto, 74
 - inherit_orientation, 74

- max_dist, 74
 - min_dist, 74
 - msgs, 74
 - TrackVisual, 74
- TrackVisual
 - track_visual.proto, 74
- Trackvisual, 26
- transparency
 - visual.proto, 76
- type
 - joint.proto, 47
 - light.proto, 51
 - packet.proto, 56
 - response.proto, 66
 - sensor.proto, 69
- update_rate
 - physics.proto, 57
 - sensor.proto, 69
- Vector2d, 26
 - vector2d.proto, 75
- vector2d.proto, 75
 - msgs, 75
 - proto, 75
 - Vector2d, 75
 - y, 75
- Vector3d, 26
 - vector3d.proto, 75
- vector3d.proto, 75
 - msgs, 75
 - proto, 75
 - Vector3d, 75
 - y, 75
 - z, 76
- velocity
 - joint.proto, 47
 - joint_cmd.proto, 48
- vertical_max_angle
 - raysensor.proto, 64
- vertical_min_angle
 - raysensor.proto, 64
- vertical_resolution
 - raysensor.proto, 64
- vertical_samples
 - raysensor.proto, 64
- view_controller
 - gui_camera.proto, 39
- visible
 - visual.proto, 76
- Visual, 26
 - visual.proto, 76
- visual
 - collision.proto, 32
 - link.proto, 52
 - model.proto, 55
- visual.proto, 76
 - cast_shadows, 76
 - delete_me, 76
 - geometry, 76
 - is_static, 76
 - laser_retro, 76
 - material, 76
 - msgs, 76
 - parent_name, 76
 - plugin, 76
 - pose, 76
 - proto, 76
 - transparency, 76
 - visible, 76
 - Visual, 76
- visualize
 - sensor.proto, 69
- w
 - quaternion.proto, 63
- width
 - road.proto, 66
- wind_direction
 - sky.proto, 71
- wind_speed
 - sky.proto, 71
- world_control.proto, 77
 - msgs, 77
 - proto, 77
 - reset, 77
 - step, 77
 - WorldControl, 77
- world_modify.proto, 77
 - create, 77
 - msgs, 77
 - remove, 77
 - WorldModify, 78
- world_pose
 - laserscan.proto, 50
- world_reset.proto, 78
 - model_only, 78
 - msgs, 78
 - proto, 78
 - time_only, 78
 - WorldReset, 78
- world_stats.proto, 78
 - model_count, 79
 - msgs, 79
 - pause_time, 79
 - paused, 79
 - proto, 79
 - real_time, 79
 - WorldStatistics, 79

WorldControl, 27
 world_control.proto, 77

WorldModify, 27
 world_modify.proto, 78

WorldReset, 27
 world_reset.proto, 78

WorldStatistics, 27
 world_stats.proto, 79

wrench
 contact.proto, 33

y
 quaternion.proto, 63
 vector2d.proto, 75
 vector3d.proto, 75

z
 quaternion.proto, 63
 vector3d.proto, 76