

# GazeboMessages

1.4.5

Generated by Doxygen 1.8.2

Tue Jan 29 2013 17:44:38



# Contents

<b>1</b>	<b>Gazebo Messages Reference</b>	<b>1</b>
<b>2</b>	<b>Class Index</b>	<b>3</b>
2.1	Class List . . . . .	3
<b>3</b>	<b>File Index</b>	<b>7</b>
3.1	File List . . . . .	7
<b>4</b>	<b>Class Documentation</b>	<b>9</b>
4.1	Axis Interface Reference . . . . .	9
4.1.1	Detailed Description . . . . .	9
4.2	BoxGeom Interface Reference . . . . .	9
4.2.1	Detailed Description . . . . .	9
4.3	CameraSensor Interface Reference . . . . .	9
4.3.1	Detailed Description . . . . .	9
4.4	Collision Interface Reference . . . . .	10
4.4.1	Detailed Description . . . . .	10
4.5	Color Interface Reference . . . . .	10
4.5.1	Detailed Description . . . . .	10
4.6	Contact Interface Reference . . . . .	10
4.6.1	Detailed Description . . . . .	10
4.7	Contacts Interface Reference . . . . .	10
4.7.1	Detailed Description . . . . .	11
4.8	ContactSensor Interface Reference . . . . .	11
4.8.1	Detailed Description . . . . .	11
4.9	CylinderGeom Interface Reference . . . . .	11
4.9.1	Detailed Description . . . . .	11
4.10	Entities Interface Reference . . . . .	11
4.10.1	Detailed Description . . . . .	11

---

4.11	Factory Interface Reference . . . . .	11
4.11.1	Detailed Description . . . . .	12
4.12	Fog Interface Reference . . . . .	12
4.12.1	Detailed Description . . . . .	12
4.13	ForceTorque Interface Reference . . . . .	12
4.13.1	Detailed Description . . . . .	12
4.14	Frction Interface Reference . . . . .	12
4.14.1	Detailed Description . . . . .	12
4.15	Geometry Interface Reference . . . . .	12
4.15.1	Detailed Description . . . . .	13
4.16	GUI Interface Reference . . . . .	13
4.16.1	Detailed Description . . . . .	13
4.17	GUICamera Interface Reference . . . . .	13
4.17.1	Detailed Description . . . . .	13
4.18	GUIOverlayConfig Interface Reference . . . . .	13
4.18.1	Detailed Description . . . . .	13
4.19	GzString Interface Reference . . . . .	13
4.19.1	Detailed Description . . . . .	14
4.20	GzString_V Interface Reference . . . . .	14
4.20.1	Detailed Description . . . . .	14
4.21	Header Interface Reference . . . . .	14
4.21.1	Detailed Description . . . . .	14
4.22	HeightmapGeom Interface Reference . . . . .	14
4.22.1	Detailed Description . . . . .	14
4.23	Image Interface Reference . . . . .	14
4.23.1	Detailed Description . . . . .	15
4.24	ImageGeom Interface Reference . . . . .	15
4.24.1	Detailed Description . . . . .	15
4.25	ImagesStamped Interface Reference . . . . .	15
4.25.1	Detailed Description . . . . .	15
4.26	ImageStamped Interface Reference . . . . .	15
4.26.1	Detailed Description . . . . .	15
4.27	IMU Interface Reference . . . . .	15
4.27.1	Detailed Description . . . . .	16
4.28	Inertial Interface Reference . . . . .	16
4.28.1	Detailed Description . . . . .	16
4.29	Int Interface Reference . . . . .	16

---

4.29.1 Detailed Description . . . . .	16
4.30 Joint Interface Reference . . . . .	16
4.30.1 Detailed Description . . . . .	16
4.31 JointAnimation Interface Reference . . . . .	17
4.31.1 Detailed Description . . . . .	17
4.32 JointCmd Interface Reference . . . . .	17
4.32.1 Detailed Description . . . . .	17
4.33 LaserScan Interface Reference . . . . .	17
4.33.1 Detailed Description . . . . .	17
4.34 LaserStamped Interface Reference . . . . .	17
4.34.1 Detailed Description . . . . .	17
4.35 Light Interface Reference . . . . .	18
4.35.1 Detailed Description . . . . .	18
4.36 Link Interface Reference . . . . .	18
4.36.1 Detailed Description . . . . .	18
4.37 Material Interface Reference . . . . .	18
4.37.1 Detailed Description . . . . .	18
4.38 MeshGeom Interface Reference . . . . .	18
4.38.1 Detailed Description . . . . .	18
4.39 Model Interface Reference . . . . .	19
4.39.1 Detailed Description . . . . .	19
4.40 ModelConfiguration Interface Reference . . . . .	19
4.40.1 Detailed Description . . . . .	19
4.41 Packet Interface Reference . . . . .	19
4.41.1 Detailed Description . . . . .	19
4.42 Physics Interface Reference . . . . .	19
4.42.1 Detailed Description . . . . .	19
4.43 PID Interface Reference . . . . .	20
4.43.1 Detailed Description . . . . .	20
4.44 PlaneGeom Interface Reference . . . . .	20
4.44.1 Detailed Description . . . . .	20
4.45 Plugin Interface Reference . . . . .	20
4.45.1 Detailed Description . . . . .	20
4.46 Pose Interface Reference . . . . .	20
4.46.1 Detailed Description . . . . .	20
4.47 PoseAnimation Interface Reference . . . . .	21
4.47.1 Detailed Description . . . . .	21

4.48 PoseStamped Interface Reference . . . . .	21
4.48.1 Detailed Description . . . . .	21
4.49 PoseTrajectory Interface Reference . . . . .	21
4.49.1 Detailed Description . . . . .	21
4.50 Projector Interface Reference . . . . .	21
4.50.1 Detailed Description . . . . .	22
4.51 Publish Interface Reference . . . . .	22
4.51.1 Detailed Description . . . . .	22
4.52 Publishers Interface Reference . . . . .	22
4.52.1 Detailed Description . . . . .	22
4.53 Quaternion Interface Reference . . . . .	22
4.53.1 Detailed Description . . . . .	22
4.54 RaySensor Interface Reference . . . . .	22
4.54.1 Detailed Description . . . . .	23
4.55 Request Interface Reference . . . . .	23
4.55.1 Detailed Description . . . . .	23
4.56 Response Interface Reference . . . . .	23
4.56.1 Detailed Description . . . . .	23
4.57 Road Interface Reference . . . . .	23
4.57.1 Detailed Description . . . . .	23
4.58 Scene Interface Reference . . . . .	23
4.58.1 Detailed Description . . . . .	24
4.59 Selection Interface Reference . . . . .	24
4.59.1 Detailed Description . . . . .	24
4.60 Sensor Interface Reference . . . . .	24
4.60.1 Detailed Description . . . . .	24
4.61 ServerControl Interface Reference . . . . .	24
4.61.1 Detailed Description . . . . .	24
4.62 Shadows Interface Reference . . . . .	24
4.62.1 Detailed Description . . . . .	25
4.63 Sky Interface Reference . . . . .	25
4.63.1 Detailed Description . . . . .	25
4.64 SphereGeom Interface Reference . . . . .	25
4.64.1 Detailed Description . . . . .	25
4.65 Subscribe Interface Reference . . . . .	25
4.65.1 Detailed Description . . . . .	25
4.66 Surface Interface Reference . . . . .	25

---

4.66.1 Detailed Description . . . . .	26
4.67 Test Interface Reference . . . . .	26
4.67.1 Detailed Description . . . . .	26
4.68 Time Interface Reference . . . . .	26
4.68.1 Detailed Description . . . . .	26
4.69 TopicInfo Interface Reference . . . . .	26
4.69.1 Detailed Description . . . . .	26
4.70 Trackvisual Interface Reference . . . . .	26
4.70.1 Detailed Description . . . . .	27
4.71 Vector2d Interface Reference . . . . .	27
4.71.1 Detailed Description . . . . .	27
4.72 Vector3d Interface Reference . . . . .	27
4.72.1 Detailed Description . . . . .	27
4.73 Visual Interface Reference . . . . .	27
4.73.1 Detailed Description . . . . .	27
4.74 WorldControl Interface Reference . . . . .	27
4.74.1 Detailed Description . . . . .	28
4.75 WorldModify Interface Reference . . . . .	28
4.75.1 Detailed Description . . . . .	28
4.76 WorldReset Interface Reference . . . . .	28
4.76.1 Detailed Description . . . . .	28
4.77 WorldStatistics Interface Reference . . . . .	28
4.77.1 Detailed Description . . . . .	28
<b>5 File Documentation</b> . . . . .	<b>29</b>
5.1 axis.proto File Reference . . . . .	29
5.1.1 Variable Documentation . . . . .	29
5.1.1.1 Axis . . . . .	29
5.1.1.2 damping . . . . .	29
5.1.1.3 friction . . . . .	29
5.1.1.4 limit_effort . . . . .	29
5.1.1.5 limit_lower . . . . .	29
5.1.1.6 limit_upper . . . . .	29
5.1.1.7 limit_velocity . . . . .	29
5.1.1.8 msgs . . . . .	30
5.1.1.9 proto . . . . .	30
5.2 boxgeom.proto File Reference . . . . .	30

5.2.1	Variable Documentation	30
5.2.1.1	BoxGeom	30
5.2.1.2	msgs	30
5.2.1.3	proto	30
5.3	camerasensor.proto File Reference	30
5.3.1	Variable Documentation	30
5.3.1.1	CameraSensor	30
5.3.1.2	far_clip	31
5.3.1.3	image_format	31
5.3.1.4	image_size	31
5.3.1.5	msgs	31
5.3.1.6	near_clip	31
5.3.1.7	proto	31
5.3.1.8	save_enabled	31
5.3.1.9	save_path	31
5.4	collision.proto File Reference	31
5.4.1	Variable Documentation	31
5.4.1.1	Collision	31
5.4.1.2	geometry	31
5.4.1.3	laser_retro	31
5.4.1.4	max_contacts	31
5.4.1.5	msgs	31
5.4.1.6	name	31
5.4.1.7	pose	32
5.4.1.8	proto	32
5.4.1.9	surface	32
5.4.1.10	visual	32
5.5	color.proto File Reference	32
5.5.1	Variable Documentation	32
5.5.1.1	a	32
5.5.1.2	b	32
5.5.1.3	Color	32
5.5.1.4	g	32
5.5.1.5	msgs	32
5.6	contact.proto File Reference	32
5.6.1	Variable Documentation	33
5.6.1.1	collision2	33



---

5.6.1.2	Contact . . . . .	33
5.6.1.3	depth . . . . .	33
5.6.1.4	msgs . . . . .	33
5.6.1.5	normal . . . . .	33
5.6.1.6	position . . . . .	33
5.6.1.7	proto . . . . .	33
5.6.1.8	time . . . . .	33
5.6.1.9	wrench . . . . .	33
5.7	contacts.proto File Reference . . . . .	33
5.7.1	Variable Documentation . . . . .	33
5.7.1.1	Contacts . . . . .	33
5.7.1.2	msgs . . . . .	33
5.7.1.3	proto . . . . .	33
5.7.1.4	time . . . . .	33
5.8	contactsensor.proto File Reference . . . . .	34
5.8.1	Variable Documentation . . . . .	34
5.8.1.1	ContactSensor . . . . .	34
5.8.1.2	msgs . . . . .	34
5.9	cylindergeom.proto File Reference . . . . .	34
5.9.1	Variable Documentation . . . . .	34
5.9.1.1	CylinderGeom . . . . .	34
5.9.1.2	length . . . . .	34
5.9.1.3	msgs . . . . .	34
5.10	factory.proto File Reference . . . . .	34
5.10.1	Variable Documentation . . . . .	35
5.10.1.1	clone_model_name . . . . .	35
5.10.1.2	edit_name . . . . .	35
5.10.1.3	Factory . . . . .	35
5.10.1.4	msgs . . . . .	35
5.10.1.5	pose . . . . .	35
5.10.1.6	proto . . . . .	35
5.10.1.7	sdf_filename . . . . .	35
5.11	fog.proto File Reference . . . . .	35
5.11.1	Variable Documentation . . . . .	35
5.11.1.1	color . . . . .	35
5.11.1.2	density . . . . .	35
5.11.1.3	end . . . . .	35

5.11.1.4	Fog . . . . .	35
5.11.1.5	msgs . . . . .	36
5.11.1.6	proto . . . . .	36
5.11.1.7	start . . . . .	36
5.12	friction.proto File Reference . . . . .	36
5.12.1	Variable Documentation . . . . .	36
5.12.1.1	fdir1 . . . . .	36
5.12.1.2	Friction . . . . .	36
5.12.1.3	msgs . . . . .	36
5.12.1.4	mu2 . . . . .	36
5.12.1.5	proto . . . . .	36
5.12.1.6	slip1 . . . . .	36
5.12.1.7	slip2 . . . . .	36
5.13	geometry.proto File Reference . . . . .	36
5.13.1	Variable Documentation . . . . .	37
5.13.1.1	box . . . . .	37
5.13.1.2	cylinder . . . . .	37
5.13.1.3	Geometry . . . . .	37
5.13.1.4	heightmap . . . . .	37
5.13.1.5	image . . . . .	37
5.13.1.6	mesh . . . . .	37
5.13.1.7	msgs . . . . .	37
5.13.1.8	plane . . . . .	37
5.13.1.9	points . . . . .	37
5.13.1.10	proto . . . . .	37
5.13.1.11	sphere . . . . .	38
5.14	gui.proto File Reference . . . . .	38
5.14.1	Variable Documentation . . . . .	38
5.14.1.1	camera . . . . .	38
5.14.1.2	GUI . . . . .	38
5.14.1.3	msgs . . . . .	38
5.14.1.4	proto . . . . .	38
5.15	gui_camera.proto File Reference . . . . .	38
5.15.1	Variable Documentation . . . . .	38
5.15.1.1	GUICamera . . . . .	38
5.15.1.2	msgs . . . . .	39
5.15.1.3	pose . . . . .	39

---

5.15.1.4	proto	39
5.15.1.5	track	39
5.15.1.6	view_controller	39
5.16	gui_overlay_config.proto File Reference	39
5.16.1	Variable Documentation	39
5.16.1.1	GUIOverlayConfig	39
5.16.1.2	msgs	39
5.17	gz_string.proto File Reference	39
5.17.1	Variable Documentation	39
5.17.1.1	GzString	39
5.17.1.2	msgs	40
5.18	gz_string_v.proto File Reference	40
5.18.1	Variable Documentation	40
5.18.1.1	GzString_V	40
5.18.1.2	msgs	40
5.19	header.proto File Reference	40
5.19.1	Variable Documentation	40
5.19.1.1	Header	40
5.19.1.2	index	40
5.19.1.3	msgs	40
5.19.1.4	proto	40
5.19.1.5	stamp	40
5.20	heightmapgeom.proto File Reference	41
5.20.1	Variable Documentation	41
5.20.1.1	Blend	41
5.20.1.2	blend	41
5.20.1.3	fade_dist	41
5.20.1.4	HeightmapGeom	41
5.20.1.5	msgs	41
5.20.1.6	normal	41
5.20.1.7	origin	41
5.20.1.8	proto	41
5.20.1.9	size	41
5.20.1.10	Texture	41
5.20.1.11	texture	42
5.21	image.proto File Reference	42
5.21.1	Variable Documentation	42

5.21.1.1	data	42
5.21.1.2	height	42
5.21.1.3	Image	42
5.21.1.4	msgs	42
5.21.1.5	pixel_format	42
5.21.1.6	step	42
5.22	image_stamped.proto File Reference	42
5.22.1	Variable Documentation	42
5.22.1.1	image	42
5.22.1.2	ImageStamped	42
5.22.1.3	msgs	43
5.22.1.4	proto	43
5.23	imagegeom.proto File Reference	43
5.23.1	Variable Documentation	43
5.23.1.1	granularity	43
5.23.1.2	height	43
5.23.1.3	ImageGeom	43
5.23.1.4	msgs	43
5.23.1.5	scale	43
5.23.1.6	threshold	43
5.24	images_stamped.proto File Reference	43
5.24.1	Variable Documentation	44
5.24.1.1	image	44
5.24.1.2	ImagesStamped	44
5.24.1.3	msgs	44
5.24.1.4	proto	44
5.25	imu.proto File Reference	44
5.25.1	Variable Documentation	44
5.25.1.1	angular_velocity	44
5.25.1.2	entity_name	44
5.25.1.3	IMU	44
5.25.1.4	linear_acceleration	44
5.25.1.5	msgs	44
5.25.1.6	orientation	44
5.25.1.7	proto	44
5.26	inertial.proto File Reference	45
5.26.1	Variable Documentation	45

---

5.26.1.1	Inertial	45
5.26.1.2	ixx	45
5.26.1.3	ixy	45
5.26.1.4	ixz	45
5.26.1.5	iyx	45
5.26.1.6	iyz	45
5.26.1.7	izz	45
5.26.1.8	msgs	45
5.26.1.9	pose	45
5.26.1.10	proto	45
5.27	int.proto File Reference	45
5.27.1	Variable Documentation	46
5.27.1.1	Int	46
5.27.1.2	msgs	46
5.28	joint.proto File Reference	46
5.28.1	Variable Documentation	46
5.28.1.1	angle	46
5.28.1.2	axis1	46
5.28.1.3	axis2	46
5.28.1.4	bounce	46
5.28.1.5	cfm	46
5.28.1.6	child	46
5.28.1.7	fudge_factor	47
5.28.1.8	Joint	47
5.28.1.9	limit_cfm	47
5.28.1.10	limit_erp	47
5.28.1.11	msgs	47
5.28.1.12	parent	47
5.28.1.13	pose	47
5.28.1.14	proto	47
5.28.1.15	suspension_cfm	47
5.28.1.16	suspension_erp	47
5.28.1.17	type	47
5.28.1.18	velocity	47
5.29	joint_animation.proto File Reference	47
5.29.1	Variable Documentation	47
5.29.1.1	joint	47

5.29.1.2	JointAnimation	48
5.29.1.3	msgs	48
5.29.1.4	proto	48
5.29.1.5	time	48
5.30	joint_cmd.proto File Reference	48
5.30.1	Variable Documentation	48
5.30.1.1	axis	48
5.30.1.2	force	48
5.30.1.3	JointCmd	48
5.30.1.4	msgs	48
5.30.1.5	position	48
5.30.1.6	proto	48
5.30.1.7	reset	49
5.30.1.8	velocity	49
5.31	joint_wrench.proto File Reference	49
5.31.1	Variable Documentation	49
5.31.1.1	body_1_force	49
5.31.1.2	body_1_torque	49
5.31.1.3	body_2_force	49
5.31.1.4	body_2_name	49
5.31.1.5	body_2_torque	49
5.31.1.6	JointWrench	49
5.31.1.7	msgs	49
5.31.1.8	proto	49
5.32	joint_wrench_stamped.proto File Reference	49
5.32.1	Variable Documentation	50
5.32.1.1	ForceTorque	50
5.32.1.2	msgs	50
5.32.1.3	proto	50
5.32.1.4	time	50
5.33	laserscan.proto File Reference	50
5.33.1	Variable Documentation	50
5.33.1.1	angle_max	50
5.33.1.2	angle_min	50
5.33.1.3	angle_step	50
5.33.1.4	intensities	50
5.33.1.5	LaserScan	50

---

5.33.1.6	msgs	51
5.33.1.7	proto	51
5.33.1.8	range_max	51
5.33.1.9	range_min	51
5.33.1.10	ranges	51
5.33.1.11	world_pose	51
5.34	laserscan_stamped.proto File Reference	51
5.34.1	Variable Documentation	51
5.34.1.1	LaserScanStamped	51
5.34.1.2	msgs	51
5.34.1.3	proto	51
5.34.1.4	scan	51
5.35	light.proto File Reference	51
5.35.1	Enumeration Type Documentation	52
5.35.1.1	LightType	52
5.35.2	Variable Documentation	52
5.35.2.1	attenuation_constant	52
5.35.2.2	attenuation_linear	52
5.35.2.3	attenuation_quadratic	52
5.35.2.4	cast_shadows	52
5.35.2.5	diffuse	52
5.35.2.6	direction	52
5.35.2.7	Light	52
5.35.2.8	msgs	52
5.35.2.9	pose	52
5.35.2.10	proto	52
5.35.2.11	range	52
5.35.2.12	specular	53
5.35.2.13	spot_falloff	53
5.35.2.14	spot_inner_angle	53
5.35.2.15	spot_outer_angle	53
5.35.2.16	type	53
5.36	link.proto File Reference	53
5.36.1	Variable Documentation	53
5.36.1.1	collision	53
5.36.1.2	enabled	53
5.36.1.3	gravity	53

5.36.1.4	inertial . . . . .	53
5.36.1.5	kinematic . . . . .	53
5.36.1.6	Link . . . . .	53
5.36.1.7	msgs . . . . .	54
5.36.1.8	name . . . . .	54
5.36.1.9	pose . . . . .	54
5.36.1.10	projector . . . . .	54
5.36.1.11	proto . . . . .	54
5.36.1.12	self_collide . . . . .	54
5.36.1.13	sensor . . . . .	54
5.36.1.14	visual . . . . .	54
5.37	mainpage_msgs.html File Reference . . . . .	54
5.38	material.proto File Reference . . . . .	54
5.38.1	Variable Documentation . . . . .	54
5.38.1.1	ambient . . . . .	54
5.38.1.2	diffuse . . . . .	54
5.38.1.3	emissive . . . . .	54
5.38.1.4	Material . . . . .	54
5.38.1.5	msgs . . . . .	55
5.38.1.6	normal_map . . . . .	55
5.38.1.7	proto . . . . .	55
5.38.1.8	shader_type . . . . .	55
5.38.1.9	specular . . . . .	55
5.39	meshgeom.proto File Reference . . . . .	55
5.39.1	Variable Documentation . . . . .	55
5.39.1.1	MeshGeom . . . . .	55
5.39.1.2	msgs . . . . .	55
5.39.1.3	proto . . . . .	55
5.39.1.4	scale . . . . .	55
5.40	model.proto File Reference . . . . .	55
5.40.1	Variable Documentation . . . . .	56
5.40.1.1	deleted . . . . .	56
5.40.1.2	id . . . . .	56
5.40.1.3	is_static . . . . .	56
5.40.1.4	joint . . . . .	56
5.40.1.5	link . . . . .	56
5.40.1.6	Model . . . . .	56



---

5.40.1.7	msgs	56
5.40.1.8	pose	56
5.40.1.9	proto	56
5.40.1.10	visual	56
5.41	model_configuration.proto File Reference	56
5.41.1	Variable Documentation	57
5.41.1.1	joint_names	57
5.41.1.2	joint_positions	57
5.41.1.3	link_name	57
5.41.1.4	ModelConfiguration	57
5.41.1.5	msgs	57
5.41.1.6	pose	57
5.41.1.7	proto	57
5.42	model_v.proto File Reference	57
5.42.1	Variable Documentation	57
5.42.1.1	Model_V	57
5.42.1.2	msgs	57
5.42.1.3	proto	57
5.43	packet.proto File Reference	57
5.43.1	Variable Documentation	58
5.43.1.1	msgs	58
5.43.1.2	Packet	58
5.43.1.3	proto	58
5.43.1.4	serialized_data	58
5.43.1.5	type	58
5.44	physics.proto File Reference	58
5.44.1	Variable Documentation	58
5.44.1.1	cfm	58
5.44.1.2	contact_max_correcting_vel	58
5.44.1.3	contact_surface_layer	58
5.44.1.4	dt	59
5.44.1.5	enable_physics	59
5.44.1.6	erp	59
5.44.1.7	gravity	59
5.44.1.8	iters	59
5.44.1.9	msgs	59
5.44.1.10	Physics	59

5.44.1.11	proto	59
5.44.1.12	solver_type	59
5.44.1.13	sor	59
5.44.1.14	update_rate	59
5.45	pid.proto File Reference	59
5.45.1	Variable Documentation	59
5.45.1.1	d_gain	59
5.45.1.2	i_gain	59
5.45.1.3	i_max	60
5.45.1.4	i_min	60
5.45.1.5	limit	60
5.45.1.6	msgs	60
5.45.1.7	p_gain	60
5.45.1.8	PID	60
5.46	planegeom.proto File Reference	60
5.46.1	Variable Documentation	60
5.46.1.1	d	60
5.46.1.2	msgs	60
5.46.1.3	PlaneGeom	60
5.46.1.4	proto	60
5.46.1.5	size	60
5.47	plugin.proto File Reference	60
5.47.1	Variable Documentation	61
5.47.1.1	filename	61
5.47.1.2	msgs	61
5.47.1.3	Plugin	61
5.48	pose.proto File Reference	61
5.48.1	Variable Documentation	61
5.48.1.1	msgs	61
5.48.1.2	orientation	61
5.48.1.3	Pose	61
5.48.1.4	position	61
5.48.1.5	proto	61
5.49	pose_animation.proto File Reference	61
5.49.1	Variable Documentation	62
5.49.1.1	msgs	62
5.49.1.2	pose	62

5.49.1.3	PoseAnimation	62
5.49.1.4	proto	62
5.49.1.5	time	62
5.50	pose_stamped.proto File Reference	62
5.50.1	Variable Documentation	62
5.50.1.1	msgs	62
5.50.1.2	pose	62
5.50.1.3	PoseStamped	62
5.50.1.4	proto	63
5.51	pose_trajectory.proto File Reference	63
5.51.1	Variable Documentation	63
5.51.1.1	id	63
5.51.1.2	msgs	63
5.51.1.3	pose_stamped	63
5.51.1.4	PoseTrajectory	63
5.51.1.5	proto	63
5.52	pose_v.proto File Reference	63
5.52.1	Variable Documentation	63
5.52.1.1	msgs	63
5.52.1.2	Pose_V	63
5.52.1.3	proto	64
5.53	projector.proto File Reference	64
5.53.1	Variable Documentation	64
5.53.1.1	enabled	64
5.53.1.2	far_clip	64
5.53.1.3	fov	64
5.53.1.4	msgs	64
5.53.1.5	near_clip	64
5.53.1.6	pose	64
5.53.1.7	Projector	64
5.53.1.8	proto	64
5.53.1.9	texture	64
5.54	publish.proto File Reference	64
5.54.1	Variable Documentation	65
5.54.1.1	host	65
5.54.1.2	msg_type	65
5.54.1.3	msgs	65

5.54.1.4	port . . . . .	65
5.54.1.5	Publish . . . . .	65
5.55	publishers.proto File Reference . . . . .	65
5.55.1	Variable Documentation . . . . .	65
5.55.1.1	msgs . . . . .	65
5.55.1.2	proto . . . . .	65
5.55.1.3	Publishers . . . . .	65
5.56	quaternion.proto File Reference . . . . .	65
5.56.1	Variable Documentation . . . . .	66
5.56.1.1	msgs . . . . .	66
5.56.1.2	Quaternion . . . . .	66
5.56.1.3	w . . . . .	66
5.56.1.4	y . . . . .	66
5.56.1.5	z . . . . .	66
5.57	raysensor.proto File Reference . . . . .	66
5.57.1	Variable Documentation . . . . .	66
5.57.1.1	horizontal_max_angle . . . . .	66
5.57.1.2	horizontal_min_angle . . . . .	66
5.57.1.3	horizontal_resolution . . . . .	66
5.57.1.4	horizontal_samples . . . . .	66
5.57.1.5	msgs . . . . .	66
5.57.1.6	range_max . . . . .	66
5.57.1.7	range_min . . . . .	67
5.57.1.8	range_resolution . . . . .	67
5.57.1.9	RaySensor . . . . .	67
5.57.1.10	vertical_max_angle . . . . .	67
5.57.1.11	vertical_min_angle . . . . .	67
5.57.1.12	vertical_resolution . . . . .	67
5.57.1.13	vertical_samples . . . . .	67
5.58	request.proto File Reference . . . . .	67
5.58.1	Variable Documentation . . . . .	67
5.58.1.1	data . . . . .	67
5.58.1.2	dbl_data . . . . .	67
5.58.1.3	msgs . . . . .	67
5.58.1.4	Request . . . . .	67
5.58.1.5	request . . . . .	67
5.59	response.proto File Reference . . . . .	67

---

5.59.1	Variable Documentation	68
5.59.1.1	msgs	68
5.59.1.2	request	68
5.59.1.3	Response	68
5.59.1.4	response	68
5.59.1.5	serialized_data	68
5.59.1.6	type	68
5.60	road.proto File Reference	68
5.60.1	Variable Documentation	68
5.60.1.1	msgs	68
5.60.1.2	point	68
5.60.1.3	proto	68
5.60.1.4	Road	68
5.60.1.5	width	69
5.61	scene.proto File Reference	69
5.61.1	Variable Documentation	69
5.61.1.1	ambient	69
5.61.1.2	background	69
5.61.1.3	fog	69
5.61.1.4	grid	69
5.61.1.5	joint	69
5.61.1.6	light	69
5.61.1.7	model	69
5.61.1.8	msgs	69
5.61.1.9	proto	69
5.61.1.10	Scene	69
5.61.1.11	shadows	70
5.61.1.12	sky	70
5.62	selection.proto File Reference	70
5.62.1	Variable Documentation	70
5.62.1.1	msgs	70
5.62.1.2	name	70
5.62.1.3	proto	70
5.62.1.4	selected	70
5.62.1.5	Selection	70
5.63	sensor.proto File Reference	70
5.63.1	Variable Documentation	71

5.63.1.1	always_on	71
5.63.1.2	camera	71
5.63.1.3	contact	71
5.63.1.4	msgs	71
5.63.1.5	parent	71
5.63.1.6	pose	71
5.63.1.7	proto	71
5.63.1.8	ray	71
5.63.1.9	Sensor	71
5.63.1.10	topic	71
5.63.1.11	type	71
5.63.1.12	update_rate	71
5.63.1.13	visualize	71
5.64	server_control.proto File Reference	71
5.64.1	Variable Documentation	71
5.64.1.1	msgs	71
5.64.1.2	new_world	71
5.64.1.3	open_filename	72
5.64.1.4	proto	72
5.64.1.5	save_filename	72
5.64.1.6	ServerControl	72
5.65	shadows.proto File Reference	72
5.65.1	Variable Documentation	72
5.65.1.1	color	72
5.65.1.2	msgs	72
5.65.1.3	proto	72
5.65.1.4	Shadows	72
5.66	sky.proto File Reference	72
5.66.1	Variable Documentation	73
5.66.1.1	cloud_ambient	73
5.66.1.2	humidity	73
5.66.1.3	mean_cloud_size	73
5.66.1.4	msgs	73
5.66.1.5	proto	73
5.66.1.6	Sky	73
5.66.1.7	sunrise	73
5.66.1.8	sunset	73

---

5.66.1.9	wind_direction	73
5.66.1.10	wind_speed	73
5.67	spheregeom.proto File Reference	73
5.67.1	Variable Documentation	73
5.67.1.1	msgs	73
5.67.1.2	SphereGeom	73
5.68	subscribe.proto File Reference	74
5.68.1	Variable Documentation	74
5.68.1.1	host	74
5.68.1.2	latching	74
5.68.1.3	msg_type	74
5.68.1.4	msgs	74
5.68.1.5	port	74
5.68.1.6	Subscribe	74
5.69	surface.proto File Reference	74
5.69.1	Variable Documentation	75
5.69.1.1	bounce_threshold	75
5.69.1.2	kd	75
5.69.1.3	kp	75
5.69.1.4	max_vel	75
5.69.1.5	min_depth	75
5.69.1.6	msgs	75
5.69.1.7	proto	75
5.69.1.8	restitution_coefficient	75
5.69.1.9	soft_cfm	75
5.69.1.10	soft_erp	75
5.69.1.11	Surface	75
5.70	test.proto File Reference	75
5.70.1	Variable Documentation	75
5.70.1.1	msgs	75
5.70.1.2	proto	75
5.70.1.3	Test	75
5.71	time.proto File Reference	76
5.71.1	Variable Documentation	76
5.71.1.1	msgs	76
5.71.1.2	nsec	76
5.71.1.3	Time	76

5.72	topic_info.proto File Reference	76
5.72.1	Variable Documentation	76
5.72.1.1	msgs	76
5.72.1.2	proto	76
5.72.1.3	publisher	76
5.72.1.4	subscriber	76
5.72.1.5	TopicInfo	76
5.73	track_visual.proto File Reference	77
5.73.1	Variable Documentation	77
5.73.1.1	inherit_orientation	77
5.73.1.2	max_dist	77
5.73.1.3	min_dist	77
5.73.1.4	msgs	77
5.73.1.5	TrackVisual	77
5.74	vector2d.proto File Reference	77
5.74.1	Variable Documentation	77
5.74.1.1	msgs	77
5.74.1.2	proto	77
5.74.1.3	Vector2d	77
5.74.1.4	y	78
5.75	vector3d.proto File Reference	78
5.75.1	Variable Documentation	78
5.75.1.1	msgs	78
5.75.1.2	proto	78
5.75.1.3	Vector3d	78
5.75.1.4	y	78
5.75.1.5	z	78
5.76	visual.proto File Reference	78
5.76.1	Variable Documentation	79
5.76.1.1	cast_shadows	79
5.76.1.2	delete_me	79
5.76.1.3	geometry	79
5.76.1.4	is_static	79
5.76.1.5	laser_retro	79
5.76.1.6	material	79
5.76.1.7	msgs	79
5.76.1.8	parent_name	79



5.76.1.9	plugin	79
5.76.1.10	pose	79
5.76.1.11	proto	79
5.76.1.12	transparency	79
5.76.1.13	visible	79
5.76.1.14	Visual	79
5.77	world_control.proto File Reference	79
5.77.1	Variable Documentation	79
5.77.1.1	msgs	79
5.77.1.2	proto	80
5.77.1.3	reset	80
5.77.1.4	seed	80
5.77.1.5	step	80
5.77.1.6	WorldControl	80
5.78	world_modify.proto File Reference	80
5.78.1	Variable Documentation	80
5.78.1.1	create	80
5.78.1.2	msgs	80
5.78.1.3	remove	80
5.78.1.4	WorldModify	80
5.79	world_reset.proto File Reference	80
5.79.1	Variable Documentation	81
5.79.1.1	model_only	81
5.79.1.2	msgs	81
5.79.1.3	proto	81
5.79.1.4	time_only	81
5.79.1.5	WorldReset	81
5.80	world_stats.proto File Reference	81
5.80.1	Variable Documentation	81
5.80.1.1	model_count	81
5.80.1.2	msgs	81
5.80.1.3	pause_time	81
5.80.1.4	paused	81
5.80.1.5	proto	81
5.80.1.6	real_time	81
5.80.1.7	WorldStatistics	81

**Index**

**81**

## Chapter 1

# Gazebo Messages Reference

Gazebo uses Google Protobufs for message specification and serialization.

Messages Definitions



## Chapter 2

# Class Index

### 2.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

<b>Axis</b>		
	Msgs::Joint axis message . . . . .	9
<b>BoxGeom</b>		
	Information about a box geometry . . . . .	9
<b>CameraSensor</b>		
	Information about a camera sensor element . . . . .	9
<b>Collision</b>		
	Information about a collision element . . . . .	10
<b>Color</b>		
	<b>Color</b> (p. 10) message . . . . .	10
<b>Contact</b>		
	<b>Contact</b> (p. 10) message for passing info between two entities . . . . .	10
<b>Contacts</b>		
	<b>Contacts</b> (p. 10) from collision detection . . . . .	10
<b>ContactSensor</b>		
	Information about a contact sensor element . . . . .	11
<b>CylinderGeom</b>		
	Information about a cylinder geometry . . . . .	11
<b>Entities</b>		
	Information about all entities in a world . . . . .	11
<b>Factory</b>		
	Message to create new model in gazebo . . . . .	11
<b>Fog</b>		
	Message for fog data . . . . .	12
<b>ForceTorque</b>		
	<b>ForceTorque</b> (p. 12) from constraint solving . . . . .	12
<b>Frction</b>		
	Information about friction . . . . .	12
<b>Geometry</b>		
	Information about a geometry element . . . . .	12
<b>GUI</b>		
	Message for a <b>GUI</b> (p. 13) . . . . .	13
<b>GUICamera</b>		
	Message for a <b>GUI</b> (p. 13) Camera . . . . .	13

<b>GUIOverlayConfig</b>	
Message for a gui overlay configuration	13
<b>GzString</b>	
A message for string data	13
<b>GzString_V</b>	
A message for a vector of string data	14
<b>Header</b>	
General information included by many messages	14
<b>HeightmapGeom</b>	
Message for a heightmap geometry	14
<b>Image</b>	
Message for an image	14
<b>ImageGeom</b>	
Message for a image geometry	15
<b>ImagesStamped</b>	
Message for a multiple image with a time	15
<b>ImageStamped</b>	
Message for an image with a time	15
<b>IMU</b>	
Data from an <b>IMU</b> (p. 15) sensor	15
<b>Inertial</b>	
Information about inertia	16
<b>Int</b>	
Integer message	16
<b>Joint</b>	
Message for creating joint in rendering::Scene	16
<b>JointAnimation</b>	
Message for a model joint animation, does not appear to be used	17
<b>JointCmd</b>	
Message for joint command, used by physics::JointControlWidget	17
<b>LaserScan</b>	
Data from a laser scan	17
<b>LaserStamped</b>	
Message for an laser scan with a time	17
<b>Light</b>	
Message for a light	18
<b>Link</b>	
Information about a link	18
<b>Material</b>	
Information about a material	18
<b>MeshGeom</b>	
Message for a mesh geometry	18
<b>Model</b>	
Information about a model	19
<b>ModelConfiguration</b>	
Message for model configuration (joint positions)	19
<b>Packet</b>	
Message that encapsulates another message with a type description	19
<b>Physics</b>	
A message containing a description of the global physics properties	19
<b>PID</b>	
Message for simple <b>PID</b> (p. 20) controllers	20
<b>PlaneGeom</b>	
Message for a plane geometry	20

<b>Plugin</b>	A message containing visual information for gazebo::Plugin . . . . .	20
<b>Pose</b>	Message for a pose . . . . .	20
<b>PoseAnimation</b>	Message for a model pose animation . . . . .	21
<b>PoseStamped</b>	Message for a pose with a time . . . . .	21
<b>PoseTrajectory</b>	Message for a pose trajectory . . . . .	21
<b>Projector</b>	Information about a projector . . . . .	21
<b>Publish</b>	Message that contains information about a publisher of data . . . . .	22
<b>Publishers</b>	A list of publishers . . . . .	22
<b>Quaternion</b>	A message for a quaternion . . . . .	22
<b>RaySensor</b>	Information about a ray sensor element . . . . .	22
<b>Request</b>	A message containing a string request . . . . .	23
<b>Response</b>	Message that encapsulates a respons message with a type description . . . . .	23
<b>Road</b>	Message for a road . . . . .	23
<b>Scene</b>	A message containing a description of a scene . . . . .	23
<b>Selection</b>	A message for <b>GUI</b> (p. 13) selection data . . . . .	24
<b>Sensor</b>	Information about a sensor element . . . . .	24
<b>ServerControl</b>	A message that allows for control of the server functions . . . . .	24
<b>Shadows</b>	A message for shadow data . . . . .	24
<b>Sky</b>	Information about the sky . . . . .	25
<b>SphereGeom</b>	Information about a sphere geometry . . . . .	25
<b>Subscribe</b>	A message for subscription data . . . . .	25
<b>Surface</b>	Information about a surface element . . . . .	25
<b>Test</b>	A test message . . . . .	26
<b>Time</b>	A message for time data . . . . .	26
<b>TopicInfo</b>	A message for topic information . . . . .	26
<b>Trackvisual</b>	Message for a trackking a rendering::Visual with a rendering::Camera . . . . .	26
<b>Vector2d</b>	Message for a vector2 double . . . . .	27

---

<b>Vector3d</b>	
Message for a vector3 double . . . . .	27
<b>Visual</b>	
A message containing visual information for rendering::Visual . . . . .	27
<b>WorldControl</b>	
A message that allows for control of world functions . . . . .	27
<b>WorldModify</b>	
A message that allows for modifying (open, close) worlds . . . . .	28
<b>WorldReset</b>	
A message that controls how the world is reset . . . . .	28
<b>WorldStatistics</b>	
A message statistics about a world . . . . .	28



# Chapter 3

## File Index

### 3.1 File List

Here is a list of all files with brief descriptions:

<b>axis.proto</b>	29
<b>boxgeom.proto</b>	30
<b>camerasensor.proto</b>	30
<b>collision.proto</b>	31
<b>color.proto</b>	32
<b>contact.proto</b>	32
<b>contacts.proto</b>	33
<b>contactsensor.proto</b>	34
<b>cylindergeom.proto</b>	34
<b>factory.proto</b>	34
<b>fog.proto</b>	35
<b>friction.proto</b>	36
<b>geometry.proto</b>	36
<b>gui.proto</b>	38
<b>gui_camera.proto</b>	38
<b>gui_overlay_config.proto</b>	39
<b>gz_string.proto</b>	39
<b>gz_string_v.proto</b>	40
<b>header.proto</b>	40
<b>heightmapgeom.proto</b>	41
<b>image.proto</b>	42
<b>image_stamped.proto</b>	42
<b>imagegeom.proto</b>	43
<b>images_stamped.proto</b>	43
<b>imu.proto</b>	44
<b>inertial.proto</b>	45
<b>int.proto</b>	45
<b>joint.proto</b>	46
<b>joint_animation.proto</b>	47
<b>joint_cmd.proto</b>	48
<b>joint_wrench.proto</b>	49
<b>joint_wrench_stamped.proto</b>	49
<b>laserscan.proto</b>	50
<b>laserscan_stamped.proto</b>	51

light.proto	51
link.proto	53
mainpage_msgs.html	54
material.proto	54
meshgeom.proto	55
model.proto	55
model_configuration.proto	56
model_v.proto	57
packet.proto	57
physics.proto	58
pid.proto	59
planegeom.proto	60
plugin.proto	60
pose.proto	61
pose_animation.proto	61
pose_stamped.proto	62
pose_trajectory.proto	63
pose_v.proto	63
projector.proto	64
publish.proto	64
publishers.proto	65
quaternion.proto	65
raysensor.proto	66
request.proto	67
response.proto	67
road.proto	68
scene.proto	69
selection.proto	70
sensor.proto	70
server_control.proto	71
shadows.proto	72
sky.proto	72
spheregeom.proto	73
subscribe.proto	74
surface.proto	74
test.proto	75
time.proto	76
topic_info.proto	76
track_visual.proto	77
vector2d.proto	77
vector3d.proto	78
visual.proto	78
world_control.proto	79
world_modify.proto	80
world_reset.proto	80
world_stats.proto	81

## Chapter 4

# Class Documentation

### 4.1 Axis Interface Reference

msgs::Joint axis message

#### 4.1.1 Detailed Description

msgs::Joint axis message

The documentation for this interface was generated from the following file:

- **axis.proto**

### 4.2 BoxGeom Interface Reference

Information about a box geometry.

#### 4.2.1 Detailed Description

Information about a box geometry.

The documentation for this interface was generated from the following file:

- **boxgeom.proto**

### 4.3 CameraSensor Interface Reference

Information about a camera sensor element.

#### 4.3.1 Detailed Description

Information about a camera sensor element.

The documentation for this interface was generated from the following file:

- **camerasensor.proto**

## 4.4 Collision Interface Reference

Information about a collision element.

### 4.4.1 Detailed Description

Information about a collision element.

The documentation for this interface was generated from the following file:

- **collision.proto**

## 4.5 Color Interface Reference

**Color** (p. 10) message.

### 4.5.1 Detailed Description

**Color** (p. 10) message.

The documentation for this interface was generated from the following file:

- **color.proto**

## 4.6 Contact Interface Reference

**Contact** (p. 10) message for passing info between two entities.

### 4.6.1 Detailed Description

**Contact** (p. 10) message for passing info between two entities.

The documentation for this interface was generated from the following file:

- **contact.proto**

## 4.7 Contacts Interface Reference

**Contacts** (p. 10) from collision detection.

### 4.7.1 Detailed Description

**Contacts** (p. 10) from collision detection.

The documentation for this interface was generated from the following file:

- **contacts.proto**

## 4.8 ContactSensor Interface Reference

Information about a contact sensor element.

### 4.8.1 Detailed Description

Information about a contact sensor element.

The documentation for this interface was generated from the following file:

- **contactsensor.proto**

## 4.9 CylinderGeom Interface Reference

Information about a cylinder geometry.

### 4.9.1 Detailed Description

Information about a cylinder geometry.

The documentation for this interface was generated from the following file:

- **cylindergeom.proto**

## 4.10 Entities Interface Reference

Information about all entities in a world.

### 4.10.1 Detailed Description

Information about all entities in a world.

The documentation for this interface was generated from the following file:

- **model\_v.proto**

## 4.11 Factory Interface Reference

Message to create new model in gazebo.

### 4.11.1 Detailed Description

Message to create new model in gazebo.

The documentation for this interface was generated from the following file:

- **factory.proto**

## 4.12 Fog Interface Reference

Message for fog data.

### 4.12.1 Detailed Description

Message for fog data.

The documentation for this interface was generated from the following file:

- **fog.proto**

## 4.13 ForceTorque Interface Reference

**ForceTorque** (p. 12) from constraint solving.

### 4.13.1 Detailed Description

**ForceTorque** (p. 12) from constraint solving.

The documentation for this interface was generated from the following file:

- **joint\_wrench\_stamped.proto**

## 4.14 Frction Interface Reference

Information about friction.

### 4.14.1 Detailed Description

Information about friction.

The documentation for this interface was generated from the following file:

- **friction.proto**

## 4.15 Geometry Interface Reference

Information about a geometry element.

### 4.15.1 Detailed Description

Information about a geometry element.

The documentation for this interface was generated from the following file:

- **geometry.proto**

## 4.16 GUI Interface Reference

Message for a **GUI** (p. 13).

### 4.16.1 Detailed Description

Message for a **GUI** (p. 13).

The documentation for this interface was generated from the following file:

- **gui.proto**

## 4.17 GUICamera Interface Reference

Message for a **GUI** (p. 13) Camera.

### 4.17.1 Detailed Description

Message for a **GUI** (p. 13) Camera.

The documentation for this interface was generated from the following file:

- **gui\_camera.proto**

## 4.18 GUIOverlayConfig Interface Reference

Message for a gui overlay configuration.

### 4.18.1 Detailed Description

Message for a gui overlay configuration.

The documentation for this interface was generated from the following file:

- **gui\_overlay\_config.proto**

## 4.19 GzString Interface Reference

A message for string data.

#### 4.19.1 Detailed Description

A message for string data.

The documentation for this interface was generated from the following file:

- **gz\_string.proto**

### 4.20 GzString\_V Interface Reference

A message for a vector of string data.

#### 4.20.1 Detailed Description

A message for a vector of string data.

The documentation for this interface was generated from the following file:

- **gz\_string\_v.proto**

### 4.21 Header Interface Reference

General information included by many messages.

#### 4.21.1 Detailed Description

General information included by many messages.

The documentation for this interface was generated from the following file:

- **header.proto**

### 4.22 HeightmapGeom Interface Reference

Message for a heightmap geometry.

#### 4.22.1 Detailed Description

Message for a heightmap geometry.

The documentation for this interface was generated from the following file:

- **heightmapgeom.proto**

### 4.23 Image Interface Reference

Message for an image.



### 4.23.1 Detailed Description

Message for an image.

The documentation for this interface was generated from the following file:

- **image.proto**

## 4.24 ImageGeom Interface Reference

Message for a image geometry.

### 4.24.1 Detailed Description

Message for a image geometry.

The documentation for this interface was generated from the following file:

- **imagegeom.proto**

## 4.25 ImagesStamped Interface Reference

Message for a multiple image with a time.

### 4.25.1 Detailed Description

Message for a multiple image with a time.

The documentation for this interface was generated from the following file:

- **images\_stamped.proto**

## 4.26 ImageStamped Interface Reference

Message for an image with a time.

### 4.26.1 Detailed Description

Message for an image with a time.

The documentation for this interface was generated from the following file:

- **image\_stamped.proto**

## 4.27 IMU Interface Reference

Data from an **IMU** (p. 15) sensor.

### 4.27.1 Detailed Description

Data from an **IMU** (p. 15) sensor.

The documentation for this interface was generated from the following file:

- **imu.proto**

## 4.28 Inertial Interface Reference

Information about inertia.

### 4.28.1 Detailed Description

Information about inertia.

The documentation for this interface was generated from the following file:

- **inertial.proto**

## 4.29 Int Interface Reference

Integer message.

### 4.29.1 Detailed Description

Integer message.

The documentation for this interface was generated from the following file:

- **int.proto**

## 4.30 Joint Interface Reference

Message for creating joint in rendering::Scene.

### 4.30.1 Detailed Description

Message for creating joint in rendering::Scene.

**Joint** (p. 16) wrench message.

The documentation for this interface was generated from the following file:

- **joint.proto**

## 4.31 JointAnimation Interface Reference

Message for a model joint animation, does not appear to be used.

### 4.31.1 Detailed Description

Message for a model joint animation, does not appear to be used.

The documentation for this interface was generated from the following file:

- **joint\_animation.proto**

## 4.32 JointCmd Interface Reference

Message for joint command, used by physics::JointControlWidget.

### 4.32.1 Detailed Description

Message for joint command, used by physics::JointControlWidget.

The documentation for this interface was generated from the following file:

- **joint\_cmd.proto**

## 4.33 LaserScan Interface Reference

Data from a laser scan.

### 4.33.1 Detailed Description

Data from a laser scan.

The documentation for this interface was generated from the following file:

- **laserscan.proto**

## 4.34 LaserStamped Interface Reference

Message for an laser scan with a time.

### 4.34.1 Detailed Description

Message for an laser scan with a time.

The documentation for this interface was generated from the following file:

- **laserscan\_stamped.proto**

## 4.35 Light Interface Reference

Message for a light.

### 4.35.1 Detailed Description

Message for a light.

The documentation for this interface was generated from the following file:

- **light.proto**

## 4.36 Link Interface Reference

Information about a link.

### 4.36.1 Detailed Description

Information about a link.

The documentation for this interface was generated from the following file:

- **link.proto**

## 4.37 Material Interface Reference

Information about a material.

### 4.37.1 Detailed Description

Information about a material.

The documentation for this interface was generated from the following file:

- **material.proto**

## 4.38 MeshGeom Interface Reference

Message for a mesh geometry.

### 4.38.1 Detailed Description

Message for a mesh geometry.

The documentation for this interface was generated from the following file:

- **meshgeom.proto**

## 4.39 Model Interface Reference

Information about a model.

### 4.39.1 Detailed Description

Information about a model.

The documentation for this interface was generated from the following file:

- **model.proto**

## 4.40 ModelConfiguration Interface Reference

Message for model configuration (joint positions)

### 4.40.1 Detailed Description

Message for model configuration (joint positions)

The documentation for this interface was generated from the following file:

- **model\_configuration.proto**

## 4.41 Packet Interface Reference

Message that encapsulates another message with a type description.

### 4.41.1 Detailed Description

Message that encapsulates another message with a type description.

The documentation for this interface was generated from the following file:

- **packet.proto**

## 4.42 Physics Interface Reference

A message containing a description of the global physics properties.

### 4.42.1 Detailed Description

A message containing a description of the global physics properties.

The documentation for this interface was generated from the following file:

- **physics.proto**

## 4.43 PID Interface Reference

Message for simple **PID** (p. 20) controllers.

### 4.43.1 Detailed Description

Message for simple **PID** (p. 20) controllers.

The documentation for this interface was generated from the following file:

- **pid.proto**

## 4.44 PlaneGeom Interface Reference

Message for a plane geometry.

### 4.44.1 Detailed Description

Message for a plane geometry.

The documentation for this interface was generated from the following file:

- **planegeom.proto**

## 4.45 Plugin Interface Reference

A message containing visual information for gazebo::Plugin.

### 4.45.1 Detailed Description

A message containing visual information for gazebo::Plugin.

The documentation for this interface was generated from the following file:

- **plugin.proto**

## 4.46 Pose Interface Reference

Message for a pose.

### 4.46.1 Detailed Description

Message for a pose.

Message for a vector of poses.

The documentation for this interface was generated from the following file:

- **pose.proto**

## 4.47 PoseAnimation Interface Reference

Message for a model pose animation.

### 4.47.1 Detailed Description

Message for a model pose animation.

The documentation for this interface was generated from the following file:

- **pose\_animation.proto**

## 4.48 PoseStamped Interface Reference

Message for a pose with a time.

### 4.48.1 Detailed Description

Message for a pose with a time.

The documentation for this interface was generated from the following file:

- **pose\_stamped.proto**

## 4.49 PoseTrajectory Interface Reference

Message for a pose trajectory.

### 4.49.1 Detailed Description

Message for a pose trajectory.

The documentation for this interface was generated from the following file:

- **pose\_trajectory.proto**

## 4.50 Projector Interface Reference

Information about a projector.

### 4.50.1 Detailed Description

Information about a projector.

The documentation for this interface was generated from the following file:

- **projector.proto**

## 4.51 Publish Interface Reference

Message that contains information about a publisher of data.

### 4.51.1 Detailed Description

Message that contains information about a publisher of data.

The documentation for this interface was generated from the following file:

- **publish.proto**

## 4.52 Publishers Interface Reference

A list of publishers.

### 4.52.1 Detailed Description

A list of publishers.

The documentation for this interface was generated from the following file:

- **publishers.proto**

## 4.53 Quaternion Interface Reference

A message for a quaternion.

### 4.53.1 Detailed Description

A message for a quaternion.

The documentation for this interface was generated from the following file:

- **quaternion.proto**

## 4.54 RaySensor Interface Reference

Information about a ray sensor element.



#### 4.54.1 Detailed Description

Information about a ray sensor element.

The documentation for this interface was generated from the following file:

- **raysensor.proto**

### 4.55 Request Interface Reference

A message containing a string request.

#### 4.55.1 Detailed Description

A message containing a string request.

The documentation for this interface was generated from the following file:

- **request.proto**

### 4.56 Response Interface Reference

Message that encapsulates a respons message with a type description.

#### 4.56.1 Detailed Description

Message that encapsulates a respons message with a type description.

The documentation for this interface was generated from the following file:

- **response.proto**

### 4.57 Road Interface Reference

Message for a road.

#### 4.57.1 Detailed Description

Message for a road.

The documentation for this interface was generated from the following file:

- **road.proto**

### 4.58 Scene Interface Reference

A message containing a description of a scene.

#### 4.58.1 Detailed Description

A message containing a description of a scene.

The documentation for this interface was generated from the following file:

- **scene.proto**

#### 4.59 Selection Interface Reference

A message for **GUI** (p. 13) selection data.

##### 4.59.1 Detailed Description

A message for **GUI** (p. 13) selection data.

The documentation for this interface was generated from the following file:

- **selection.proto**

#### 4.60 Sensor Interface Reference

Information about a sensor element.

##### 4.60.1 Detailed Description

Information about a sensor element.

The documentation for this interface was generated from the following file:

- **sensor.proto**

#### 4.61 ServerControl Interface Reference

A message that allows for control of the server functions.

##### 4.61.1 Detailed Description

A message that allows for control of the server functions.

The documentation for this interface was generated from the following file:

- **server\_control.proto**

#### 4.62 Shadows Interface Reference

A message for shadow data.

#### 4.62.1 Detailed Description

A message for shadow data.

The documentation for this interface was generated from the following file:

- **shadows.proto**

### 4.63 Sky Interface Reference

Information about the sky.

#### 4.63.1 Detailed Description

Information about the sky.

The documentation for this interface was generated from the following file:

- **sky.proto**

### 4.64 SphereGeom Interface Reference

Information about a sphere geometry.

#### 4.64.1 Detailed Description

Information about a sphere geometry.

The documentation for this interface was generated from the following file:

- **spheregeom.proto**

### 4.65 Subscribe Interface Reference

A message for subscription data.

#### 4.65.1 Detailed Description

A message for subscription data.

The documentation for this interface was generated from the following file:

- **subscribe.proto**

### 4.66 Surface Interface Reference

Information about a surface element.

#### 4.66.1 Detailed Description

Information about a surface element.

The documentation for this interface was generated from the following file:

- **surface.proto**

### 4.67 Test Interface Reference

A test message.

#### 4.67.1 Detailed Description

A test message.

The documentation for this interface was generated from the following file:

- **test.proto**

### 4.68 Time Interface Reference

A message for time data.

#### 4.68.1 Detailed Description

A message for time data.

The documentation for this interface was generated from the following file:

- **time.proto**

### 4.69 TopicInfo Interface Reference

A message for topic information.

#### 4.69.1 Detailed Description

A message for topic information.

The documentation for this interface was generated from the following file:

- **topic\_info.proto**

### 4.70 Trackvisual Interface Reference

Message for a tracking a rendering::Visual with a rendering::Camera.

### 4.70.1 Detailed Description

Message for a tracking a rendering::Visual with a rendering::Camera.

The documentation for this interface was generated from the following file:

- **track\_visual.proto**

## 4.71 Vector2d Interface Reference

Message for a vector2 double.

### 4.71.1 Detailed Description

Message for a vector2 double.

The documentation for this interface was generated from the following file:

- **vector2d.proto**

## 4.72 Vector3d Interface Reference

Message for a vector3 double.

### 4.72.1 Detailed Description

Message for a vector3 double.

The documentation for this interface was generated from the following file:

- **vector3d.proto**

## 4.73 Visual Interface Reference

A message containing visual information for rendering::Visual.

### 4.73.1 Detailed Description

A message containing visual information for rendering::Visual.

The documentation for this interface was generated from the following file:

- **visual.proto**

## 4.74 WorldControl Interface Reference

A message that allows for control of world functions.

#### 4.74.1 Detailed Description

A message that allows for control of world functions.

The documentation for this interface was generated from the following file:

- **world\_control.proto**

### 4.75 WorldModify Interface Reference

A message that allows for modifying (open, close) worlds.

#### 4.75.1 Detailed Description

A message that allows for modifying (open, close) worlds.

The documentation for this interface was generated from the following file:

- **world\_modify.proto**

### 4.76 WorldReset Interface Reference

A message that controls how the world is reset.

#### 4.76.1 Detailed Description

A message that controls how the world is reset.

The documentation for this interface was generated from the following file:

- **world\_reset.proto**

### 4.77 WorldStatistics Interface Reference

A message statistics about a world.

#### 4.77.1 Detailed Description

A message statistics about a world.

The documentation for this interface was generated from the following file:

- **world\_stats.proto**

# Chapter 5

## File Documentation

### 5.1 axis.proto File Reference

#### Variables

- message **Axis**
- required double **damping** = 6
- required double **friction** = 7
- required double **limit\_effort** = 4
- required double **limit\_lower** = 2
- required double **limit\_upper** = 3
- required double **limit\_velocity** = 5
- package gazebo **msgs**
- import vector3d **proto**

#### 5.1.1 Variable Documentation

##### 5.1.1.1 message Axis

###### Initial value:

```
{  
  required Vector3d xyz = 1
```

5.1.1.2 required double damping = 6

5.1.1.3 required double friction = 7

5.1.1.4 required double limit\_effort = 4

5.1.1.5 required double limit\_lower = 2

5.1.1.6 required double limit\_upper = 3

5.1.1.7 required double limit\_velocity = 5

5.1.1.8 package gazebo msgs

5.1.1.9 import time proto

## 5.2 boxgeom.proto File Reference

### Variables

- message **BoxGeom**
- package gazebo **msgs**
- import vector3d **proto**

### 5.2.1 Variable Documentation

5.2.1.1 message **BoxGeom**

#### Initial value:

```
{  
  required Vector3d size = 1
```

5.2.1.2 package gazebo msgs

5.2.1.3 import vector3d proto

## 5.3 camerasensor.proto File Reference

### Variables

- message **CameraSensor**
- optional double **far\_clip** = 5
- optional string **image\_format** = 3
- optional **Vector2d image\_size** = 2
- package gazebo **msgs**
- optional double **near\_clip** = 4
- import vector2d **proto**
- optional bool **save\_enabled** = 6
- optional string **save\_path** = 7

### 5.3.1 Variable Documentation

5.3.1.1 message **CameraSensor**

#### Initial value:

```
{  
  optional double horizontal_fov = 1
```



5.3.1.2 optional double far\_clip = 5

5.3.1.3 optional string image\_format = 3

5.3.1.4 optional Vector2d image\_size = 2

5.3.1.5 package gazebo msgs

5.3.1.6 optional double near\_clip = 4

5.3.1.7 import vector2d proto

5.3.1.8 optional bool save\_enabled = 6

5.3.1.9 optional string save\_path = 7

## 5.4 collision.proto File Reference

### Variables

- message **Collision**
- optional **Geometry geometry** = 6
- optional double **laser\_retro** = 3
- optional double **max\_contacts** = 4
- package gazebo **msgs**
- required string **name** = 2
- optional **Pose pose** = 5
- import header **proto**
- optional **Surface surface** = 7
- repeated **Visual visual** = 8

### 5.4.1 Variable Documentation

#### 5.4.1.1 message Collision

##### Initial value:

```
{
  required uint32 id           = 1
```

5.4.1.2 optional **Geometry geometry** = 6

5.4.1.3 optional double **laser\_retro** = 3

5.4.1.4 optional double **max\_contacts** = 4

5.4.1.5 package gazebo **msgs**

5.4.1.6 required string **name** = 2

5.4.1.7 optional Pose pose = 5

5.4.1.8 import visual proto

5.4.1.9 optional Surface surface = 7

5.4.1.10 repeated Visual visual = 8

## 5.5 color.proto File Reference

### Variables

- optional float **a** = 5 [default = 1.0]
- required float **b** = 4
- message **Color**
- required float **g** = 3
- package gazebo **msgs**

### 5.5.1 Variable Documentation

5.5.1.1 optional float a = 5 [default = 1.0]

5.5.1.2 required float b = 4

5.5.1.3 message Color

#### Initial value:

```
{
  required float r = 2
```

5.5.1.4 required float g = 3

5.5.1.5 package gazebo msgs

## 5.6 contact.proto File Reference

### Variables

- required string **collision2** = 2
- message **Contact**
- repeated double **depth** = 5
- package gazebo **msgs**
- repeated **Vector3d** **normal** = 4
- repeated **Vector3d** **position** = 3
- import vector3d **proto**
- required **Time** **time** = 7
- repeated **JointWrench** **wrench** = 6

## 5.6.1 Variable Documentation

5.6.1.1 required string collision2 = 2

5.6.1.2 message Contact

**Initial value:**

```
{  
  required string collision1 = 1
```

5.6.1.3 repeated double depth = 5

5.6.1.4 package gazebo msgs

5.6.1.5 repeated Vector3d normal = 4

5.6.1.6 repeated Vector3d position = 3

5.6.1.7 import joint\_wrench proto

5.6.1.8 required Time time = 7

5.6.1.9 repeated JointWrench wrench = 6

## 5.7 contacts.proto File Reference

### Variables

- message **Contacts**
- package gazebo **msgs**
- import **contact proto**
- required **Time time** = 2

## 5.7.1 Variable Documentation

5.7.1.1 message Contacts

**Initial value:**

```
{  
  repeated Contact contact = 1
```

5.7.1.2 package gazebo msgs

5.7.1.3 import time proto

5.7.1.4 required Time time = 2

## 5.8 contactsensor.proto File Reference

### Variables

- message **ContactSensor**
- package gazebo **msgs**

### 5.8.1 Variable Documentation

#### 5.8.1.1 message ContactSensor

##### Initial value:

```
{  
  optional string collision_name = 1
```

#### 5.8.1.2 package gazebo msgs

## 5.9 cylindergeom.proto File Reference

### Variables

- message **CylinderGeom**
- required double **length** = 2
- package gazebo **msgs**

### 5.9.1 Variable Documentation

#### 5.9.1.1 message CylinderGeom

##### Initial value:

```
{  
  required double radius = 1
```

#### 5.9.1.2 required double length = 2

#### 5.9.1.3 package gazebo msgs

## 5.10 factory.proto File Reference

### Variables

- optional string **clone\_model\_name** = 5
- optional string **edit\_name** = 4
- message **Factory**
- package gazebo **msgs**

- optional **Pose** **pose** = 3
- import header **proto**
- optional string **sdf\_filename** = 2

### 5.10.1 Variable Documentation

5.10.1.1 optional string **clone\_model\_name** = 5

5.10.1.2 optional string **edit\_name** = 4

5.10.1.3 message **Factory**

#### Initial value:

```
{
  optional string sdf = 1
```

5.10.1.4 package **gazebo msgs**

5.10.1.5 optional **Pose** **pose** = 3

5.10.1.6 import **pose proto**

5.10.1.7 optional string **sdf\_filename** = 2

## 5.11 fog.proto File Reference

### Variables

- optional **Color** **color** = 2
- optional float **density** = 3
- optional float **end** = 5
- message **Fog**
- package **gazebo msgs**
- import **color proto**
- optional float **start** = 4

### 5.11.1 Variable Documentation

5.11.1.1 optional **Color** **color** = 2

5.11.1.2 optional float **density** = 3

5.11.1.3 optional float **end** = 5

5.11.1.4 message **Fog**

#### Initial value:

```

{
  enum FogType
  {
    NONE          = 1;
    LINEAR        = 2;
    EXPONENTIAL   = 3;
    EXPONENTIAL2  = 4;
  }
  optional FogType type = 1

```

#### 5.11.1.5 package gazebo msgs

#### 5.11.1.6 import color proto

#### 5.11.1.7 optional float start = 4

## 5.12 friction.proto File Reference

### Variables

- optional **Vector3d** **fdir1** = 3
- message **Friction**
- package gazebo **msgs**
- optional double **mu2** = 2
- import vector3d **proto**
- optional double **slip1** = 4
- optional double **slip2** = 5

### 5.12.1 Variable Documentation

#### 5.12.1.1 optional Vector3d fdir1 = 3

#### 5.12.1.2 message Friction

#### Initial value:

```

{
  optional double mu = 1

```

#### 5.12.1.3 package gazebo msgs

#### 5.12.1.4 optional double mu2 = 2

#### 5.12.1.5 import vector3d proto

#### 5.12.1.6 optional double slip1 = 4

#### 5.12.1.7 optional double slip2 = 5

## 5.13 geometry.proto File Reference

## Variables

- optional **BoxGeom** **box** = 2
- optional **CylinderGeom** **cylinder** = 3
- message **Geometry**
- optional **HeightmapGeom** **heightmap** = 7
- optional **ImageGeom** **image** = 6
- optional **MeshGeom** **mesh** = 8
- package gazebo **msgs**
- optional **PlaneGeom** **plane** = 4
- repeated **Vector3d** **points** = 9
- import boxgeom **proto**
- optional **SphereGeom** **sphere** = 5

### 5.13.1 Variable Documentation

5.13.1.1 optional **BoxGeom** **box** = 2

5.13.1.2 optional **CylinderGeom** **cylinder** = 3

5.13.1.3 message **Geometry**

#### Initial value:

```
{
  enum Type
  {
    BOX          = 1;
    CYLINDER    = 2;
    SPHERE      = 3;
    PLANE       = 4;
    IMAGE       = 5;
    HEIGHTMAP   = 6;
    MESH        = 7;
    TRIANGLE_FAN = 8;
    LINE_STRIP  = 9;
    EMPTY       = 10;
  }

  optional Type type = 1
```

5.13.1.4 optional **HeightmapGeom** **heightmap** = 7

5.13.1.5 optional **ImageGeom** **image** = 6

5.13.1.6 optional **MeshGeom** **mesh** = 8

5.13.1.7 package gazebo **msgs**

5.13.1.8 optional **PlaneGeom** **plane** = 4

5.13.1.9 repeated **Vector3d** **points** = 9

5.13.1.10 import vector3d **proto**

5.13.1.11 optional `SphereGeom sphere = 5`

## 5.14 `gui.proto` File Reference

### Variables

- optional `GUICamera camera = 2`
- message `GUI`
- package gazebo `msgs`
- import `gui_camera proto`

### 5.14.1 Variable Documentation

5.14.1.1 optional `GUICamera camera = 2`

5.14.1.2 message `GUI`

#### Initial value:

```
{
  optional bool fullscreen = 1
```

5.14.1.3 package gazebo `msgs`

5.14.1.4 import `gui_camera proto`

## 5.15 `gui_camera.proto` File Reference

### Variables

- message `GUICamera`
- package gazebo `msgs`
- optional `Pose pose = 3`
- import `pose proto`
- optional `TrackVisual track = 4`
- optional string `view_controller = 2`

### 5.15.1 Variable Documentation

5.15.1.1 message `GUICamera`

#### Initial value:

```
{
  required string name = 1
```



5.15.1.2 package gazebo msgs

5.15.1.3 optional Pose pose = 3

5.15.1.4 import track\_visual proto

5.15.1.5 optional TrackVisual track = 4

5.15.1.6 optional string view\_controller = 2

## 5.16 gui\_overlay\_config.proto File Reference

### Variables

- message **GUIOverlayConfig**
- package gazebo **msgs**

### 5.16.1 Variable Documentation

5.16.1.1 message GUIOverlayConfig

#### Initial value:

```
{  
  required string layout_filename = 1
```

5.16.1.2 package gazebo msgs

## 5.17 gz\_string.proto File Reference

### Variables

- message **GzString**
- package gazebo **msgs**

### 5.17.1 Variable Documentation

5.17.1.1 message GzString

#### Initial value:

```
{  
  required string data = 1
```

5.17.1.2 package gazebo msgs

## 5.18 gz\_string\_v.proto File Reference

### Variables

- message **GzString\_V**
- package gazebo **msgs**

### 5.18.1 Variable Documentation

5.18.1.1 message GzString\_V

#### Initial value:

```
{  
  repeated string data = 1
```

5.18.1.2 package gazebo msgs

## 5.19 header.proto File Reference

### Variables

- message **Header**
- optional int32 **index** = 3
- package gazebo **msgs**
- import **time proto**
- optional **Time stamp** = 2

### 5.19.1 Variable Documentation

5.19.1.1 message Header

#### Initial value:

```
{  
  optional string str_id = 1
```

5.19.1.2 optional int32 index = 3

5.19.1.3 package gazebo msgs

5.19.1.4 import time proto

5.19.1.5 optional Time stamp = 2

## 5.20 heightmapgeom.proto File Reference

### Variables

- message **Blend**
- repeated **Blend** **blend** = 5
- required double **fade\_dist** = 2
- message **HeightmapGeom**
- package gazebo **msgs**
- required string **normal** = 2
- optional **Vector3d** **origin** = 3
- import **image** **proto**
- required **Vector3d** **size** = 2
- message **Texture**
- repeated **Texture** **texture** = 4

### 5.20.1 Variable Documentation

#### 5.20.1.1 message Blend

##### Initial value:

```
{
  required double min_height = 1
```

#### 5.20.1.2 repeated Blend blend = 5

#### 5.20.1.3 required double fade\_dist = 2

#### 5.20.1.4 message HeightmapGeom

##### Initial value:

```
{
  required Image image = 1
```

#### 5.20.1.5 package gazebo msgs

#### 5.20.1.6 required string normal = 2

#### 5.20.1.7 optional Vector3d origin = 3

#### 5.20.1.8 import vector3d proto

#### 5.20.1.9 required double size = 2

#### 5.20.1.10 message Texture

##### Initial value:

```
{
  required string diffuse = 1
```

5.20.1.11 repeated Texture texture = 4

## 5.21 image.proto File Reference

### Variables

- required bytes **data** = 5
- required uint32 **height** = 2
- message **Image**
- package gazebo **msgs**
- required uint32 **pixel\_format** = 3
- required uint32 **step** = 4

### 5.21.1 Variable Documentation

5.21.1.1 required bytes data = 5

5.21.1.2 required uint32 height = 2

5.21.1.3 message Image

#### Initial value:

```
{
  required uint32 width          = 1
```

5.21.1.4 package gazebo msgs

5.21.1.5 required uint32 pixel\_format = 3

5.21.1.6 required uint32 step = 4

## 5.22 image\_stamped.proto File Reference

### Variables

- required **Image image** = 2
- message **ImageStamped**
- package gazebo **msgs**
- import **time proto**

### 5.22.1 Variable Documentation

5.22.1.1 required Image image = 2

5.22.1.2 message ImageStamped

#### Initial value:

```
{
  required Time time          = 1
```

### 5.22.1.3 package gazebo msgs

### 5.22.1.4 import image proto

## 5.23 imagegeom.proto File Reference

### Variables

- optional int32 **granularity** = 5
- optional double **height** = 4
- message **ImageGeom**
- package gazebo **msgs**
- optional double **scale** = 2
- optional int32 **threshold** = 3 [default = 255]

### 5.23.1 Variable Documentation

#### 5.23.1.1 optional int32 granularity = 5

#### 5.23.1.2 optional double height = 4

#### 5.23.1.3 message ImageGeom

#### Initial value:

```
{
  required string uri          = 1
```

#### 5.23.1.4 package gazebo msgs

#### 5.23.1.5 optional double scale = 2

#### 5.23.1.6 optional int32 threshold = 3 [default = 255]

## 5.24 images\_stamped.proto File Reference

### Variables

- repeated **Image image** = 2
- message **ImagesStamped**
- package gazebo **msgs**
- import **time proto**

### 5.24.1 Variable Documentation

5.24.1.1 repeated Image image = 2

5.24.1.2 message ImagesStamped

**Initial value:**

```
{
  required Time time          = 1
```

5.24.1.3 package gazebo msgs

5.24.1.4 import image proto

## 5.25 imu.proto File Reference

### Variables

- required **Vector3d** angular\_velocity = 4
- required string entity\_name = 2
- message **IMU**
- required **Vector3d** linear\_acceleration = 5
- package gazebo **msgs**
- required **Quaternion** orientation = 3
- import **time** proto

### 5.25.1 Variable Documentation

5.25.1.1 required Vector3d angular\_velocity = 4

5.25.1.2 required string entity\_name = 2

5.25.1.3 message IMU

**Initial value:**

```
{
  required Time stamp          = 1
```

5.25.1.4 required Vector3d linear\_acceleration = 5

5.25.1.5 package gazebo msgs

5.25.1.6 required Quaternion orientation = 3

5.25.1.7 import quaternion proto

## 5.26 inertial.proto File Reference

### Variables

- message **Inertial**
- optional double **ixx** = 3
- optional double **ixy** = 4
- optional double **ixz** = 5
- optional double **iyx** = 6
- optional double **iyz** = 7
- optional double **izz** = 8
- package gazebo **msgs**
- optional **Pose pose** = 2
- import **pose proto**

### 5.26.1 Variable Documentation

#### 5.26.1.1 message Inertial

##### Initial value:

```
{  
  optional double mass = 1
```

5.26.1.2 optional double **ixx** = 3

5.26.1.3 optional double **ixy** = 4

5.26.1.4 optional double **ixz** = 5

5.26.1.5 optional double **iyx** = 6

5.26.1.6 optional double **iyz** = 7

5.26.1.7 optional double **izz** = 8

5.26.1.8 package gazebo **msgs**

5.26.1.9 optional **Pose pose** = 2

5.26.1.10 import **pose proto**

## 5.27 int.proto File Reference

### Variables

- message **Int**
- package gazebo **msgs**

## 5.27.1 Variable Documentation

### 5.27.1.1 message Int

#### Initial value:

```
{
  required int32 data = 1
```

### 5.27.1.2 package gazebo msgs

## 5.28 joint.proto File Reference

### Variables

- repeated double **angle** = 2
- optional **Axis axis1** = 7
- optional **Axis axis2** = 8
- optional double **bounce** = 10
- optional double **cfm** = 9
- optional string **child** = 5
- optional double **fudge\_factor** = 12
- message **Joint**
- optional double **limit\_cfm** = 13
- optional double **limit\_erp** = 14
- package gazebo **msgs**
- optional string **parent** = 4
- optional **Pose pose** = 6
- import vector3d **proto**
- optional double **suspension\_cfm** = 15
- optional double **suspension\_erp** = 16
- optional Type **type** = 3
- optional double **velocity** = 11

## 5.28.1 Variable Documentation

### 5.28.1.1 repeated double angle = 2

### 5.28.1.2 optional Axis axis1 = 7

### 5.28.1.3 optional Axis axis2 = 8

### 5.28.1.4 optional double bounce = 10

### 5.28.1.5 optional double cfm = 9

### 5.28.1.6 optional string child = 5



5.28.1.7 optional double fudge\_factor = 12

5.28.1.8 message Joint

**Initial value:**

```
{
  enum Type
  {
    REVOLUTE = 1;
    REVOLUTE2 = 2;
    PRISMATIC = 3;
    UNIVERSAL = 4;
    BALL = 5;
    SCREW = 6;
  }

  required string name = 1
```

5.28.1.9 optional double limit\_cfm = 13

5.28.1.10 optional double limit\_erp = 14

5.28.1.11 package gazebo msgs

5.28.1.12 optional string parent = 4

5.28.1.13 optional Pose pose = 6

5.28.1.14 import pose proto

5.28.1.15 optional double suspension\_cfm = 15

5.28.1.16 optional double suspension\_erp = 16

5.28.1.17 optional Type type = 3

5.28.1.18 optional double velocity = 11

## 5.29 joint\_animation.proto File Reference

### Variables

- repeated **Joint joint** = 2
- message **JointAnimation**
- package gazebo **msgs**
- import **pose proto**
- repeated **Time time** = 3

### 5.29.1 Variable Documentation

5.29.1.1 repeated **Joint joint** = 2

### 5.29.1.2 message JointAnimation

#### Initial value:

```
{
  message Joint
  {
    repeated string name = 1;
    repeated double angle = 2;
  }

  required string model_name = 1
```

### 5.29.1.3 package gazebo msgs

### 5.29.1.4 import time proto

### 5.29.1.5 repeated Time time = 3

## 5.30 joint\_cmd.proto File Reference

### Variables

- optional int32 **axis** = 2 [default=0]
- optional double **force** = 3
- message **JointCmd**
- package gazebo **msgs**
- optional **PID position** = 4
- import vector3d **proto**
- optional bool **reset** = 6
- optional **PID velocity** = 5

### 5.30.1 Variable Documentation

#### 5.30.1.1 optional int32 axis = 2 [default=0]

#### 5.30.1.2 optional double force = 3

#### 5.30.1.3 message JointCmd

#### Initial value:

```
{
  required string name = 1
```

### 5.30.1.4 package gazebo msgs

### 5.30.1.5 optional PID position = 4

### 5.30.1.6 import pid proto

5.30.1.7 optional bool reset = 6

5.30.1.8 optional PID velocity = 5

## 5.31 joint\_wrench.proto File Reference

### Variables

- required **Vector3d** **body\_1\_force** = 3
- required **Vector3d** **body\_1\_torque** = 5
- required **Vector3d** **body\_2\_force** = 4
- required string **body\_2\_name** = 2
- required **Vector3d** **body\_2\_torque** = 6
- message **JointWrench**
- package gazebo **msgs**
- import vector3d **proto**

### 5.31.1 Variable Documentation

5.31.1.1 required **Vector3d** body\_1\_force = 3

5.31.1.2 required **Vector3d** body\_1\_torque = 5

5.31.1.3 required **Vector3d** body\_2\_force = 4

5.31.1.4 required string body\_2\_name = 2

5.31.1.5 required **Vector3d** body\_2\_torque = 6

5.31.1.6 message **JointWrench**

#### Initial value:

```
{
  required string body_1_name = 1
```

5.31.1.7 package gazebo **msgs**

5.31.1.8 import vector3d **proto**

## 5.32 joint\_wrench\_stamped.proto File Reference

### Variables

- message **ForceTorque**
- package gazebo **msgs**
- import joint\_wrench **proto**
- required **Time** **time** = 2

### 5.32.1 Variable Documentation

#### 5.32.1.1 message ForceTorque

**Initial value:**

```
{
  repeated JointWrench wrench = 1
```

#### 5.32.1.2 package gazebo msgs

#### 5.32.1.3 import time proto

#### 5.32.1.4 required Time time = 2

## 5.33 laserscan.proto File Reference

### Variables

- required double **angle\_max** = 4
- required double **angle\_min** = 3
- required double **angle\_step** = 5
- repeated double **intensities** = 9
- message **LaserScan**
- package gazebo **msgs**
- import **pose proto**
- required double **range\_max** = 7
- required double **range\_min** = 6
- repeated double **ranges** = 8
- required **Pose world\_pose** = 2

### 5.33.1 Variable Documentation

#### 5.33.1.1 required double angle\_max = 4

#### 5.33.1.2 required double angle\_min = 3

#### 5.33.1.3 required double angle\_step = 5

#### 5.33.1.4 repeated double intensities = 9

#### 5.33.1.5 message LaserScan

**Initial value:**

```
{
  required string frame = 1
```

5.33.1.6 package gazebo msgs

5.33.1.7 import pose proto

5.33.1.8 required double range\_max = 7

5.33.1.9 required double range\_min = 6

5.33.1.10 repeated double ranges = 8

5.33.1.11 required Pose world\_pose = 2

## 5.34 laserscan\_stamped.proto File Reference

### Variables

- message **LaserScanStamped**
- package gazebo **msgs**
- import **time proto**
- required **LaserScan scan** = 2

### 5.34.1 Variable Documentation

5.34.1.1 message LaserScanStamped

#### Initial value:

```
{  
  required Time time = 1
```

5.34.1.2 package gazebo msgs

5.34.1.3 import laserscan proto

5.34.1.4 required LaserScan scan = 2

## 5.35 light.proto File Reference

### Enumerations

- enum **LightType** { **DIRECTIONAL** = 3 }

### Variables

- optional float **attenuation\_constant** = 6
- optional float **attenuation\_linear** = 7
- optional float **attenuation\_quadratic** = 8
- optional bool **cast\_shadows** = 11

- optional **Color diffuse** = 4
- optional **Vector3d direction** = 9
- message **Light**
- package gazebo **msgs**
- optional **Pose pose** = 3
- import header **proto**
- optional float **range** = 10
- optional **Color specular** = 5
- optional float **spot\_falloff** = 14
- optional float **spot\_inner\_angle** = 12
- optional float **spot\_outer\_angle** = 13
- enum **LightType type** = 2

### 5.35.1 Enumeration Type Documentation

#### 5.35.1.1 enum LightType

Enumerator:

***DIRECTIONAL***

### 5.35.2 Variable Documentation

5.35.2.1 optional float attenuation\_constant = 6

5.35.2.2 optional float attenuation\_linear = 7

5.35.2.3 optional float attenuation\_quadratic = 8

5.35.2.4 optional bool cast\_shadows = 11

5.35.2.5 optional **Color diffuse** = 4

5.35.2.6 optional **Vector3d direction** = 9

5.35.2.7 message **Light**

**Initial value:**

```
{
  required string name           = 1
```

5.35.2.8 package gazebo msgs

5.35.2.9 optional **Pose pose** = 3

5.35.2.10 import color proto

5.35.2.11 optional float range = 10

5.35.2.12 optional **Color** specular = 5

5.35.2.13 optional float spot\_falloff = 14

5.35.2.14 optional float spot\_inner\_angle = 12

5.35.2.15 optional float spot\_outer\_angle = 13

5.35.2.16 enum **LightType** type = 2

## 5.36 link.proto File Reference

### Variables

- repeated **Collision** collision = 10
- optional bool **enabled** = 6
- optional bool **gravity** = 4
- optional **Inertial** inertial = 7
- optional bool **kinematic** = 5
- message **Link**
- package gazebo **msgs**
- required string **name** = 2
- optional **Pose** pose = 8
- repeated **Projector** projector = 12
- import header **proto**
- optional bool **self\_collide** = 3
- repeated **Sensor** sensor = 11
- repeated **Visual** visual = 9

### 5.36.1 Variable Documentation

5.36.1.1 repeated **Collision** collision = 10

5.36.1.2 optional bool enabled = 6

5.36.1.3 optional bool gravity = 4

5.36.1.4 optional **Inertial** inertial = 7

5.36.1.5 optional bool kinematic = 5

5.36.1.6 message **Link**

#### Initial value:

```
{
  required uint32 id           = 1
```

5.36.1.7 package gazebo msgs

5.36.1.8 required string name = 2

5.36.1.9 optional Pose pose = 8

5.36.1.10 repeated Projector projector = 12

5.36.1.11 import pose proto

5.36.1.12 optional bool self\_collide = 3

5.36.1.13 repeated Sensor sensor = 11

5.36.1.14 repeated Visual visual = 9

## 5.37 mainpage\_msgs.html File Reference

## 5.38 material.proto File Reference

### Variables

- optional **Color ambient** = 4
- optional **Color diffuse** = 5
- optional **Color emissive** = 7
- message **Material**
- package gazebo **msgs**
- optional string **normal\_map** = 3
- import **color proto**
- optional ShaderType **shader\_type** = 2
- optional **Color specular** = 6

### 5.38.1 Variable Documentation

5.38.1.1 optional **Color ambient** = 4

5.38.1.2 optional **Color diffuse** = 5

5.38.1.3 optional **Color emissive** = 7

5.38.1.4 message **Material**

#### Initial value:

```
{
  enum ShaderType
  {
    VERTEX                = 1;
    PIXEL                  = 2;
    NORMAL_MAP_OBJECT_SPACE = 3;
    NORMAL_MAP_TANGENT_SPACE = 4;
  }
}
```



```

message Script
{
  repeated string uri = 1;
  required string name = 2;
}

optional Script script = 1

```

#### 5.38.1.5 package gazebo msgs

#### 5.38.1.6 optional string normal\_map = 3

#### 5.38.1.7 import color proto

#### 5.38.1.8 optional ShaderType shader\_type = 2

#### 5.38.1.9 optional Color specular = 6

## 5.39 meshgeom.proto File Reference

### Variables

- message **MeshGeom**
- package gazebo **msgs**
- import vector3d **proto**
- optional **Vector3d scale** = 2

### 5.39.1 Variable Documentation

#### 5.39.1.1 message MeshGeom

##### Initial value:

```

{
  required string filename = 1

```

#### 5.39.1.2 package gazebo msgs

#### 5.39.1.3 import vector3d proto

#### 5.39.1.4 optional Vector3d scale = 2

## 5.40 model.proto File Reference

### Variables

- optional bool **deleted** = 7
- optional uint32 **id** = 2
- optional bool **is\_static** = 3
- repeated **Joint joint** = 5

- repeated **Link** link = 6
- message **Model**
- package gazebo **msgs**
- optional **Pose** pose = 4
- import **joint proto**
- repeated **Visual** visual = 8

### 5.40.1 Variable Documentation

5.40.1.1 optional bool deleted = 7

5.40.1.2 optional uint32 id = 2

5.40.1.3 optional bool is\_static = 3

5.40.1.4 repeated **Joint** joint = 5

5.40.1.5 repeated **Link** link = 6

5.40.1.6 message **Model**

#### Initial value:

```
{
  required string name          = 1
```

5.40.1.7 package gazebo **msgs**

5.40.1.8 optional **Pose** pose = 4

5.40.1.9 import **visual proto**

5.40.1.10 repeated **Visual** visual = 8

## 5.41 model\_configuration.proto File Reference

### Variables

- repeated string **joint\_names** = 2
- repeated double **joint\_positions** = 3
- optional string **link\_name** = 5
- message **ModelConfiguration**
- package gazebo **msgs**
- optional **Pose** pose = 4
- import **time proto**

### 5.41.1 Variable Documentation

5.41.1.1 repeated string joint\_names = 2

5.41.1.2 repeated double joint\_positions = 3

5.41.1.3 optional string link\_name = 5

5.41.1.4 message ModelConfiguration

**Initial value:**

```
{
  required Time time = 1
```

5.41.1.5 package gazebo msgs

5.41.1.6 optional Pose pose = 4

5.41.1.7 import pose proto

## 5.42 model\_v.proto File Reference

### Variables

- message **Model\_V**
- package gazebo **msgs**
- import **model proto**

### 5.42.1 Variable Documentation

5.42.1.1 message Model\_V

**Initial value:**

```
{
  repeated Model models = 2
```

5.42.1.2 package gazebo msgs

5.42.1.3 import model proto

## 5.43 packet.proto File Reference

### Variables

- package gazebo **msgs**
- message **Packet**

- import **time proto**
- required bytes **serialized\_data** = 3
- required string **type** = 2

### 5.43.1 Variable Documentation

#### 5.43.1.1 package gazebo msgs

#### 5.43.1.2 message Packet

#### Initial value:

```
{
  required Time stamp          = 1
```

#### 5.43.1.3 import time proto

#### 5.43.1.4 required bytes serialized\_data = 3

#### 5.43.1.5 required string type = 2

## 5.44 physics.proto File Reference

### Variables

- optional double **cfm** = 7
- optional double **contact\_max\_correcting\_vel** = 9
- optional double **contact\_surface\_layer** = 10
- optional double **dt** = 4
- optional bool **enable\_physics** = 13
- optional double **erp** = 8
- optional **Vector3d** **gravity** = 11
- optional int32 **iters** = 5
- package gazebo **msgs**
- message **Physics**
- import vector3d **proto**
- optional string **solver\_type** = 3
- optional double **sor** = 6
- optional double **update\_rate** = 12

### 5.44.1 Variable Documentation

#### 5.44.1.1 optional double cfm = 7

#### 5.44.1.2 optional double contact\_max\_correcting\_vel = 9

#### 5.44.1.3 optional double contact\_surface\_layer = 10

5.44.1.4 optional double `dt` = 4

5.44.1.5 optional bool `enable_physics` = 13

5.44.1.6 optional double `erp` = 8

5.44.1.7 optional `Vector3d` `gravity` = 11

5.44.1.8 optional int32 `iters` = 5

5.44.1.9 package gazebo `msgs`

5.44.1.10 message `Physics`

#### Initial value:

```
{
  enum Type
  {
    ODE = 1;
    BULLET = 2;
  }
  required Type type = 2[default=ODE]
```

5.44.1.11 import header `proto`

5.44.1.12 optional string `solver_type` = 3

5.44.1.13 optional double `sor` = 6

5.44.1.14 optional double `update_rate` = 12

## 5.45 pid.proto File Reference

### Variables

- optional double `d_gain` = 4[default=0.0]
- optional double `i_gain` = 3[default=0.0]
- optional double `i_max` = 5[default=0.0]
- optional double `i_min` = 6[default=0.0]
- optional double `limit` = 7[default=0.0]
- package gazebo `msgs`
- optional double `p_gain` = 2[default=0.0]
- message `PID`

### 5.45.1 Variable Documentation

5.45.1.1 optional double `d_gain` = 4[default=0.0]

5.45.1.2 optional double `i_gain` = 3[default=0.0]

5.45.1.3 optional double `i_max` = 5[default=0.0]

5.45.1.4 optional double `i_min` = 6[default=0.0]

5.45.1.5 optional double `limit` = 7[default=0.0]

5.45.1.6 package `gazebo_msgs`

5.45.1.7 optional double `p_gain` = 2[default=0.0]

5.45.1.8 message `PID`

**Initial value:**

```
{  
  optional double target = 1[default=0.0]
```

## 5.46 planegeom.proto File Reference

### Variables

- optional double `d` = 3 [default = 0]
- package `gazebo_msgs`
- message `PlaneGeom`
- import vector3d `proto`
- required `Vector2d` `size` = 2

### 5.46.1 Variable Documentation

5.46.1.1 optional double `d` = 3 [default = 0]

5.46.1.2 package `gazebo_msgs`

5.46.1.3 message `PlaneGeom`

**Initial value:**

```
{  
  required Vector3d normal = 1
```

5.46.1.4 import vector2d `proto`

5.46.1.5 required `Vector2d` `size` = 2

## 5.47 plugin.proto File Reference

### Variables

- required string `filename` = 2

- package gazebo **msgs**
- message **Plugin**

### 5.47.1 Variable Documentation

5.47.1.1 required string filename = 2

5.47.1.2 package gazebo msgs

5.47.1.3 message **Plugin**

**Initial value:**

```
{  
  required string name          = 1
```

## 5.48 pose.proto File Reference

### Variables

- package gazebo **msgs**
- required **Quaternion orientation** = 3
- message **Pose**
- required **Vector3d position** = 2
- import vector3d **proto**

### 5.48.1 Variable Documentation

5.48.1.1 package gazebo msgs

5.48.1.2 required **Quaternion orientation** = 3

5.48.1.3 message **Pose**

**Initial value:**

```
{  
  optional string name          = 1
```

5.48.1.4 required **Vector3d position** = 2

5.48.1.5 import quaternion proto

## 5.49 pose\_animation.proto File Reference

### Variables

- package gazebo **msgs**

- repeated **Pose pose** = 2
- message **PoseAnimation**
- import **pose proto**
- repeated **Time time** = 3

### 5.49.1 Variable Documentation

5.49.1.1 package gazebo msgs

5.49.1.2 repeated **Pose pose** = 2

5.49.1.3 message **PoseAnimation**

#### Initial value:

```
{
  required string model_name      = 1
```

5.49.1.4 import time proto

5.49.1.5 repeated **Time time** = 3

## 5.50 pose\_stamped.proto File Reference

### Variables

- package gazebo **msgs**
- required **Pose pose** = 2
- message **PoseStamped**
- import **time proto**

### 5.50.1 Variable Documentation

5.50.1.1 package gazebo msgs

5.50.1.2 required **Pose pose** = 2

5.50.1.3 message **PoseStamped**

#### Initial value:

```
{
  required Time time      = 1
```



5.50.1.4 import pose proto

## 5.51 pose\_trajectory.proto File Reference

### Variables

- optional uint32 **id** = 2
- package gazebo **msgs**
- repeated **PoseStamped** pose\_stamped = 3
- message **PoseTrajectory**
- import **pose\_stamped** proto

### 5.51.1 Variable Documentation

5.51.1.1 optional uint32 id = 2

5.51.1.2 package gazebo msgs

5.51.1.3 repeated PoseStamped pose\_stamped = 3

5.51.1.4 message PoseTrajectory

#### Initial value:

```
{  
  optional string name = 1
```

5.51.1.5 import pose\_stamped proto

## 5.52 pose\_v.proto File Reference

### Variables

- package gazebo **msgs**
- message **Pose\_V**
- import **pose** proto

### 5.52.1 Variable Documentation

5.52.1.1 package gazebo msgs

5.52.1.2 message Pose\_V

#### Initial value:

```
{  
  repeated Pose pose = 1
```

5.52.1.3 `import pose proto`

## 5.53 projector.proto File Reference

### Variables

- optional bool **enabled** = 7[default=true]
- optional double **far\_clip** = 6[default=10.0]
- optional double **fov** = 4[default=0.785]
- package gazebo **msgs**
- optional double **near\_clip** = 5[default=0.1]
- optional **Pose pose** = 3
- message **Projector**
- `import pose proto`
- optional string **texture** = 2

### 5.53.1 Variable Documentation

5.53.1.1 optional bool `enabled` = 7[default=true]

5.53.1.2 optional double `far_clip` = 6[default=10.0]

5.53.1.3 optional double `fov` = 4[default=0.785]

5.53.1.4 package gazebo `msgs`

5.53.1.5 optional double `near_clip` = 5[default=0.1]

5.53.1.6 optional **Pose pose** = 3

5.53.1.7 message **Projector**

#### Initial value:

```
{
  required string name          = 1
```

5.53.1.8 `import pose proto`

5.53.1.9 optional string `texture` = 2

## 5.54 publish.proto File Reference

### Variables

- required string **host** = 3
- required string **msg\_type** = 2
- package gazebo **msgs**
- required uint32 **port** = 4
- message **Publish**

### 5.54.1 Variable Documentation

5.54.1.1 required string host = 3

5.54.1.2 required string msg\_type = 2

5.54.1.3 package gazebo msgs

5.54.1.4 required uint32 port = 4

5.54.1.5 message Publish

#### Initial value:

```
{
  required string topic = 1
```

## 5.55 publishers.proto File Reference

### Variables

- package gazebo **msgs**
- import publish **proto**
- message **Publishers**

### 5.55.1 Variable Documentation

5.55.1.1 package gazebo msgs

5.55.1.2 import publish proto

5.55.1.3 message Publishers

#### Initial value:

```
{
  repeated Publish publisher = 1
```

## 5.56 quaternion.proto File Reference

### Variables

- package gazebo **msgs**
- message **Quaternion**
- required double **w** = 5
- required double **y** = 3
- required double **z** = 4

## 5.56.1 Variable Documentation

5.56.1.1 package gazebo msgs

5.56.1.2 message Quaternion

**Initial value:**

```
{  
  required double x = 2
```

5.56.1.3 required double w = 5

5.56.1.4 required double y = 3

5.56.1.5 required double z = 4

## 5.57 raysensor.proto File Reference

### Variables

- optional double **horizontal\_max\_angle** = 5
- optional double **horizontal\_min\_angle** = 4
- optional double **horizontal\_resolution** = 3
- optional int32 **horizontal\_samples** = 2
- package gazebo **msgs**
- optional double **range\_max** = 11
- optional double **range\_min** = 10
- optional double **range\_resolution** = 12
- message **RaySensor**
- optional double **vertical\_max\_angle** = 9
- optional double **vertical\_min\_angle** = 8
- optional double **vertical\_resolution** = 7
- optional int32 **vertical\_samples** = 6

## 5.57.1 Variable Documentation

5.57.1.1 optional double horizontal\_max\_angle = 5

5.57.1.2 optional double horizontal\_min\_angle = 4

5.57.1.3 optional double horizontal\_resolution = 3

5.57.1.4 optional int32 horizontal\_samples = 2

5.57.1.5 package gazebo msgs

5.57.1.6 optional double range\_max = 11

5.57.1.7 optional double range\_min = 10

5.57.1.8 optional double range\_resolution = 12

5.57.1.9 message RaySensor

**Initial value:**

```
{
  optional bool display_scan          = 1
```

5.57.1.10 optional double vertical\_max\_angle = 9

5.57.1.11 optional double vertical\_min\_angle = 8

5.57.1.12 optional double vertical\_resolution = 7

5.57.1.13 optional int32 vertical\_samples = 6

## 5.58 request.proto File Reference

### Variables

- optional string **data** = 3
- optional double **dbl\_data** = 4
- package gazebo **msgs**
- message **Request**
- required string **request** = 2

### 5.58.1 Variable Documentation

5.58.1.1 optional string data = 3

5.58.1.2 optional double dbl\_data = 4

5.58.1.3 package gazebo msgs

5.58.1.4 message Request

**Initial value:**

```
{
  required int32 id          = 1
```

5.58.1.5 required string request = 2

## 5.59 response.proto File Reference

## Variables

- package gazebo **msgs**
- required string **request** = 2
- message **Response**
- required string **response** = 3
- optional bytes **serialized\_data** = 5
- optional string **type** = 4

### 5.59.1 Variable Documentation

5.59.1.1 package gazebo msgs

5.59.1.2 required string request = 2

5.59.1.3 message Response

#### Initial value:

```
{  
  required int32 id = 1
```

5.59.1.4 required string response = 3

5.59.1.5 optional bytes serialized\_data = 5

5.59.1.6 optional string type = 4

## 5.60 road.proto File Reference

### Variables

- package gazebo **msgs**
- repeated **Vector3d point** = 3
- import vector3d **proto**
- message **Road**
- required double **width** = 2

### 5.60.1 Variable Documentation

5.60.1.1 package gazebo msgs

5.60.1.2 repeated Vector3d point = 3

5.60.1.3 import vector3d proto

5.60.1.4 message Road

#### Initial value:

```
{
  required string name      = 1
```

5.60.1.5 required double width = 2

## 5.61 scene.proto File Reference

### Variables

- optional **Color ambient** = 2
- optional **Color background** = 3
- optional **Fog fog** = 6
- optional bool **grid** = 7
- repeated **Joint joint** = 10
- repeated **Light light** = 9
- repeated **Model model** = 8
- package gazebo **msgs**
- import header **proto**
- message **Scene**
- optional bool **shadows** = 5 [default = true]
- optional **Sky sky** = 4

### 5.61.1 Variable Documentation

5.61.1.1 optional **Color ambient** = 2

5.61.1.2 optional **Color background** = 3

5.61.1.3 optional **Fog fog** = 6

5.61.1.4 optional bool **grid** = 7

5.61.1.5 repeated **Joint joint** = 10

5.61.1.6 repeated **Light light** = 9

5.61.1.7 repeated **Model model** = 8

5.61.1.8 package gazebo **msgs**

5.61.1.9 import model **proto**

5.61.1.10 message **Scene**

#### Initial value:

```
{
  required string name      = 1
```

5.61.1.11 optional bool shadows = 5 [default = true]

5.61.1.12 optional Sky sky = 4

## 5.62 selection.proto File Reference

### Variables

- package gazebo **msgs**
- required string **name** = 2
- import header **proto**
- optional bool **selected** = 3 [default = false]
- message **Selection**

### 5.62.1 Variable Documentation

5.62.1.1 package gazebo msgs

5.62.1.2 required string name = 2

5.62.1.3 import header proto

5.62.1.4 optional bool selected = 3 [default = false]

5.62.1.5 message Selection

#### Initial value:

```
{
  required uint32 id      = 1
```

## 5.63 sensor.proto File Reference

### Variables

- optional bool **always\_on** = 4
- optional **CameraSensor** camera = 7
- optional **ContactSensor** contact = 9
- package gazebo **msgs**
- required string **parent** = 2
- optional **Pose** pose = 6
- import **pose** proto
- optional **RaySensor** ray = 8
- message **Sensor**
- optional string **topic** = 11
- required string **type** = 3
- optional double **update\_rate** = 5
- optional bool **visualize** = 10



### 5.63.1 Variable Documentation

5.63.1.1 optional bool `always_on` = 4

5.63.1.2 optional `CameraSensor` `camera` = 7

5.63.1.3 optional `ContactSensor` `contact` = 9

5.63.1.4 package `gazebo_msgs`

5.63.1.5 required string `parent` = 2

5.63.1.6 optional `Pose` `pose` = 6

5.63.1.7 import `contactsensor.proto`

5.63.1.8 optional `RaySensor` `ray` = 8

5.63.1.9 message `Sensor`

#### Initial value:

```
{
  required string name          = 1
```

5.63.1.10 optional string `topic` = 11

5.63.1.11 required string `type` = 3

5.63.1.12 optional double `update_rate` = 5

5.63.1.13 optional bool `visualize` = 10

## 5.64 server\_control.proto File Reference

### Variables

- package `gazebo_msgs`
- optional bool `new_world` = 4
- optional string `open_filename` = 3
- import header `proto`
- optional string `save_filename` = 2
- message `ServerControl`

### 5.64.1 Variable Documentation

5.64.1.1 package `gazebo_msgs`

5.64.1.2 optional bool `new_world` = 4

5.64.1.3 optional string open\_filename = 3

5.64.1.4 import header proto

5.64.1.5 optional string save\_filename = 2

5.64.1.6 message ServerControl

**Initial value:**

```
{  
  optional string save_world_name = 1
```

## 5.65 shadows.proto File Reference

### Variables

- optional **Color** color = 6
- package gazebo **msgs**
- import **color proto**
- message **Shadows**

### 5.65.1 Variable Documentation

5.65.1.1 optional **Color** color = 6

5.65.1.2 package gazebo msgs

5.65.1.3 import color proto

5.65.1.4 message Shadows

**Initial value:**

```
{  
  enum ShadowType  
  {  
    STENCIL_ADDITIVE = 1;  
    STENCIL_MODULATIVE = 2;  
    TEXTURE_ADDITIVE = 3;  
    TEXTURE_MODULATIVE = 4;  
  }  
  optional ShadowType type = 5
```

## 5.66 sky.proto File Reference

### Variables

- optional **Color** cloud\_ambient = 6
- optional double **humidity** = 7
- optional double **mean\_cloud\_size** = 8
- package gazebo **msgs**

- import **color proto**
- message **Sky**
- optional double **sunrise** = 2
- optional double **sunset** = 3
- optional double **wind\_direction** = 5
- optional double **wind\_speed** = 4

### 5.66.1 Variable Documentation

5.66.1.1 optional **Color** cloud\_ambient = 6

5.66.1.2 optional double humidity = 7

5.66.1.3 optional double mean\_cloud\_size = 8

5.66.1.4 package gazebo msgs

5.66.1.5 import color proto

5.66.1.6 message **Sky**

#### Initial value:

```
{
  optional double time          = 1
```

5.66.1.7 optional double sunrise = 2

5.66.1.8 optional double sunset = 3

5.66.1.9 optional double wind\_direction = 5

5.66.1.10 optional double wind\_speed = 4

## 5.67 spheregeom.proto File Reference

### Variables

- package gazebo **msgs**
- message **SphereGeom**

### 5.67.1 Variable Documentation

5.67.1.1 package gazebo msgs

5.67.1.2 message **SphereGeom**

#### Initial value:

```
{
  required double radius = 1
```

## 5.68 subscribe.proto File Reference

### Variables

- required string **host** = 2
- optional bool **latching** = 5 [default=false]
- required string **msg\_type** = 4
- package gazebo **msgs**
- required uint32 **port** = 3
- message **Subscribe**

### 5.68.1 Variable Documentation

5.68.1.1 required string host = 2

5.68.1.2 optional bool latching = 5 [default=false]

5.68.1.3 required string msg\_type = 4

5.68.1.4 package gazebo msgs

5.68.1.5 required uint32 port = 3

5.68.1.6 message **Subscribe**

#### Initial value:

```
{  
  required string topic = 1
```

## 5.69 surface.proto File Reference

### Variables

- optional double **bounce\_threshold** = 3
- optional double **kd** = 7
- optional double **kp** = 6
- optional double **max\_vel** = 8
- optional double **min\_depth** = 9
- package gazebo **msgs**
- import **friction proto**
- optional double **restitution\_coefficient** = 2
- optional double **soft\_cfm** = 4
- optional double **soft\_erp** = 5
- message **Surface**

### 5.69.1 Variable Documentation

5.69.1.1 optional double bounce\_threshold = 3

5.69.1.2 optional double kd = 7

5.69.1.3 optional double kp = 6

5.69.1.4 optional double max\_vel = 8

5.69.1.5 optional double min\_depth = 9

5.69.1.6 package gazebo msgs

5.69.1.7 import friction proto

5.69.1.8 optional double restitution\_coefficient = 2

5.69.1.9 optional double soft\_cfm = 4

5.69.1.10 optional double soft\_erp = 5

5.69.1.11 message Surface

#### Initial value:

```
{  
  optional Friction friction = 1
```

## 5.70 test.proto File Reference

### Variables

- package gazebo **msgs**
- import header **proto**
- message **Test**

### 5.70.1 Variable Documentation

5.70.1.1 package gazebo msgs

5.70.1.2 import header proto

5.70.1.3 message Test

#### Initial value:

```
{  
  required Header header = 1
```

## 5.71 time.proto File Reference

### Variables

- package gazebo **msgs**
- required int32 **nsec** = 2
- message **Time**

### 5.71.1 Variable Documentation

5.71.1.1 package gazebo msgs

5.71.1.2 required int32 nsec = 2

5.71.1.3 message Time

#### Initial value:

```
{  
  required int32 sec = 1
```

## 5.72 topic\_info.proto File Reference

### Variables

- package gazebo **msgs**
- import publish **proto**
- repeated **Publish publisher** = 2
- repeated **Subscribe subscriber** = 3
- message **TopicInfo**

### 5.72.1 Variable Documentation

5.72.1.1 package gazebo msgs

5.72.1.2 import subscribe proto

5.72.1.3 repeated Publish publisher = 2

5.72.1.4 repeated Subscribe subscriber = 3

5.72.1.5 message TopicInfo

#### Initial value:

```
{  
  required string msg_type = 1
```

## 5.73 track\_visual.proto File Reference

### Variables

- optional bool **inherit\_orientation** = 2
- optional double **max\_dist** = 4
- optional double **min\_dist** = 3
- package gazebo **msgs**
- message **TrackVisual**

### 5.73.1 Variable Documentation

5.73.1.1 optional bool inherit\_orientation = 2

5.73.1.2 optional double max\_dist = 4

5.73.1.3 optional double min\_dist = 3

5.73.1.4 package gazebo msgs

5.73.1.5 message TrackVisual

#### Initial value:

```
{  
  required string name          = 1
```

## 5.74 vector2d.proto File Reference

### Variables

- package gazebo **msgs**
- import header **proto**
- message **Vector2d**
- required double **x** = 1
- required double **y** = 2

### 5.74.1 Variable Documentation

5.74.1.1 package gazebo msgs

5.74.1.2 import header proto

5.74.1.3 message Vector2d

#### Initial value:

```
{  
  required double x = 1
```

5.74.1.4 required double `y` = 2

## 5.75 vector3d.proto File Reference

### Variables

- package gazebo **msgs**
- import header **proto**
- message **Vector3d**
- required double `y` = 3
- required double `z` = 4

### 5.75.1 Variable Documentation

5.75.1.1 package gazebo msgs

5.75.1.2 import header proto

5.75.1.3 message Vector3d

#### Initial value:

```
{
  required double x = 2
```

5.75.1.4 required double `y` = 3

5.75.1.5 required double `z` = 4

## 5.76 visual.proto File Reference

### Variables

- optional bool **cast\_shadows** = 3
- optional bool **delete\_me** = 11
- optional **Geometry geometry** = 7
- optional bool **is\_static** = 12
- optional double **laser\_retro** = 5
- optional **Material material** = 8
- package gazebo **msgs**
- optional string **parent\_name** = 2
- optional **Plugin plugin** = 13
- optional **Pose pose** = 6
- import **pose proto**
- optional double **transparency** = 4
- optional bool **visible** = 9
- message **Visual**



### 5.76.1 Variable Documentation

5.76.1.1 optional bool `cast_shadows` = 3

5.76.1.2 optional bool `delete_me` = 11

5.76.1.3 optional **Geometry** `geometry` = 7

5.76.1.4 optional bool `is_static` = 12

5.76.1.5 optional double `laser_retro` = 5

5.76.1.6 optional **Material** `material` = 8

5.76.1.7 package gazebo msgs

5.76.1.8 optional string `parent_name` = 2

5.76.1.9 optional **Plugin** `plugin` = 13

5.76.1.10 optional **Pose** `pose` = 6

5.76.1.11 import plugin proto

5.76.1.12 optional double `transparency` = 4

5.76.1.13 optional bool `visible` = 9

5.76.1.14 message **Visual**

#### Initial value:

```
{  
  required string name = 1
```

## 5.77 world\_control.proto File Reference

### Variables

- package gazebo **msgs**
- import header **proto**
- optional **WorldReset** `reset` = 3
- optional uint32 `seed` = 4
- optional bool `step` = 2
- message **WorldControl**

### 5.77.1 Variable Documentation

5.77.1.1 package gazebo msgs

5.77.1.2 `import world_reset proto`

5.77.1.3 optional `WorldReset` `reset = 3`

5.77.1.4 optional `uint32` `seed = 4`

5.77.1.5 optional `bool` `step = 2`

5.77.1.6 message `WorldControl`

**Initial value:**

```
{
  optional bool pause          = 1
```

## 5.78 world\_modify.proto File Reference

### Variables

- optional `bool` **create** = 3
- package gazebo **msgs**
- optional `bool` **remove** = 2
- message **WorldModify**

### 5.78.1 Variable Documentation

5.78.1.1 optional `bool` `create = 3`

5.78.1.2 package gazebo `msgs`

5.78.1.3 optional `bool` `remove = 2`

5.78.1.4 message `WorldModify`

**Initial value:**

```
{
  required string world_name = 1
```

## 5.79 world\_reset.proto File Reference

### Variables

- optional `bool` **model\_only** = 3[default = false]
- package gazebo **msgs**
- import header **proto**
- optional `bool` **time\_only** = 2[default = false]
- message **WorldReset**

### 5.79.1 Variable Documentation

5.79.1.1 optional bool `model_only` = 3[default = false]

5.79.1.2 package gazebo msgs

5.79.1.3 import header proto

5.79.1.4 optional bool `time_only` = 2[default = false]

5.79.1.5 message `WorldReset`

#### Initial value:

```
{
  optional bool all           = 1[default = true]
```

## 5.80 world\_stats.proto File Reference

### Variables

- optional int32 `model_count` = 6
- package gazebo `msgs`
- required `Time` `pause_time` = 3
- required bool `paused` = 5
- import header `proto`
- required `Time` `real_time` = 4
- message `WorldStatistics`

### 5.80.1 Variable Documentation

5.80.1.1 optional int32 `model_count` = 6

5.80.1.2 package gazebo msgs

5.80.1.3 required `Time` `pause_time` = 3

5.80.1.4 required bool `paused` = 5

5.80.1.5 import time proto

5.80.1.6 required `Time` `real_time` = 4

5.80.1.7 message `WorldStatistics`

#### Initial value:

```
{
  required Time  sim_time      = 2
```

# Index

## a

- color.proto, 32
- always\_on
  - sensor.proto, 71
- ambient
  - material.proto, 54
  - scene.proto, 69
- angle
  - joint.proto, 46
- angle\_max
  - laserscan.proto, 50
- angle\_min
  - laserscan.proto, 50
- angle\_step
  - laserscan.proto, 50
- angular\_velocity
  - imu.proto, 44
- attenuation\_constant
  - light.proto, 52
- attenuation\_linear
  - light.proto, 52
- attenuation\_quadratic
  - light.proto, 52
- Axis, 9
  - axis.proto, 29
- axis
  - joint\_cmd.proto, 48
- axis.proto, 29
  - Axis, 29
  - damping, 29
  - friction, 29
  - limit\_effort, 29
  - limit\_lower, 29
  - limit\_upper, 29
  - limit\_velocity, 29
  - msgs, 29
  - proto, 30
- axis1
  - joint.proto, 46
- axis2
  - joint.proto, 46

## b

- color.proto, 32
- background
  - scene.proto, 69

## Blend

- heightmapgeom.proto, 41
- blend
  - heightmapgeom.proto, 41
- body\_1\_force
  - joint\_wrench.proto, 49
- body\_1\_torque
  - joint\_wrench.proto, 49
- body\_2\_force
  - joint\_wrench.proto, 49
- body\_2\_name
  - joint\_wrench.proto, 49
- body\_2\_torque
  - joint\_wrench.proto, 49
- bounce
  - joint.proto, 46
- bounce\_threshold
  - surface.proto, 75
- box
  - geometry.proto, 37
- BoxGeom, 9
  - boxgeom.proto, 30
- boxgeom.proto, 30
  - BoxGeom, 30
  - msgs, 30
  - proto, 30
- camera
  - gui.proto, 38
  - sensor.proto, 71
- CameraSensor, 9
  - camerasensor.proto, 30
- camerasensor.proto, 30
  - CameraSensor, 30
  - far\_clip, 30
  - image\_format, 31
  - image\_size, 31
  - msgs, 31
  - near\_clip, 31
  - proto, 31
  - save\_enabled, 31
  - save\_path, 31
- cast\_shadows
  - light.proto, 52
  - visual.proto, 79
- cfm

- joint.proto, 46
  - physics.proto, 58
- child
  - joint.proto, 46
- clone\_model\_name
  - factory.proto, 35
- cloud\_ambient
  - sky.proto, 73
- Collision, 10
  - collision.proto, 31
- collision
  - link.proto, 53
- collision.proto, 31
  - Collision, 31
  - geometry, 31
  - laser\_retro, 31
  - max\_contacts, 31
  - msgs, 31
  - name, 31
  - pose, 31
  - proto, 32
  - surface, 32
  - visual, 32
- collision2
  - contact.proto, 33
- Color, 10
  - color.proto, 32
- color
  - fog.proto, 35
  - shadows.proto, 72
- color.proto, 32
  - a, 32
  - b, 32
  - Color, 32
  - g, 32
  - msgs, 32
- Contact, 10
  - contact.proto, 33
- contact
  - sensor.proto, 71
- contact.proto, 32
  - collision2, 33
  - Contact, 33
  - depth, 33
  - msgs, 33
  - normal, 33
  - position, 33
  - proto, 33
  - time, 33
  - wrench, 33
- contact\_max\_correcting\_vel
  - physics.proto, 58
- contact\_surface\_layer
  - physics.proto, 58
- ContactSensor, 11
  - contactsensor.proto, 34
- Contacts, 10
  - contacts.proto, 33
- contacts.proto, 33
  - Contacts, 33
  - msgs, 33
  - proto, 33
  - time, 33
- contactsensor.proto, 34
  - ContactSensor, 34
  - msgs, 34
- create
  - world\_modify.proto, 80
- cylinder
  - geometry.proto, 37
- CylinderGeom, 11
  - cylindergeom.proto, 34
- cylindergeom.proto, 34
  - CylinderGeom, 34
  - length, 34
  - msgs, 34
- d
  - planegeom.proto, 60
- d\_gain
  - pid.proto, 59
- DIRECTIONAL
  - light.proto, 52
- damping
  - axis.proto, 29
- data
  - image.proto, 42
  - request.proto, 67
- dbl\_data
  - request.proto, 67
- delete\_me
  - visual.proto, 79
- deleted
  - model.proto, 56
- density
  - fog.proto, 35
- depth
  - contact.proto, 33
- diffuse
  - light.proto, 52
  - material.proto, 54
- direction
  - light.proto, 52
- dt
  - physics.proto, 58
- edit\_name
  - factory.proto, 35
- emissive

- material.proto, 54
- enable\_physics
  - physics.proto, 59
- enabled
  - link.proto, 53
  - projector.proto, 64
- end
  - fog.proto, 35
- Entities, 11
- entity\_name
  - imu.proto, 44
- erp
  - physics.proto, 59
- Factory, 11
  - factory.proto, 35
- factory.proto, 34
  - clone\_model\_name, 35
  - edit\_name, 35
  - Factory, 35
  - msgs, 35
  - pose, 35
  - proto, 35
  - sdf\_filename, 35
- fade\_dist
  - heightmapgeom.proto, 41
- far\_clip
  - camerasensor.proto, 30
  - projector.proto, 64
- fdir1
  - friction.proto, 36
- filename
  - plugin.proto, 61
- Fog, 12
  - fog.proto, 35
- fog
  - scene.proto, 69
- fog.proto, 35
  - color, 35
  - density, 35
  - end, 35
  - Fog, 35
  - msgs, 36
  - proto, 36
  - start, 36
- force
  - joint\_cmd.proto, 48
- ForceTorque, 12
  - joint\_wrench\_stamped.proto, 50
- fov
  - projector.proto, 64
- Frction, 12
- Friction
  - friction.proto, 36
- friction
  - axis.proto, 29
- friction.proto, 36
  - fdir1, 36
  - Friction, 36
  - msgs, 36
  - mu2, 36
  - proto, 36
  - slip1, 36
  - slip2, 36
- fudge\_factor
  - joint.proto, 46
- g
  - color.proto, 32
- GUI, 13
  - gui.proto, 38
- GUICamera, 13
  - gui\_camera.proto, 38
- GUIOverlayConfig, 13
  - gui\_overlay\_config.proto, 39
- Geometry, 12
  - geometry.proto, 37
- geometry
  - collision.proto, 31
  - visual.proto, 79
- geometry.proto, 36
  - box, 37
  - cylinder, 37
  - Geometry, 37
  - heightmap, 37
  - image, 37
  - mesh, 37
  - msgs, 37
  - plane, 37
  - points, 37
  - proto, 37
  - sphere, 37
- granularity
  - imagegeom.proto, 43
- gravity
  - link.proto, 53
  - physics.proto, 59
- grid
  - scene.proto, 69
- gui.proto, 38
  - camera, 38
  - GUI, 38
  - msgs, 38
  - proto, 38
- gui\_camera.proto, 38
  - GUICamera, 38
  - msgs, 38
  - pose, 39

- proto, 39
  - track, 39
  - view\_controller, 39
- gui\_overlay\_config.proto, 39
  - GUIOverlayConfig, 39
  - msgs, 39
- gz\_string.proto, 39
  - GzString, 39
  - msgs, 39
- gz\_string\_v.proto, 40
  - GzString\_V, 40
  - msgs, 40
- GzString, 13
  - gz\_string.proto, 39
- GzString\_V, 14
  - gz\_string\_v.proto, 40
- Header, 14
  - header.proto, 40
- header.proto, 40
  - Header, 40
  - index, 40
  - msgs, 40
  - proto, 40
  - stamp, 40
- height
  - image.proto, 42
  - imagegeom.proto, 43
- heightmap
  - geometry.proto, 37
- HeightmapGeom, 14
  - heightmapgeom.proto, 41
- heightmapgeom.proto, 41
  - Blend, 41
  - blend, 41
  - fade\_dist, 41
  - HeightmapGeom, 41
  - msgs, 41
  - normal, 41
  - origin, 41
  - proto, 41
  - size, 41
  - Texture, 41
  - texture, 41
- horizontal\_max\_angle
  - raysensor.proto, 66
- horizontal\_min\_angle
  - raysensor.proto, 66
- horizontal\_resolution
  - raysensor.proto, 66
- horizontal\_samples
  - raysensor.proto, 66
- host
  - publish.proto, 65
  - subscribe.proto, 74
- humidity
  - sky.proto, 73
- i\_gain
  - pid.proto, 59
- i\_max
  - pid.proto, 59
- i\_min
  - pid.proto, 60
- IMU, 15
  - imu.proto, 44
- id
  - model.proto, 56
  - pose\_trajectory.proto, 63
- Image, 14
  - image.proto, 42
- image
  - geometry.proto, 37
  - image\_stamped.proto, 42
  - images\_stamped.proto, 44
- image.proto, 42
  - data, 42
  - height, 42
  - Image, 42
  - msgs, 42
  - pixel\_format, 42
  - step, 42
- image\_format
  - camerasensor.proto, 31
- image\_size
  - camerasensor.proto, 31
- image\_stamped.proto, 42
  - image, 42
  - ImageStamped, 42
  - msgs, 43
  - proto, 43
- ImageGeom, 15
  - imagegeom.proto, 43
- ImageStamped, 15
  - image\_stamped.proto, 42
- imagegeom.proto, 43
  - granularity, 43
  - height, 43
  - ImageGeom, 43
  - msgs, 43
  - scale, 43
  - threshold, 43
- images\_stamped.proto, 43
  - image, 44
  - ImagesStamped, 44
  - msgs, 44
  - proto, 44
- ImagesStamped, 15

- images\_stamped.proto, 44
- imu.proto, 44
  - angular\_velocity, 44
  - entity\_name, 44
  - IMU, 44
  - linear\_acceleration, 44
  - msgs, 44
  - orientation, 44
  - proto, 44
- index
  - header.proto, 40
- Inertial, 16
  - inertial.proto, 45
- inertial
  - link.proto, 53
- inertial.proto, 45
  - Inertial, 45
  - ixx, 45
  - ixy, 45
  - ixz, 45
  - iyy, 45
  - iyz, 45
  - izz, 45
  - msgs, 45
  - pose, 45
  - proto, 45
- inherit\_orientation
  - track\_visual.proto, 77
- Int, 16
  - int.proto, 46
- int.proto, 45
  - Int, 46
  - msgs, 46
- intensities
  - laserscan.proto, 50
- is\_static
  - model.proto, 56
  - visual.proto, 79
- iters
  - physics.proto, 59
- ixx
  - inertial.proto, 45
- ixy
  - inertial.proto, 45
- ixz
  - inertial.proto, 45
- iyy
  - inertial.proto, 45
- iyz
  - inertial.proto, 45
- izz
  - inertial.proto, 45
- Joint, 16
  - joint.proto, 47
- joint
  - joint\_animation.proto, 47
  - model.proto, 56
  - scene.proto, 69
- joint.proto, 46
  - angle, 46
  - axis1, 46
  - axis2, 46
  - bounce, 46
  - cfm, 46
  - child, 46
  - fudge\_factor, 46
  - Joint, 47
  - limit\_cfm, 47
  - limit\_erp, 47
  - msgs, 47
  - parent, 47
  - pose, 47
  - proto, 47
  - suspension\_cfm, 47
  - suspension\_erp, 47
  - type, 47
  - velocity, 47
- joint\_animation.proto, 47
  - joint, 47
  - JointAnimation, 47
  - msgs, 48
  - proto, 48
  - time, 48
- joint\_cmd.proto, 48
  - axis, 48
  - force, 48
  - JointCmd, 48
  - msgs, 48
  - position, 48
  - proto, 48
  - reset, 48
  - velocity, 49
- joint\_names
  - model\_configuration.proto, 57
- joint\_positions
  - model\_configuration.proto, 57
- joint\_wrench.proto, 49
  - body\_1\_force, 49
  - body\_1\_torque, 49
  - body\_2\_force, 49
  - body\_2\_name, 49
  - body\_2\_torque, 49
  - JointWrench, 49
  - msgs, 49
  - proto, 49
- joint\_wrench\_stamped.proto, 49
  - ForceTorque, 50



- msgs, 50
  - proto, 50
  - time, 50
- JointAnimation, 17
  - joint\_animation.proto, 47
- JointCmd, 17
  - joint\_cmd.proto, 48
- JointWrench
  - joint\_wrench.proto, 49
- kd
  - surface.proto, 75
- kinematic
  - link.proto, 53
- kp
  - surface.proto, 75
- laser\_retro
  - collision.proto, 31
  - visual.proto, 79
- LaserScan, 17
  - laserscan.proto, 50
- LaserScanStamped
  - laserscan\_stamped.proto, 51
- LaserStamped, 17
  - laserscan.proto, 50
  - angle\_max, 50
  - angle\_min, 50
  - angle\_step, 50
  - intensities, 50
  - LaserScan, 50
  - msgs, 50
  - proto, 51
  - range\_max, 51
  - range\_min, 51
  - ranges, 51
  - world\_pose, 51
- laserscan\_stamped.proto, 51
  - LaserScanStamped, 51
  - msgs, 51
  - proto, 51
  - scan, 51
- latching
  - subscribe.proto, 74
- length
  - cylindergeom.proto, 34
- Light, 18
  - light.proto, 52
- light
  - scene.proto, 69
- light.proto, 51
  - attenuation\_constant, 52
  - attenuation\_linear, 52
  - attenuation\_quadratic, 52
  - cast\_shadows, 52
  - DIRECTIONAL, 52
  - diffuse, 52
  - direction, 52
  - Light, 52
  - LightType, 52
  - msgs, 52
  - pose, 52
  - proto, 52
  - range, 52
  - specular, 52
  - spot\_falloff, 53
  - spot\_inner\_angle, 53
  - spot\_outer\_angle, 53
  - type, 53
- LightType
  - light.proto, 52
- limit
  - pid.proto, 60
- limit\_cfm
  - joint.proto, 47
- limit\_effort
  - axis.proto, 29
- limit\_erp
  - joint.proto, 47
- limit\_lower
  - axis.proto, 29
- limit\_upper
  - axis.proto, 29
- limit\_velocity
  - axis.proto, 29
- linear\_acceleration
  - imu.proto, 44
- Link, 18
  - link.proto, 53
- link
  - model.proto, 56
- link.proto, 53
  - collision, 53
  - enabled, 53
  - gravity, 53
  - inertial, 53
  - kinematic, 53
  - Link, 53
  - msgs, 53
  - name, 54
  - pose, 54
  - projector, 54
  - proto, 54
  - self\_collide, 54
  - sensor, 54
  - visual, 54
- link\_name
  - model\_configuration.proto, 57

- mainpage\_msgs.html, 54
- Material, 18
  - material.proto, 54
- material
  - visual.proto, 79
- material.proto, 54
  - ambient, 54
  - diffuse, 54
  - emissive, 54
  - Material, 54
  - msgs, 55
  - normal\_map, 55
  - proto, 55
  - shader\_type, 55
  - specular, 55
- max\_contacts
  - collision.proto, 31
- max\_dist
  - track\_visual.proto, 77
- max\_vel
  - surface.proto, 75
- mean\_cloud\_size
  - sky.proto, 73
- mesh
  - geometry.proto, 37
- MeshGeom, 18
  - meshgeom.proto, 55
- meshgeom.proto, 55
  - MeshGeom, 55
  - msgs, 55
  - proto, 55
  - scale, 55
- min\_depth
  - surface.proto, 75
- min\_dist
  - track\_visual.proto, 77
- Model, 19
  - model.proto, 56
- model
  - scene.proto, 69
- model.proto, 55
  - deleted, 56
  - id, 56
  - is\_static, 56
  - joint, 56
  - link, 56
  - Model, 56
  - msgs, 56
  - pose, 56
  - proto, 56
  - visual, 56
- Model\_V
  - model\_v.proto, 57
- model\_configuration.proto, 56
  - joint\_names, 57
  - joint\_positions, 57
  - link\_name, 57
  - ModelConfiguration, 57
  - msgs, 57
  - pose, 57
  - proto, 57
- model\_count
  - world\_stats.proto, 81
- model\_only
  - world\_reset.proto, 81
- model\_v.proto, 57
  - Model\_V, 57
  - msgs, 57
  - proto, 57
- ModelConfiguration, 19
  - model\_configuration.proto, 57
- msg\_type
  - publish.proto, 65
  - subscribe.proto, 74
- msgs
  - axis.proto, 29
  - boxgeom.proto, 30
  - camerasensor.proto, 31
  - collision.proto, 31
  - color.proto, 32
  - contact.proto, 33
  - contacts.proto, 33
  - contactsensor.proto, 34
  - cylindergeom.proto, 34
  - factory.proto, 35
  - fog.proto, 36
  - friction.proto, 36
  - geometry.proto, 37
  - gui.proto, 38
  - gui\_camera.proto, 38
  - gui\_overlay\_config.proto, 39
  - gz\_string.proto, 39
  - gz\_string\_v.proto, 40
  - header.proto, 40
  - heightmapgeom.proto, 41
  - image.proto, 42
  - image\_stamped.proto, 43
  - imagegeom.proto, 43
  - images\_stamped.proto, 44
  - imu.proto, 44
  - inertial.proto, 45
  - int.proto, 46
  - joint.proto, 47
  - joint\_animation.proto, 48
  - joint\_cmd.proto, 48
  - joint\_wrench.proto, 49
  - joint\_wrench\_stamped.proto, 50
  - laserscan.proto, 50

- laserscan\_stamped.proto, 51
- light.proto, 52
- link.proto, 53
- material.proto, 55
- meshgeom.proto, 55
- model.proto, 56
- model\_configuration.proto, 57
- model\_v.proto, 57
- packet.proto, 58
- physics.proto, 59
- pid.proto, 60
- planegeom.proto, 60
- plugin.proto, 61
- pose.proto, 61
- pose\_animation.proto, 62
- pose\_stamped.proto, 62
- pose\_trajectory.proto, 63
- pose\_v.proto, 63
- projector.proto, 64
- publish.proto, 65
- publishers.proto, 65
- quaternion.proto, 66
- raysensor.proto, 66
- request.proto, 67
- response.proto, 68
- road.proto, 68
- scene.proto, 69
- selection.proto, 70
- sensor.proto, 71
- server\_control.proto, 71
- shadows.proto, 72
- sky.proto, 73
- spheregeom.proto, 73
- subscribe.proto, 74
- surface.proto, 75
- test.proto, 75
- time.proto, 76
- topic\_info.proto, 76
- track\_visual.proto, 77
- vector2d.proto, 77
- vector3d.proto, 78
- visual.proto, 79
- world\_control.proto, 79
- world\_modify.proto, 80
- world\_reset.proto, 81
- world\_stats.proto, 81
- mu2
  - friction.proto, 36
- name
  - collision.proto, 31
  - link.proto, 54
  - selection.proto, 70
- near\_clip
  - camerasensor.proto, 31
  - projector.proto, 64
- new\_world
  - server\_control.proto, 71
- normal
  - contact.proto, 33
  - heightmapgeom.proto, 41
- normal\_map
  - material.proto, 55
- nsec
  - time.proto, 76
- open\_filename
  - server\_control.proto, 71
- orientation
  - imu.proto, 44
  - pose.proto, 61
- origin
  - heightmapgeom.proto, 41
- p\_gain
  - pid.proto, 60
- PID, 20
  - pid.proto, 60
- Packet, 19
  - packet.proto, 58
- packet.proto, 57
  - msgs, 58
  - Packet, 58
  - proto, 58
  - serialized\_data, 58
  - type, 58
- parent
  - joint.proto, 47
  - sensor.proto, 71
- parent\_name
  - visual.proto, 79
- pause\_time
  - world\_stats.proto, 81
- paused
  - world\_stats.proto, 81
- Physics, 19
  - physics.proto, 59
- physics.proto, 58
  - cfm, 58
  - contact\_max\_correcting\_vel, 58
  - contact\_surface\_layer, 58
  - dt, 58
  - enable\_physics, 59
  - erp, 59
  - gravity, 59
  - iters, 59
  - msgs, 59
  - Physics, 59
  - proto, 59

- solver\_type, 59
  - sor, 59
  - update\_rate, 59
- pid.proto, 59
  - d\_gain, 59
  - i\_gain, 59
  - i\_max, 59
  - i\_min, 60
  - limit, 60
  - msgs, 60
  - p\_gain, 60
  - PID, 60
- pixel\_format
  - image.proto, 42
- plane
  - geometry.proto, 37
- PlaneGeom, 20
  - planegeom.proto, 60
- planegeom.proto, 60
  - d, 60
  - msgs, 60
  - PlaneGeom, 60
  - proto, 60
  - size, 60
- Plugin, 20
  - plugin.proto, 61
- plugin
  - visual.proto, 79
- plugin.proto, 60
  - filename, 61
  - msgs, 61
  - Plugin, 61
- point
  - road.proto, 68
- points
  - geometry.proto, 37
- port
  - publish.proto, 65
  - subscribe.proto, 74
- Pose, 20
  - pose.proto, 61
- pose
  - collision.proto, 31
  - factory.proto, 35
  - gui\_camera.proto, 39
  - inertial.proto, 45
  - joint.proto, 47
  - light.proto, 52
  - link.proto, 54
  - model.proto, 56
  - model\_configuration.proto, 57
  - pose\_animation.proto, 62
  - pose\_stamped.proto, 62
  - projector.proto, 64
  - sensor.proto, 71
  - visual.proto, 79
- pose.proto, 61
  - msgs, 61
  - orientation, 61
  - Pose, 61
  - position, 61
  - proto, 61
- Pose\_V
  - pose\_v.proto, 63
- pose\_animation.proto, 61
  - msgs, 62
  - pose, 62
  - PoseAnimation, 62
  - proto, 62
  - time, 62
- pose\_stamped
  - pose\_trajectory.proto, 63
- pose\_stamped.proto, 62
  - msgs, 62
  - pose, 62
  - PoseStamped, 62
  - proto, 62
- pose\_trajectory.proto, 63
  - id, 63
  - msgs, 63
  - pose\_stamped, 63
  - PoseTrajectory, 63
  - proto, 63
- pose\_v.proto, 63
  - msgs, 63
  - Pose\_V, 63
  - proto, 63
- PoseAnimation, 21
  - pose\_animation.proto, 62
- PoseStamped, 21
  - pose\_stamped.proto, 62
- PoseTrajectory, 21
  - pose\_trajectory.proto, 63
- position
  - contact.proto, 33
  - joint\_cmd.proto, 48
  - pose.proto, 61
- Projector, 21
  - projector.proto, 64
- projector
  - link.proto, 54
- projector.proto, 64
  - enabled, 64
  - far\_clip, 64
  - fov, 64
  - msgs, 64
  - near\_clip, 64
  - pose, 64

- Projector, 64
- proto, 64
- texture, 64
- proto
  - axis.proto, 30
  - boxgeom.proto, 30
  - camerasensor.proto, 31
  - collision.proto, 32
  - contact.proto, 33
  - contacts.proto, 33
  - factory.proto, 35
  - fog.proto, 36
  - friction.proto, 36
  - geometry.proto, 37
  - gui.proto, 38
  - gui\_camera.proto, 39
  - header.proto, 40
  - heightmapgeom.proto, 41
  - image\_stamped.proto, 43
  - images\_stamped.proto, 44
  - imu.proto, 44
  - inertial.proto, 45
  - joint.proto, 47
  - joint\_animation.proto, 48
  - joint\_cmd.proto, 48
  - joint\_wrench.proto, 49
  - joint\_wrench\_stamped.proto, 50
  - laserscan.proto, 51
  - laserscan\_stamped.proto, 51
  - light.proto, 52
  - link.proto, 54
  - material.proto, 55
  - meshgeom.proto, 55
  - model.proto, 56
  - model\_configuration.proto, 57
  - model\_v.proto, 57
  - packet.proto, 58
  - physics.proto, 59
  - planegeom.proto, 60
  - pose.proto, 61
  - pose\_animation.proto, 62
  - pose\_stamped.proto, 62
  - pose\_trajectory.proto, 63
  - pose\_v.proto, 63
  - projector.proto, 64
  - publishers.proto, 65
  - road.proto, 68
  - scene.proto, 69
  - selection.proto, 70
  - sensor.proto, 71
  - server\_control.proto, 72
  - shadows.proto, 72
  - sky.proto, 73
  - surface.proto, 75
  - test.proto, 75
  - topic\_info.proto, 76
  - vector2d.proto, 77
  - vector3d.proto, 78
  - visual.proto, 79
  - world\_control.proto, 79
  - world\_reset.proto, 81
  - world\_stats.proto, 81
- Publish, 22
  - publish.proto, 65
- publish.proto, 64
  - host, 65
  - msg\_type, 65
  - msgs, 65
  - port, 65
  - Publish, 65
- publisher
  - topic\_info.proto, 76
- Publishers, 22
  - publishers.proto, 65
- publishers.proto, 65
  - msgs, 65
  - proto, 65
  - Publishers, 65
- Quaternion, 22
  - quaternion.proto, 66
- quaternion.proto, 65
  - msgs, 66
  - Quaternion, 66
  - w, 66
  - y, 66
  - z, 66
- range
  - light.proto, 52
- range\_max
  - laserscan.proto, 51
  - raysensor.proto, 66
- range\_min
  - laserscan.proto, 51
  - raysensor.proto, 66
- range\_resolution
  - raysensor.proto, 67
- ranges
  - laserscan.proto, 51
- ray
  - sensor.proto, 71
- RaySensor, 22
  - raysensor.proto, 67
- raysensor.proto, 66
  - horizontal\_max\_angle, 66
  - horizontal\_min\_angle, 66
  - horizontal\_resolution, 66
  - horizontal\_samples, 66

- msgs, 66
- range\_max, 66
- range\_min, 66
- range\_resolution, 67
- RaySensor, 67
- vertical\_max\_angle, 67
- vertical\_min\_angle, 67
- vertical\_resolution, 67
- vertical\_samples, 67
- real\_time
  - world\_stats.proto, 81
- remove
  - world\_modify.proto, 80
- Request, 23
  - request.proto, 67
- request
  - request.proto, 67
  - response.proto, 68
- request.proto, 67
  - data, 67
  - dbl\_data, 67
  - msgs, 67
  - Request, 67
  - request, 67
- reset
  - joint\_cmd.proto, 48
  - world\_control.proto, 80
- Response, 23
  - response.proto, 68
- response
  - response.proto, 68
- response.proto, 67
  - msgs, 68
  - request, 68
  - Response, 68
  - response, 68
  - serialized\_data, 68
  - type, 68
- restitution\_coefficient
  - surface.proto, 75
- Road, 23
  - road.proto, 68
- road.proto, 68
  - msgs, 68
  - point, 68
  - proto, 68
  - Road, 68
  - width, 69
- save\_enabled
  - camerasensor.proto, 31
- save\_filename
  - server\_control.proto, 72
- save\_path
  - camerasensor.proto, 31
- scale
  - imagegeom.proto, 43
  - meshgeom.proto, 55
- scan
  - laserscan\_stamped.proto, 51
- Scene, 23
  - scene.proto, 69
- scene.proto, 69
  - ambient, 69
  - background, 69
  - fog, 69
  - grid, 69
  - joint, 69
  - light, 69
  - model, 69
  - msgs, 69
  - proto, 69
  - Scene, 69
  - shadows, 69
  - sky, 70
- sdf\_filename
  - factory.proto, 35
- seed
  - world\_control.proto, 80
- selected
  - selection.proto, 70
- Selection, 24
  - selection.proto, 70
- selection.proto, 70
  - msgs, 70
  - name, 70
  - proto, 70
  - selected, 70
  - Selection, 70
- self\_collide
  - link.proto, 54
- Sensor, 24
  - sensor.proto, 71
- sensor
  - link.proto, 54
- sensor.proto, 70
  - always\_on, 71
  - camera, 71
  - contact, 71
  - msgs, 71
  - parent, 71
  - pose, 71
  - proto, 71
  - ray, 71
  - Sensor, 71
  - topic, 71
  - type, 71
  - update\_rate, 71

- visualize, 71
- serialized\_data
  - packet.proto, 58
  - response.proto, 68
- server\_control.proto, 71
  - msgs, 71
  - new\_world, 71
  - open\_filename, 71
  - proto, 72
  - save\_filename, 72
  - ServerControl, 72
- ServerControl, 24
  - server\_control.proto, 72
- shader\_type
  - material.proto, 55
- Shadows, 24
  - shadows.proto, 72
- shadows
  - scene.proto, 69
- shadows.proto, 72
  - color, 72
  - msgs, 72
  - proto, 72
  - Shadows, 72
- size
  - heightmapgeom.proto, 41
  - planegeom.proto, 60
- Sky, 25
  - sky.proto, 73
- sky
  - scene.proto, 70
- sky.proto, 72
  - cloud\_ambient, 73
  - humidity, 73
  - mean\_cloud\_size, 73
  - msgs, 73
  - proto, 73
  - Sky, 73
  - sunrise, 73
  - sunset, 73
  - wind\_direction, 73
  - wind\_speed, 73
- slip1
  - friction.proto, 36
- slip2
  - friction.proto, 36
- soft\_cfm
  - surface.proto, 75
- soft\_erp
  - surface.proto, 75
- solver\_type
  - physics.proto, 59
- sor
  - physics.proto, 59
- specular
  - light.proto, 52
  - material.proto, 55
- sphere
  - geometry.proto, 37
- SphereGeom, 25
  - spheregeom.proto, 73
- spheregeom.proto, 73
  - msgs, 73
  - SphereGeom, 73
- spot\_falloff
  - light.proto, 53
- spot\_inner\_angle
  - light.proto, 53
- spot\_outer\_angle
  - light.proto, 53
- stamp
  - header.proto, 40
- start
  - fog.proto, 36
- step
  - image.proto, 42
  - world\_control.proto, 80
- Subscribe, 25
  - subscribe.proto, 74
- subscribe.proto, 74
  - host, 74
  - latching, 74
  - msg\_type, 74
  - msgs, 74
  - port, 74
  - Subscribe, 74
- subscriber
  - topic\_info.proto, 76
- sunrise
  - sky.proto, 73
- sunset
  - sky.proto, 73
- Surface, 25
  - surface.proto, 75
- surface
  - collision.proto, 32
- surface.proto, 74
  - bounce\_threshold, 75
  - kd, 75
  - kp, 75
  - max\_vel, 75
  - min\_depth, 75
  - msgs, 75
  - proto, 75
  - restitution\_coefficient, 75
  - soft\_cfm, 75
  - soft\_erp, 75
  - Surface, 75

- suspension\_cfm
  - joint.proto, 47
- suspension\_erp
  - joint.proto, 47
- Test, 26
  - test.proto, 75
- test.proto, 75
  - msgs, 75
  - proto, 75
  - Test, 75
- Texture
  - heightmapgeom.proto, 41
- texture
  - heightmapgeom.proto, 41
  - projector.proto, 64
- threshold
  - imagegeom.proto, 43
- Time, 26
  - time.proto, 76
- time
  - contact.proto, 33
  - contacts.proto, 33
  - joint\_animation.proto, 48
  - joint\_wrench\_stamped.proto, 50
  - pose\_animation.proto, 62
- time.proto, 76
  - msgs, 76
  - nsec, 76
  - Time, 76
- time\_only
  - world\_reset.proto, 81
- topic
  - sensor.proto, 71
- topic\_info.proto, 76
  - msgs, 76
  - proto, 76
  - publisher, 76
  - subscriber, 76
  - TopicInfo, 76
- TopicInfo, 26
  - topic\_info.proto, 76
- track
  - gui\_camera.proto, 39
- track\_visual.proto, 77
  - inherit\_orientation, 77
  - max\_dist, 77
  - min\_dist, 77
  - msgs, 77
  - TrackVisual, 77
- TrackVisual
  - track\_visual.proto, 77
- Trackvisual, 26
- transparency
  - visual.proto, 79
- type
  - joint.proto, 47
  - light.proto, 53
  - packet.proto, 58
  - response.proto, 68
  - sensor.proto, 71
- update\_rate
  - physics.proto, 59
  - sensor.proto, 71
- Vector2d, 27
  - vector2d.proto, 77
- vector2d.proto, 77
  - msgs, 77
  - proto, 77
  - Vector2d, 77
  - y, 77
- Vector3d, 27
  - vector3d.proto, 78
- vector3d.proto, 78
  - msgs, 78
  - proto, 78
  - Vector3d, 78
  - y, 78
  - z, 78
- velocity
  - joint.proto, 47
  - joint\_cmd.proto, 49
- vertical\_max\_angle
  - raysensor.proto, 67
- vertical\_min\_angle
  - raysensor.proto, 67
- vertical\_resolution
  - raysensor.proto, 67
- vertical\_samples
  - raysensor.proto, 67
- view\_controller
  - gui\_camera.proto, 39
- visible
  - visual.proto, 79
- Visual, 27
  - visual.proto, 79
- visual
  - collision.proto, 32
  - link.proto, 54
  - model.proto, 56
- visual.proto, 78
  - cast\_shadows, 79
  - delete\_me, 79
  - geometry, 79
  - is\_static, 79
  - laser\_retro, 79
  - material, 79



- msgs, 79
- parent\_name, 79
- plugin, 79
- pose, 79
- proto, 79
- transparency, 79
- visible, 79
- Visual, 79
- visualize
  - sensor.proto, 71
- w
  - quaternion.proto, 66
- width
  - road.proto, 69
- wind\_direction
  - sky.proto, 73
- wind\_speed
  - sky.proto, 73
- world\_control.proto, 79
  - msgs, 79
  - proto, 79
  - reset, 80
  - seed, 80
  - step, 80
  - WorldControl, 80
- world\_modify.proto, 80
  - create, 80
  - msgs, 80
  - remove, 80
  - WorldModify, 80
- world\_pose
  - laserscan.proto, 51
- world\_reset.proto, 80
  - model\_only, 81
  - msgs, 81
  - proto, 81
  - time\_only, 81
  - WorldReset, 81
- world\_stats.proto, 81
  - model\_count, 81
  - msgs, 81
  - pause\_time, 81
  - paused, 81
  - proto, 81
  - real\_time, 81
  - WorldStatistics, 81
- WorldControl, 27
  - world\_control.proto, 80
- WorldModify, 28
  - world\_modify.proto, 80
- WorldReset, 28
  - world\_reset.proto, 81
- WorldStatistics, 28
  - world\_stats.proto, 81
- wrench
  - contact.proto, 33
- y
  - quaternion.proto, 66
  - vector2d.proto, 77
  - vector3d.proto, 78
- z
  - quaternion.proto, 66
  - vector3d.proto, 78