

GazeboMessages

1.6.3

Generated by Doxygen 1.8.2

Tue Apr 16 2013 16:08:51

Contents

1	Gazebo Messages Reference	1
2	Class Index	3
2.1	Class List	3
3	File Index	7
3.1	File List	7
4	Class Documentation	9
4.1	Axis Interface Reference	9
4.1.1	Detailed Description	9
4.2	BoxGeom Interface Reference	9
4.2.1	Detailed Description	9
4.3	CameraSensor Interface Reference	9
4.3.1	Detailed Description	9
4.4	Collision Interface Reference	10
4.4.1	Detailed Description	10
4.5	Color Interface Reference	10
4.5.1	Detailed Description	10
4.6	Contact Interface Reference	10
4.6.1	Detailed Description	10
4.7	Contacts Interface Reference	10
4.7.1	Detailed Description	11
4.8	ContactSensor Interface Reference	11
4.8.1	Detailed Description	11
4.9	CylinderGeom Interface Reference	11
4.9.1	Detailed Description	11
4.10	Diagnostic Interface Reference	11
4.10.1	Detailed Description	11

4.11	Entities Interface Reference	12
4.11.1	Detailed Description	12
4.12	Factory Interface Reference	12
4.12.1	Detailed Description	12
4.13	Fog Interface Reference	12
4.13.1	Detailed Description	12
4.14	ForceTorque Interface Reference	12
4.14.1	Detailed Description	12
4.15	Frction Interface Reference	13
4.15.1	Detailed Description	13
4.16	Geometry Interface Reference	13
4.16.1	Detailed Description	13
4.17	GUI Interface Reference	13
4.17.1	Detailed Description	13
4.18	GUICamera Interface Reference	13
4.18.1	Detailed Description	13
4.19	GUIOverlayConfig Interface Reference	14
4.19.1	Detailed Description	14
4.20	GzString Interface Reference	14
4.20.1	Detailed Description	14
4.21	GzString_V Interface Reference	14
4.21.1	Detailed Description	14
4.22	Header Interface Reference	14
4.22.1	Detailed Description	14
4.23	HeightmapGeom Interface Reference	15
4.23.1	Detailed Description	15
4.24	Image Interface Reference	15
4.24.1	Detailed Description	15
4.25	ImageGeom Interface Reference	15
4.25.1	Detailed Description	15
4.26	ImagesStamped Interface Reference	15
4.26.1	Detailed Description	15
4.27	ImageStamped Interface Reference	16
4.27.1	Detailed Description	16
4.28	IMU Interface Reference	16
4.28.1	Detailed Description	16
4.29	Inertial Interface Reference	16

4.29.1 Detailed Description	16
4.30 Int Interface Reference	16
4.30.1 Detailed Description	16
4.31 Joint Interface Reference	17
4.31.1 Detailed Description	17
4.32 JointAnimation Interface Reference	17
4.32.1 Detailed Description	17
4.33 JointCmd Interface Reference	17
4.33.1 Detailed Description	17
4.34 LaserScan Interface Reference	17
4.34.1 Detailed Description	17
4.35 LaserStamped Interface Reference	18
4.35.1 Detailed Description	18
4.36 Light Interface Reference	18
4.36.1 Detailed Description	18
4.37 Link Interface Reference	18
4.37.1 Detailed Description	18
4.38 LogControl Interface Reference	18
4.38.1 Detailed Description	19
4.39 LogStatus Interface Reference	19
4.39.1 Detailed Description	19
4.40 Material Interface Reference	19
4.40.1 Detailed Description	19
4.41 MeshGeom Interface Reference	19
4.41.1 Detailed Description	19
4.42 Model Interface Reference	19
4.42.1 Detailed Description	20
4.43 ModelConfiguration Interface Reference	20
4.43.1 Detailed Description	20
4.44 Packet Interface Reference	20
4.44.1 Detailed Description	20
4.45 Physics Interface Reference	20
4.45.1 Detailed Description	20
4.46 PID Interface Reference	20
4.46.1 Detailed Description	21
4.47 PlaneGeom Interface Reference	21
4.47.1 Detailed Description	21

4.48	Plugin Interface Reference	21
4.48.1	Detailed Description	21
4.49	Pose Interface Reference	21
4.49.1	Detailed Description	21
4.50	PoseAnimation Interface Reference	22
4.50.1	Detailed Description	22
4.51	PoseStamped Interface Reference	22
4.51.1	Detailed Description	22
4.52	PoseTrajectory Interface Reference	22
4.52.1	Detailed Description	22
4.53	Projector Interface Reference	22
4.53.1	Detailed Description	22
4.54	Publish Interface Reference	23
4.54.1	Detailed Description	23
4.55	Publishers Interface Reference	23
4.55.1	Detailed Description	23
4.56	Quaternion Interface Reference	23
4.56.1	Detailed Description	23
4.57	RaySensor Interface Reference	23
4.57.1	Detailed Description	23
4.58	Request Interface Reference	24
4.58.1	Detailed Description	24
4.59	Response Interface Reference	24
4.59.1	Detailed Description	24
4.60	Road Interface Reference	24
4.60.1	Detailed Description	24
4.61	Scene Interface Reference	24
4.61.1	Detailed Description	24
4.62	Selection Interface Reference	25
4.62.1	Detailed Description	25
4.63	Sensor Interface Reference	25
4.63.1	Detailed Description	25
4.64	ServerControl Interface Reference	25
4.64.1	Detailed Description	25
4.65	Shadows Interface Reference	25
4.65.1	Detailed Description	25
4.66	Sky Interface Reference	26

4.66.1 Detailed Description	26
4.67 SphereGeom Interface Reference	26
4.67.1 Detailed Description	26
4.68 Subscribe Interface Reference	26
4.68.1 Detailed Description	26
4.69 Surface Interface Reference	26
4.69.1 Detailed Description	26
4.70 Test Interface Reference	27
4.70.1 Detailed Description	27
4.71 Time Interface Reference	27
4.71.1 Detailed Description	27
4.72 TopicInfo Interface Reference	27
4.72.1 Detailed Description	27
4.73 Trackvisual Interface Reference	27
4.73.1 Detailed Description	27
4.74 Vector2d Interface Reference	28
4.74.1 Detailed Description	28
4.75 Vector3d Interface Reference	28
4.75.1 Detailed Description	28
4.76 Visual Interface Reference	28
4.76.1 Detailed Description	28
4.77 WorldControl Interface Reference	28
4.77.1 Detailed Description	28
4.78 WorldModify Interface Reference	29
4.78.1 Detailed Description	29
4.79 WorldReset Interface Reference	29
4.79.1 Detailed Description	29
4.80 WorldStatistics Interface Reference	29
4.80.1 Detailed Description	29
5 File Documentation	31
5.1 axis.proto File Reference	31
5.1.1 Variable Documentation	31
5.1.1.1 Axis	31
5.1.1.2 damping	31
5.1.1.3 friction	31
5.1.1.4 limit_effort	31

5.1.1.5	limit_lower	31
5.1.1.6	limit_upper	31
5.1.1.7	limit_velocity	31
5.1.1.8	msgs	32
5.1.1.9	proto	32
5.2	boxgeom.proto File Reference	32
5.2.1	Variable Documentation	32
5.2.1.1	BoxGeom	32
5.2.1.2	msgs	32
5.2.1.3	proto	32
5.3	camerasensor.proto File Reference	32
5.3.1	Variable Documentation	32
5.3.1.1	CameraSensor	32
5.3.1.2	far_clip	33
5.3.1.3	image_format	33
5.3.1.4	image_size	33
5.3.1.5	msgs	33
5.3.1.6	near_clip	33
5.3.1.7	proto	33
5.3.1.8	save_enabled	33
5.3.1.9	save_path	33
5.4	collision.proto File Reference	33
5.4.1	Variable Documentation	33
5.4.1.1	Collision	33
5.4.1.2	geometry	33
5.4.1.3	laser_retro	33
5.4.1.4	max_contacts	33
5.4.1.5	msgs	33
5.4.1.6	name	33
5.4.1.7	pose	34
5.4.1.8	proto	34
5.4.1.9	surface	34
5.4.1.10	visual	34
5.5	color.proto File Reference	34
5.5.1	Variable Documentation	34
5.5.1.1	a	34
5.5.1.2	b	34

5.5.1.3	Color	34
5.5.1.4	g	34
5.5.1.5	msgs	34
5.6	contact.proto File Reference	34
5.6.1	Variable Documentation	35
5.6.1.1	collision2	35
5.6.1.2	Contact	35
5.6.1.3	depth	35
5.6.1.4	msgs	35
5.6.1.5	normal	35
5.6.1.6	position	35
5.6.1.7	proto	35
5.6.1.8	time	35
5.6.1.9	world	35
5.6.1.10	wrench	35
5.7	contacts.proto File Reference	35
5.7.1	Variable Documentation	35
5.7.1.1	Contacts	35
5.7.1.2	msgs	35
5.7.1.3	proto	35
5.7.1.4	time	36
5.8	contactsensor.proto File Reference	36
5.8.1	Variable Documentation	36
5.8.1.1	ContactSensor	36
5.8.1.2	msgs	36
5.9	cylindergeom.proto File Reference	36
5.9.1	Variable Documentation	36
5.9.1.1	CylinderGeom	36
5.9.1.2	length	36
5.9.1.3	msgs	36
5.10	diagnostics.proto File Reference	36
5.10.1	Variable Documentation	37
5.10.1.1	Diagnostics	37
5.10.1.2	msgs	37
5.10.1.3	proto	37
5.10.1.4	real_time	37
5.10.1.5	real_time_factor	37

5.10.1.6	sim_time	37
5.11	factory.proto File Reference	37
5.11.1	Variable Documentation	37
5.11.1.1	clone_model_name	37
5.11.1.2	edit_name	37
5.11.1.3	Factory	37
5.11.1.4	msgs	38
5.11.1.5	pose	38
5.11.1.6	proto	38
5.11.1.7	sdf_filename	38
5.12	fog.proto File Reference	38
5.12.1	Variable Documentation	38
5.12.1.1	color	38
5.12.1.2	density	38
5.12.1.3	end	38
5.12.1.4	Fog	38
5.12.1.5	msgs	38
5.12.1.6	proto	38
5.12.1.7	start	38
5.13	friction.proto File Reference	39
5.13.1	Variable Documentation	39
5.13.1.1	fdir1	39
5.13.1.2	Friction	39
5.13.1.3	msgs	39
5.13.1.4	mu2	39
5.13.1.5	proto	39
5.13.1.6	slip1	39
5.13.1.7	slip2	39
5.14	geometry.proto File Reference	39
5.14.1	Variable Documentation	40
5.14.1.1	box	40
5.14.1.2	cylinder	40
5.14.1.3	Geometry	40
5.14.1.4	heightmap	40
5.14.1.5	image	40
5.14.1.6	mesh	40
5.14.1.7	msgs	40

5.14.1.8	plane	40
5.14.1.9	points	40
5.14.1.10	proto	40
5.14.1.11	sphere	40
5.15	gui.proto File Reference	40
5.15.1	Variable Documentation	40
5.15.1.1	camera	41
5.15.1.2	GUI	41
5.15.1.3	msgs	41
5.15.1.4	proto	41
5.16	gui_camera.proto File Reference	41
5.16.1	Variable Documentation	41
5.16.1.1	GUICamera	41
5.16.1.2	msgs	41
5.16.1.3	pose	41
5.16.1.4	proto	41
5.16.1.5	track	41
5.16.1.6	view_controller	41
5.17	gui_overlay_config.proto File Reference	41
5.17.1	Variable Documentation	42
5.17.1.1	GUIOverlayConfig	42
5.17.1.2	msgs	42
5.18	gz_string.proto File Reference	42
5.18.1	Variable Documentation	42
5.18.1.1	GzString	42
5.18.1.2	msgs	42
5.19	gz_string_v.proto File Reference	42
5.19.1	Variable Documentation	42
5.19.1.1	GzString_V	42
5.19.1.2	msgs	43
5.20	header.proto File Reference	43
5.20.1	Variable Documentation	43
5.20.1.1	Header	43
5.20.1.2	index	43
5.20.1.3	msgs	43
5.20.1.4	proto	43
5.20.1.5	stamp	43

5.21 heightmapgeom.proto File Reference	43
5.21.1 Variable Documentation	44
5.21.1.1 Blend	44
5.21.1.2 blend	44
5.21.1.3 fade_dist	44
5.21.1.4 HeightmapGeom	44
5.21.1.5 msgs	44
5.21.1.6 normal	44
5.21.1.7 origin	44
5.21.1.8 proto	44
5.21.1.9 size	44
5.21.1.10 Texture	44
5.21.1.11 texture	44
5.22 image.proto File Reference	44
5.22.1 Variable Documentation	45
5.22.1.1 data	45
5.22.1.2 height	45
5.22.1.3 Image	45
5.22.1.4 msgs	45
5.22.1.5 pixel_format	45
5.22.1.6 step	45
5.23 image_stamped.proto File Reference	45
5.23.1 Variable Documentation	45
5.23.1.1 image	45
5.23.1.2 ImageStamped	45
5.23.1.3 msgs	45
5.23.1.4 proto	45
5.24 imagegeom.proto File Reference	45
5.24.1 Variable Documentation	46
5.24.1.1 granularity	46
5.24.1.2 height	46
5.24.1.3 ImageGeom	46
5.24.1.4 msgs	46
5.24.1.5 scale	46
5.24.1.6 threshold	46
5.25 images_stamped.proto File Reference	46
5.25.1 Variable Documentation	46

5.25.1.1	image	46
5.25.1.2	ImagesStamped	46
5.25.1.3	msgs	47
5.25.1.4	proto	47
5.26	imu.proto File Reference	47
5.26.1	Variable Documentation	47
5.26.1.1	angular_velocity	47
5.26.1.2	entity_name	47
5.26.1.3	IMU	47
5.26.1.4	linear_acceleration	47
5.26.1.5	msgs	47
5.26.1.6	orientation	47
5.26.1.7	proto	47
5.27	inertial.proto File Reference	47
5.27.1	Variable Documentation	48
5.27.1.1	Inertial	48
5.27.1.2	ixx	48
5.27.1.3	ixy	48
5.27.1.4	ixz	48
5.27.1.5	iyy	48
5.27.1.6	iyz	48
5.27.1.7	izz	48
5.27.1.8	msgs	48
5.27.1.9	pose	48
5.27.1.10	proto	48
5.28	int.proto File Reference	48
5.28.1	Variable Documentation	48
5.28.1.1	Int	48
5.28.1.2	msgs	49
5.29	joint.proto File Reference	49
5.29.1	Variable Documentation	49
5.29.1.1	angle	49
5.29.1.2	axis1	49
5.29.1.3	axis2	49
5.29.1.4	bounce	49
5.29.1.5	cfm	49
5.29.1.6	child	49

5.29.1.7	fudge_factor	49
5.29.1.8	Joint	49
5.29.1.9	limit_cfm	50
5.29.1.10	limit_erp	50
5.29.1.11	msgs	50
5.29.1.12	parent	50
5.29.1.13	pose	50
5.29.1.14	proto	50
5.29.1.15	suspension_cfm	50
5.29.1.16	suspension_erp	50
5.29.1.17	type	50
5.29.1.18	velocity	50
5.30	joint_animation.proto File Reference	50
5.30.1	Variable Documentation	50
5.30.1.1	joint	50
5.30.1.2	JointAnimation	50
5.30.1.3	msgs	51
5.30.1.4	proto	51
5.30.1.5	time	51
5.31	joint_cmd.proto File Reference	51
5.31.1	Variable Documentation	51
5.31.1.1	axis	51
5.31.1.2	force	51
5.31.1.3	JointCmd	51
5.31.1.4	msgs	51
5.31.1.5	position	51
5.31.1.6	proto	51
5.31.1.7	reset	51
5.31.1.8	velocity	51
5.32	joint_wrench.proto File Reference	51
5.32.1	Variable Documentation	52
5.32.1.1	body_1_force	52
5.32.1.2	body_1_torque	52
5.32.1.3	body_2_force	52
5.32.1.4	body_2_name	52
5.32.1.5	body_2_torque	52
5.32.1.6	JointWrench	52

5.32.1.7	msgs	52
5.32.1.8	proto	52
5.33	joint_wrench_stamped.proto File Reference	52
5.33.1	Variable Documentation	52
5.33.1.1	ForceTorque	52
5.33.1.2	msgs	53
5.33.1.3	proto	53
5.33.1.4	time	53
5.34	laserscan.proto File Reference	53
5.34.1	Variable Documentation	53
5.34.1.1	angle_max	53
5.34.1.2	angle_min	53
5.34.1.3	angle_step	53
5.34.1.4	intensities	53
5.34.1.5	LaserScan	53
5.34.1.6	msgs	53
5.34.1.7	proto	53
5.34.1.8	range_max	53
5.34.1.9	range_min	53
5.34.1.10	ranges	53
5.34.1.11	world_pose	54
5.35	laserscan_stamped.proto File Reference	54
5.35.1	Variable Documentation	54
5.35.1.1	LaserScanStamped	54
5.35.1.2	msgs	54
5.35.1.3	proto	54
5.35.1.4	scan	54
5.36	light.proto File Reference	54
5.36.1	Enumeration Type Documentation	55
5.36.1.1	LightType	55
5.36.2	Variable Documentation	55
5.36.2.1	attenuation_constant	55
5.36.2.2	attenuation_linear	55
5.36.2.3	attenuation_quadratic	55
5.36.2.4	cast_shadows	55
5.36.2.5	diffuse	55
5.36.2.6	direction	55

5.36.2.7	Light	55
5.36.2.8	msgs	55
5.36.2.9	pose	55
5.36.2.10	proto	55
5.36.2.11	range	55
5.36.2.12	specular	55
5.36.2.13	spot_falloff	55
5.36.2.14	spot_inner_angle	55
5.36.2.15	spot_outer_angle	55
5.36.2.16	type	55
5.37	link.proto File Reference	56
5.37.1	Variable Documentation	56
5.37.1.1	collision	56
5.37.1.2	enabled	56
5.37.1.3	gravity	56
5.37.1.4	inertial	56
5.37.1.5	kinematic	56
5.37.1.6	Link	56
5.37.1.7	msgs	56
5.37.1.8	name	56
5.37.1.9	pose	56
5.37.1.10	projector	56
5.37.1.11	proto	56
5.37.1.12	self_collide	56
5.37.1.13	sensor	57
5.37.1.14	visual	57
5.38	log_control.proto File Reference	57
5.38.1	Variable Documentation	57
5.38.1.1	base_path	57
5.38.1.2	LogControl	57
5.38.1.3	msgs	57
5.38.1.4	paused	57
5.38.1.5	stop	57
5.39	log_status.proto File Reference	57
5.39.1	Variable Documentation	57
5.39.1.1	log_file	57
5.39.1.2	LogStatus	57

5.39.1.3	msgs	58
5.39.1.4	proto	58
5.40	mainpage_msgs.html File Reference	58
5.41	material.proto File Reference	58
5.41.1	Variable Documentation	58
5.41.1.1	ambient	58
5.41.1.2	diffuse	58
5.41.1.3	emissive	58
5.41.1.4	Material	58
5.41.1.5	msgs	59
5.41.1.6	normal_map	59
5.41.1.7	proto	59
5.41.1.8	shader_type	59
5.41.1.9	specular	59
5.42	meshgeom.proto File Reference	59
5.42.1	Variable Documentation	59
5.42.1.1	center_submesh	59
5.42.1.2	MeshGeom	59
5.42.1.3	msgs	59
5.42.1.4	proto	59
5.42.1.5	scale	59
5.42.1.6	submesh	59
5.43	model.proto File Reference	60
5.43.1	Variable Documentation	60
5.43.1.1	deleted	60
5.43.1.2	id	60
5.43.1.3	is_static	60
5.43.1.4	joint	60
5.43.1.5	link	60
5.43.1.6	Model	60
5.43.1.7	msgs	60
5.43.1.8	pose	60
5.43.1.9	proto	60
5.43.1.10	visual	60
5.44	model_configuration.proto File Reference	60
5.44.1	Variable Documentation	61
5.44.1.1	joint_names	61

5.44.1.2	joint_positions	61
5.44.1.3	link_name	61
5.44.1.4	ModelConfiguration	61
5.44.1.5	msgs	61
5.44.1.6	pose	61
5.44.1.7	proto	61
5.45	model_v.proto File Reference	61
5.45.1	Variable Documentation	61
5.45.1.1	Model_V	61
5.45.1.2	msgs	61
5.45.1.3	proto	61
5.46	packet.proto File Reference	62
5.46.1	Variable Documentation	62
5.46.1.1	msgs	62
5.46.1.2	Packet	62
5.46.1.3	proto	62
5.46.1.4	serialized_data	62
5.46.1.5	type	62
5.47	physics.proto File Reference	62
5.47.1	Variable Documentation	63
5.47.1.1	cfm	63
5.47.1.2	contact_max_correcting_vel	63
5.47.1.3	contact_surface_layer	63
5.47.1.4	dt	63
5.47.1.5	enable_physics	63
5.47.1.6	erp	63
5.47.1.7	gravity	63
5.47.1.8	iters	63
5.47.1.9	max_step_size	63
5.47.1.10	min_step_size	63
5.47.1.11	msgs	63
5.47.1.12	Physics	63
5.47.1.13	precon_iters	63
5.47.1.14	proto	63
5.47.1.15	real_time_factor	63
5.47.1.16	real_time_update_rate	63
5.47.1.17	solver_type	63

5.47.1.18 sor	64
5.47.1.19 update_rate	64
5.48 pid.proto File Reference	64
5.48.1 Variable Documentation	64
5.48.1.1 d_gain	64
5.48.1.2 i_gain	64
5.48.1.3 i_max	64
5.48.1.4 i_min	64
5.48.1.5 limit	64
5.48.1.6 msgs	64
5.48.1.7 p_gain	64
5.48.1.8 PID	64
5.49 planegeom.proto File Reference	64
5.49.1 Variable Documentation	65
5.49.1.1 d	65
5.49.1.2 msgs	65
5.49.1.3 PlaneGeom	65
5.49.1.4 proto	65
5.49.1.5 size	65
5.50 plugin.proto File Reference	65
5.50.1 Variable Documentation	65
5.50.1.1 filename	65
5.50.1.2 msgs	65
5.50.1.3 Plugin	65
5.51 pose.proto File Reference	65
5.51.1 Variable Documentation	66
5.51.1.1 msgs	66
5.51.1.2 orientation	66
5.51.1.3 Pose	66
5.51.1.4 position	66
5.51.1.5 proto	66
5.52 pose_animation.proto File Reference	66
5.52.1 Variable Documentation	66
5.52.1.1 msgs	66
5.52.1.2 pose	66
5.52.1.3 PoseAnimation	66
5.52.1.4 proto	66

5.52.1.5	time	66
5.53	pose_stamped.proto File Reference	66
5.53.1	Variable Documentation	67
5.53.1.1	msgs	67
5.53.1.2	pose	67
5.53.1.3	PoseStamped	67
5.53.1.4	proto	67
5.54	pose_trajectory.proto File Reference	67
5.54.1	Variable Documentation	67
5.54.1.1	id	67
5.54.1.2	msgs	67
5.54.1.3	pose_stamped	67
5.54.1.4	PoseTrajectory	67
5.54.1.5	proto	68
5.55	pose_v.proto File Reference	68
5.55.1	Variable Documentation	68
5.55.1.1	msgs	68
5.55.1.2	Pose_V	68
5.55.1.3	proto	68
5.56	projector.proto File Reference	68
5.56.1	Variable Documentation	68
5.56.1.1	enabled	68
5.56.1.2	far_clip	68
5.56.1.3	fov	68
5.56.1.4	msgs	68
5.56.1.5	near_clip	68
5.56.1.6	pose	69
5.56.1.7	Projector	69
5.56.1.8	proto	69
5.56.1.9	texture	69
5.57	publish.proto File Reference	69
5.57.1	Variable Documentation	69
5.57.1.1	host	69
5.57.1.2	msg_type	69
5.57.1.3	msgs	69
5.57.1.4	port	69
5.57.1.5	Publish	69

5.58 publishers.proto File Reference	69
5.58.1 Variable Documentation	70
5.58.1.1 msgs	70
5.58.1.2 proto	70
5.58.1.3 Publishers	70
5.59 quaternion.proto File Reference	70
5.59.1 Variable Documentation	70
5.59.1.1 msgs	70
5.59.1.2 Quaternion	70
5.59.1.3 w	70
5.59.1.4 y	70
5.59.1.5 z	70
5.60 raysensor.proto File Reference	70
5.60.1 Variable Documentation	71
5.60.1.1 horizontal_max_angle	71
5.60.1.2 horizontal_min_angle	71
5.60.1.3 horizontal_resolution	71
5.60.1.4 horizontal_samples	71
5.60.1.5 msgs	71
5.60.1.6 range_max	71
5.60.1.7 range_min	71
5.60.1.8 range_resolution	71
5.60.1.9 RaySensor	71
5.60.1.10 vertical_max_angle	71
5.60.1.11 vertical_min_angle	71
5.60.1.12 vertical_resolution	71
5.60.1.13 vertical_samples	71
5.61 request.proto File Reference	71
5.61.1 Variable Documentation	72
5.61.1.1 data	72
5.61.1.2 dbl_data	72
5.61.1.3 msgs	72
5.61.1.4 Request	72
5.61.1.5 request	72
5.62 response.proto File Reference	72
5.62.1 Variable Documentation	72
5.62.1.1 msgs	72

5.62.1.2	request	72
5.62.1.3	Response	72
5.62.1.4	response	72
5.62.1.5	serialized_data	72
5.62.1.6	type	72
5.63	road.proto File Reference	72
5.63.1	Variable Documentation	73
5.63.1.1	msgs	73
5.63.1.2	point	73
5.63.1.3	proto	73
5.63.1.4	Road	73
5.63.1.5	width	73
5.64	scene.proto File Reference	73
5.64.1	Variable Documentation	73
5.64.1.1	ambient	73
5.64.1.2	background	73
5.64.1.3	fog	74
5.64.1.4	grid	74
5.64.1.5	joint	74
5.64.1.6	light	74
5.64.1.7	model	74
5.64.1.8	msgs	74
5.64.1.9	proto	74
5.64.1.10	Scene	74
5.64.1.11	shadows	74
5.64.1.12	sky	74
5.65	selection.proto File Reference	74
5.65.1	Variable Documentation	74
5.65.1.1	msgs	74
5.65.1.2	name	74
5.65.1.3	proto	74
5.65.1.4	selected	74
5.65.1.5	Selection	74
5.66	sensor.proto File Reference	75
5.66.1	Variable Documentation	75
5.66.1.1	always_on	75
5.66.1.2	camera	75

5.66.1.3	contact	75
5.66.1.4	msgs	75
5.66.1.5	parent	75
5.66.1.6	pose	75
5.66.1.7	proto	75
5.66.1.8	ray	75
5.66.1.9	Sensor	75
5.66.1.10	topic	75
5.66.1.11	type	75
5.66.1.12	update_rate	75
5.66.1.13	visualize	75
5.67	server_control.proto File Reference	76
5.67.1	Variable Documentation	76
5.67.1.1	msgs	76
5.67.1.2	new_world	76
5.67.1.3	open_filename	76
5.67.1.4	proto	76
5.67.1.5	save_filename	76
5.67.1.6	ServerControl	76
5.68	shadows.proto File Reference	76
5.68.1	Variable Documentation	76
5.68.1.1	color	76
5.68.1.2	msgs	76
5.68.1.3	proto	76
5.68.1.4	Shadows	76
5.69	sky.proto File Reference	77
5.69.1	Variable Documentation	77
5.69.1.1	cloud_ambient	77
5.69.1.2	humidity	77
5.69.1.3	mean_cloud_size	77
5.69.1.4	msgs	77
5.69.1.5	proto	77
5.69.1.6	Sky	77
5.69.1.7	sunrise	77
5.69.1.8	sunset	77
5.69.1.9	wind_direction	77
5.69.1.10	wind_speed	77

5.70	spheregeom.proto File Reference	78
5.70.1	Variable Documentation	78
5.70.1.1	msgs	78
5.70.1.2	SphereGeom	78
5.71	subscribe.proto File Reference	78
5.71.1	Variable Documentation	78
5.71.1.1	host	78
5.71.1.2	latching	78
5.71.1.3	msg_type	78
5.71.1.4	msgs	78
5.71.1.5	port	78
5.71.1.6	Subscribe	78
5.72	surface.proto File Reference	79
5.72.1	Variable Documentation	79
5.72.1.1	bounce_threshold	79
5.72.1.2	kd	79
5.72.1.3	kp	79
5.72.1.4	max_vel	79
5.72.1.5	min_depth	79
5.72.1.6	msgs	79
5.72.1.7	proto	79
5.72.1.8	restitution_coefficient	79
5.72.1.9	soft_cfm	79
5.72.1.10	soft_erp	79
5.72.1.11	Surface	79
5.73	test.proto File Reference	79
5.73.1	Variable Documentation	80
5.73.1.1	msgs	80
5.73.1.2	proto	80
5.73.1.3	Test	80
5.74	time.proto File Reference	80
5.74.1	Variable Documentation	80
5.74.1.1	msgs	80
5.74.1.2	nsec	80
5.74.1.3	Time	80
5.75	topic_info.proto File Reference	80
5.75.1	Variable Documentation	81

5.75.1.1	msgs	81
5.75.1.2	proto	81
5.75.1.3	publisher	81
5.75.1.4	subscriber	81
5.75.1.5	TopicInfo	81
5.76	track_visual.proto File Reference	81
5.76.1	Variable Documentation	81
5.76.1.1	inherit_orientation	81
5.76.1.2	max_dist	81
5.76.1.3	min_dist	81
5.76.1.4	msgs	81
5.76.1.5	TrackVisual	81
5.77	vector2d.proto File Reference	81
5.77.1	Variable Documentation	82
5.77.1.1	msgs	82
5.77.1.2	proto	82
5.77.1.3	Vector2d	82
5.77.1.4	y	82
5.78	vector3d.proto File Reference	82
5.78.1	Variable Documentation	82
5.78.1.1	msgs	82
5.78.1.2	proto	82
5.78.1.3	Vector3d	82
5.78.1.4	y	82
5.78.1.5	z	82
5.79	visual.proto File Reference	82
5.79.1	Variable Documentation	83
5.79.1.1	cast_shadows	83
5.79.1.2	delete_me	83
5.79.1.3	geometry	83
5.79.1.4	is_static	83
5.79.1.5	laser_retro	83
5.79.1.6	material	83
5.79.1.7	msgs	83
5.79.1.8	parent_name	83
5.79.1.9	plugin	83
5.79.1.10	pose	83

5.79.1.11 proto	83
5.79.1.12 transparency	83
5.79.1.13 visible	83
5.79.1.14 Visual	83
5.80 world_control.proto File Reference	84
5.80.1 Variable Documentation	84
5.80.1.1 msgs	84
5.80.1.2 proto	84
5.80.1.3 reset	84
5.80.1.4 seed	84
5.80.1.5 step	84
5.80.1.6 WorldControl	84
5.81 world_modify.proto File Reference	84
5.81.1 Variable Documentation	84
5.81.1.1 create	84
5.81.1.2 msgs	84
5.81.1.3 remove	84
5.81.1.4 WorldModify	84
5.82 world_reset.proto File Reference	85
5.82.1 Variable Documentation	85
5.82.1.1 model_only	85
5.82.1.2 msgs	85
5.82.1.3 proto	85
5.82.1.4 time_only	85
5.82.1.5 WorldReset	85
5.83 world_stats.proto File Reference	85
5.83.1 Variable Documentation	85
5.83.1.1 iterations	85
5.83.1.2 model_count	85
5.83.1.3 msgs	86
5.83.1.4 pause_time	86
5.83.1.5 paused	86
5.83.1.6 proto	86
5.83.1.7 real_time	86
5.83.1.8 WorldStatistics	86

Chapter 1

Gazebo Messages Reference

Gazebo uses Google Protobufs for message specification and serialization.

Messages Definitions

Chapter 2

Class Index

2.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

Axis		
	Msgs::Joint axis message	9
BoxGeom		
	Information about a box geometry	9
CameraSensor		
	Information about a camera sensor element	9
Collision		
	Information about a collision element	10
Color		
	Color (p. 10) message	10
Contact		
	Contact (p. 10) message for passing info between two entities	10
Contacts		
	Contacts (p. 10) from collision detection	10
ContactSensor		
	Information about a contact sensor element	11
CylinderGeom		
	Information about a cylinder geometry	11
Diagnostic		
	Diagnostic (p. 11) information about a running instance of Gazebo	11
Entities		
	Information about all entities in a world	12
Factory		
	Message to create new model in gazebo	12
Fog		
	Message for fog data	12
ForceTorque		
	ForceTorque (p. 12) from constraint solving	12
Frction		
	Information about friction	13
Geometry		
	Information about a geometry element	13
GUI		
	Message for a GUI (p. 13)	13

GUICamera	
Message for a GUI (p. 13) Camera	13
GUIOverlayConfig	
Message for a gui overlay configuration	14
GzString	
A message for string data	14
GzString_V	
A message for a vector of string data	14
Header	
General information included by many messages	14
HeightmapGeom	
Message for a heightmap geometry	15
Image	
Message for an image	15
ImageGeom	
Message for a image geometry	15
ImagesStamped	
Message for a multiple image with a time	15
ImageStamped	
Message for an image with a time	16
IMU	
Data from an IMU (p. 16) sensor	16
Inertial	
Information about inertia	16
Int	
Integer message	16
Joint	
Message for creating joint in rendering::Scene	17
JointAnimation	
Message for a model joint animation, does not appear to be used	17
JointCmd	
Message for joint command, used by physics::JointControlWidget	17
LaserScan	
Data from a laser scan	17
LaserStamped	
Message for an laser scan with a time	18
Light	
Message for a light	18
Link	
Information about a link	18
LogControl	
A message that allows for control of logging functions	18
LogStatus	
A message that contains information about data logging	19
Material	
Information about a material	19
MeshGeom	
Message for a mesh geometry	19
Model	
Information about a model	19
ModelConfiguration	
Message for model configuration (joint positions)	20
Packet	
Message that encapsulates another message with a type description	20

Physics	
	A message containing a description of the global physics properties 20
PID	
	Message for simple PID (p. 20) controllers 20
PlaneGeom	
	Message for a plane geometry 21
Plugin	
	A message containing visual information for gazebo::Plugin 21
Pose	
	Message for a pose 21
PoseAnimation	
	Message for a model pose animation 22
PoseStamped	
	Message for a pose with a time 22
PoseTrajectory	
	Message for a pose trajectory 22
Projector	
	Information about a projector 22
Publish	
	Message that contains information about a publisher of data 23
Publishers	
	A list of publishers 23
Quaternion	
	A message for a quaternion 23
RaySensor	
	Information about a ray sensor element 23
Request	
	A message containing a string request 24
Response	
	Message that encapsulates a respons message with a type description 24
Road	
	Message for a road 24
Scene	
	A message containing a description of a scene 24
Selection	
	A message for GUI (p. 13) selection data 25
Sensor	
	Information about a sensor element 25
ServerControl	
	A message that allows for control of the server functions 25
Shadows	
	A message for shadow data 25
Sky	
	Information about the sky 26
SphereGeom	
	Information about a sphere geometry 26
Subscribe	
	A message for subscription data 26
Surface	
	Information about a surface element 26
Test	
	A test message 27
Time	
	A message for time data 27

TopicInfo	
A message for topic information	27
Trackvisual	
Message for a tracking a rendering::Visual with a rendering::Camera	27
Vector2d	
Message for a vector2 double	28
Vector3d	
Message for a vector3 double	28
Visual	
A message containing visual information for rendering::Visual	28
WorldControl	
A message that allows for control of world functions	28
WorldModify	
A message that allows for modifying (open, close) worlds	29
WorldReset	
A message that controls how the world is reset	29
WorldStatistics	
A message statiscs about a world	29

Chapter 3

File Index

3.1 File List

Here is a list of all files with brief descriptions:

axis.proto	31
boxgeom.proto	32
camerasensor.proto	32
collision.proto	33
color.proto	34
contact.proto	34
contacts.proto	35
contactsensor.proto	36
cylindergeom.proto	36
diagnostics.proto	36
factory.proto	37
fog.proto	38
friction.proto	39
geometry.proto	39
gui.proto	40
gui_camera.proto	41
gui_overlay_config.proto	41
gz_string.proto	42
gz_string_v.proto	42
header.proto	43
heightmapgeom.proto	43
image.proto	44
image_stamped.proto	45
imagegeom.proto	45
images_stamped.proto	46
imu.proto	47
inertial.proto	47
int.proto	48
joint.proto	49
joint_animation.proto	50
joint_cmd.proto	51
joint_wrench.proto	51
joint_wrench_stamped.proto	52
laserscan.proto	53

laserscan_stamped.proto	54
light.proto	54
link.proto	56
log_control.proto	57
log_status.proto	57
mainpage_msgs.html	58
material.proto	58
meshgeom.proto	59
model.proto	60
model_configuration.proto	60
model_v.proto	61
packet.proto	62
physics.proto	62
pid.proto	64
planegeom.proto	64
plugin.proto	65
pose.proto	65
pose_animation.proto	66
pose_stamped.proto	66
pose_trajectory.proto	67
pose_v.proto	68
projector.proto	68
publish.proto	69
publishers.proto	69
quaternion.proto	70
raysensor.proto	70
request.proto	71
response.proto	72
road.proto	72
scene.proto	73
selection.proto	74
sensor.proto	75
server_control.proto	76
shadows.proto	76
sky.proto	77
spheregeom.proto	78
subscribe.proto	78
surface.proto	79
test.proto	79
time.proto	80
topic_info.proto	80
track_visual.proto	81
vector2d.proto	81
vector3d.proto	82
visual.proto	82
world_control.proto	84
world_modify.proto	84
world_reset.proto	85
world_stats.proto	85

Chapter 4

Class Documentation

4.1 Axis Interface Reference

msgs::Joint axis message

4.1.1 Detailed Description

msgs::Joint axis message

The documentation for this interface was generated from the following file:

- **axis.proto**

4.2 BoxGeom Interface Reference

Information about a box geometry.

4.2.1 Detailed Description

Information about a box geometry.

The documentation for this interface was generated from the following file:

- **boxgeom.proto**

4.3 CameraSensor Interface Reference

Information about a camera sensor element.

4.3.1 Detailed Description

Information about a camera sensor element.

The documentation for this interface was generated from the following file:

- **camerasensor.proto**

4.4 Collision Interface Reference

Information about a collision element.

4.4.1 Detailed Description

Information about a collision element.

The documentation for this interface was generated from the following file:

- **collision.proto**

4.5 Color Interface Reference

Color (p. 10) message.

4.5.1 Detailed Description

Color (p. 10) message.

The documentation for this interface was generated from the following file:

- **color.proto**

4.6 Contact Interface Reference

Contact (p. 10) message for passing info between two entities.

4.6.1 Detailed Description

Contact (p. 10) message for passing info between two entities.

The documentation for this interface was generated from the following file:

- **contact.proto**

4.7 Contacts Interface Reference

Contacts (p. 10) from collision detection.

4.7.1 Detailed Description

Contacts (p. 10) from collision detection.

The documentation for this interface was generated from the following file:

- **contacts.proto**

4.8 ContactSensor Interface Reference

Information about a contact sensor element.

4.8.1 Detailed Description

Information about a contact sensor element.

The documentation for this interface was generated from the following file:

- **contactsensor.proto**

4.9 CylinderGeom Interface Reference

Information about a cylinder geometry.

4.9.1 Detailed Description

Information about a cylinder geometry.

The documentation for this interface was generated from the following file:

- **cylindergeom.proto**

4.10 Diagnostic Interface Reference

Diagnostic (p. 11) information about a running instance of Gazebo.

4.10.1 Detailed Description

Diagnostic (p. 11) information about a running instance of Gazebo.

Gazebo must have been compiled with the `ENABLE_DIAGNOSTICS` flag.

The documentation for this interface was generated from the following file:

- **diagnostics.proto**

4.11 Entities Interface Reference

Information about all entities in a world.

4.11.1 Detailed Description

Information about all entities in a world.

The documentation for this interface was generated from the following file:

- **model_v.proto**

4.12 Factory Interface Reference

Message to create new model in gazebo.

4.12.1 Detailed Description

Message to create new model in gazebo.

The documentation for this interface was generated from the following file:

- **factory.proto**

4.13 Fog Interface Reference

Message for fog data.

4.13.1 Detailed Description

Message for fog data.

The documentation for this interface was generated from the following file:

- **fog.proto**

4.14 ForceTorque Interface Reference

ForceTorque (p. 12) from constraint solving.

4.14.1 Detailed Description

ForceTorque (p. 12) from constraint solving.

The documentation for this interface was generated from the following file:

- **joint_wrench_stamped.proto**

4.15 Frction Interface Reference

Information about friction.

4.15.1 Detailed Description

Information about friction.

The documentation for this interface was generated from the following file:

- **friction.proto**

4.16 Geometry Interface Reference

Information about a geometry element.

4.16.1 Detailed Description

Information about a geometry element.

The documentation for this interface was generated from the following file:

- **geometry.proto**

4.17 GUI Interface Reference

Message for a **GUI** (p. 13).

4.17.1 Detailed Description

Message for a **GUI** (p. 13).

The documentation for this interface was generated from the following file:

- **gui.proto**

4.18 GUICamera Interface Reference

Message for a **GUI** (p. 13) Camera.

4.18.1 Detailed Description

Message for a **GUI** (p. 13) Camera.

The documentation for this interface was generated from the following file:

- **gui_camera.proto**

4.19 GUIOverlayConfig Interface Reference

Message for a gui overlay configuration.

4.19.1 Detailed Description

Message for a gui overlay configuration.

The documentation for this interface was generated from the following file:

- **gui_overlay_config.proto**

4.20 GzString Interface Reference

A message for string data.

4.20.1 Detailed Description

A message for string data.

The documentation for this interface was generated from the following file:

- **gz_string.proto**

4.21 GzString_V Interface Reference

A message for a vector of string data.

4.21.1 Detailed Description

A message for a vector of string data.

The documentation for this interface was generated from the following file:

- **gz_string_v.proto**

4.22 Header Interface Reference

General information included by many messages.

4.22.1 Detailed Description

General information included by many messages.

The documentation for this interface was generated from the following file:

- **header.proto**

4.23 HeightmapGeom Interface Reference

Message for a heightmap geometry.

4.23.1 Detailed Description

Message for a heightmap geometry.

The documentation for this interface was generated from the following file:

- **heightmapgeom.proto**

4.24 Image Interface Reference

Message for an image.

4.24.1 Detailed Description

Message for an image.

The documentation for this interface was generated from the following file:

- **image.proto**

4.25 ImageGeom Interface Reference

Message for a image geometry.

4.25.1 Detailed Description

Message for a image geometry.

The documentation for this interface was generated from the following file:

- **imagegeom.proto**

4.26 ImagesStamped Interface Reference

Message for a multiple image with a time.

4.26.1 Detailed Description

Message for a multiple image with a time.

The documentation for this interface was generated from the following file:

- **images_stamped.proto**

4.27 ImageStamped Interface Reference

Message for an image with a time.

4.27.1 Detailed Description

Message for an image with a time.

The documentation for this interface was generated from the following file:

- **image_stamped.proto**

4.28 IMU Interface Reference

Data from an **IMU** (p. 16) sensor.

4.28.1 Detailed Description

Data from an **IMU** (p. 16) sensor.

The documentation for this interface was generated from the following file:

- **imu.proto**

4.29 Inertial Interface Reference

Information about inertia.

4.29.1 Detailed Description

Information about inertia.

The documentation for this interface was generated from the following file:

- **inertial.proto**

4.30 Int Interface Reference

Integer message.

4.30.1 Detailed Description

Integer message.

The documentation for this interface was generated from the following file:

- **int.proto**

4.31 Joint Interface Reference

Message for creating joint in rendering::Scene.

4.31.1 Detailed Description

Message for creating joint in rendering::Scene.

Joint (p. 17) wrench message.

The documentation for this interface was generated from the following file:

- **joint.proto**

4.32 JointAnimation Interface Reference

Message for a model joint animation, does not appear to be used.

4.32.1 Detailed Description

Message for a model joint animation, does not appear to be used.

The documentation for this interface was generated from the following file:

- **joint_animation.proto**

4.33 JointCmd Interface Reference

Message for joint command, used by physics::JointControlWidget.

4.33.1 Detailed Description

Message for joint command, used by physics::JointControlWidget.

The documentation for this interface was generated from the following file:

- **joint_cmd.proto**

4.34 LaserScan Interface Reference

Data from a laser scan.

4.34.1 Detailed Description

Data from a laser scan.

The documentation for this interface was generated from the following file:

- **laserscan.proto**

4.35 LaserStamped Interface Reference

Message for an laser scan with a time.

4.35.1 Detailed Description

Message for an laser scan with a time.

The documentation for this interface was generated from the following file:

- **laserscan_stamped.proto**

4.36 Light Interface Reference

Message for a light.

4.36.1 Detailed Description

Message for a light.

The documentation for this interface was generated from the following file:

- **light.proto**

4.37 Link Interface Reference

Information about a link.

4.37.1 Detailed Description

Information about a link.

The documentation for this interface was generated from the following file:

- **link.proto**

4.38 LogControl Interface Reference

A message that allows for control of logging functions.

4.38.1 Detailed Description

A message that allows for control of logging functions.

The documentation for this interface was generated from the following file:

- **log_control.proto**

4.39 LogStatus Interface Reference

A message that contains information about data logging.

4.39.1 Detailed Description

A message that contains information about data logging.

The documentation for this interface was generated from the following file:

- **log_status.proto**

4.40 Material Interface Reference

Information about a material.

4.40.1 Detailed Description

Information about a material.

The documentation for this interface was generated from the following file:

- **material.proto**

4.41 MeshGeom Interface Reference

Message for a mesh geometry.

4.41.1 Detailed Description

Message for a mesh geometry.

The documentation for this interface was generated from the following file:

- **meshgeom.proto**

4.42 Model Interface Reference

Information about a model.

4.42.1 Detailed Description

Information about a model.

The documentation for this interface was generated from the following file:

- **model.proto**

4.43 ModelConfiguration Interface Reference

Message for model configuration (joint positions)

4.43.1 Detailed Description

Message for model configuration (joint positions)

The documentation for this interface was generated from the following file:

- **model_configuration.proto**

4.44 Packet Interface Reference

Message that encapsulates another message with a type description.

4.44.1 Detailed Description

Message that encapsulates another message with a type description.

The documentation for this interface was generated from the following file:

- **packet.proto**

4.45 Physics Interface Reference

A message containing a description of the global physics properties.

4.45.1 Detailed Description

A message containing a description of the global physics properties.

The documentation for this interface was generated from the following file:

- **physics.proto**

4.46 PID Interface Reference

Message for simple **PID** (p. 20) controllers.

4.46.1 Detailed Description

Message for simple **PID** (p. 20) controllers.

The documentation for this interface was generated from the following file:

- **pid.proto**

4.47 PlaneGeom Interface Reference

Message for a plane geometry.

4.47.1 Detailed Description

Message for a plane geometry.

The documentation for this interface was generated from the following file:

- **planegeom.proto**

4.48 Plugin Interface Reference

A message containing visual information for gazebo::Plugin.

4.48.1 Detailed Description

A message containing visual information for gazebo::Plugin.

The documentation for this interface was generated from the following file:

- **plugin.proto**

4.49 Pose Interface Reference

Message for a pose.

4.49.1 Detailed Description

Message for a pose.

Message for a vector of poses.

The documentation for this interface was generated from the following file:

- **pose.proto**

4.50 PoseAnimation Interface Reference

Message for a model pose animation.

4.50.1 Detailed Description

Message for a model pose animation.

The documentation for this interface was generated from the following file:

- **pose_animation.proto**

4.51 PoseStamped Interface Reference

Message for a pose with a time.

4.51.1 Detailed Description

Message for a pose with a time.

The documentation for this interface was generated from the following file:

- **pose_stamped.proto**

4.52 PoseTrajectory Interface Reference

Message for a pose trajectory.

4.52.1 Detailed Description

Message for a pose trajectory.

The documentation for this interface was generated from the following file:

- **pose_trajectory.proto**

4.53 Projector Interface Reference

Information about a projector.

4.53.1 Detailed Description

Information about a projector.

The documentation for this interface was generated from the following file:

- **projector.proto**

4.54 Publish Interface Reference

Message that contains information about a publisher of data.

4.54.1 Detailed Description

Message that contains information about a publisher of data.

The documentation for this interface was generated from the following file:

- **publish.proto**

4.55 Publishers Interface Reference

A list of publishers.

4.55.1 Detailed Description

A list of publishers.

The documentation for this interface was generated from the following file:

- **publishers.proto**

4.56 Quaternion Interface Reference

A message for a quaternion.

4.56.1 Detailed Description

A message for a quaternion.

The documentation for this interface was generated from the following file:

- **quaternion.proto**

4.57 RaySensor Interface Reference

Information about a ray sensor element.

4.57.1 Detailed Description

Information about a ray sensor element.

The documentation for this interface was generated from the following file:

- **raysensor.proto**

4.58 Request Interface Reference

A message containing a string request.

4.58.1 Detailed Description

A message containing a string request.

The documentation for this interface was generated from the following file:

- **request.proto**

4.59 Response Interface Reference

Message that encapsulates a respons message with a type description.

4.59.1 Detailed Description

Message that encapsulates a respons message with a type description.

The documentation for this interface was generated from the following file:

- **response.proto**

4.60 Road Interface Reference

Message for a road.

4.60.1 Detailed Description

Message for a road.

The documentation for this interface was generated from the following file:

- **road.proto**

4.61 Scene Interface Reference

A message containing a description of a scene.

4.61.1 Detailed Description

A message containing a description of a scene.

The documentation for this interface was generated from the following file:

- **scene.proto**

4.62 Selection Interface Reference

A message for **GUI** (p. 13) selection data.

4.62.1 Detailed Description

A message for **GUI** (p. 13) selection data.

The documentation for this interface was generated from the following file:

- **selection.proto**

4.63 Sensor Interface Reference

Information about a sensor element.

4.63.1 Detailed Description

Information about a sensor element.

The documentation for this interface was generated from the following file:

- **sensor.proto**

4.64 ServerControl Interface Reference

A message that allows for control of the server functions.

4.64.1 Detailed Description

A message that allows for control of the server functions.

The documentation for this interface was generated from the following file:

- **server_control.proto**

4.65 Shadows Interface Reference

A message for shadow data.

4.65.1 Detailed Description

A message for shadow data.

The documentation for this interface was generated from the following file:

- **shadows.proto**

4.66 Sky Interface Reference

Information about the sky.

4.66.1 Detailed Description

Information about the sky.

The documentation for this interface was generated from the following file:

- **sky.proto**

4.67 SphereGeom Interface Reference

Information about a sphere geometry.

4.67.1 Detailed Description

Information about a sphere geometry.

The documentation for this interface was generated from the following file:

- **spheregeom.proto**

4.68 Subscribe Interface Reference

A message for subscription data.

4.68.1 Detailed Description

A message for subscription data.

The documentation for this interface was generated from the following file:

- **subscribe.proto**

4.69 Surface Interface Reference

Information about a surface element.

4.69.1 Detailed Description

Information about a surface element.

The documentation for this interface was generated from the following file:

- **surface.proto**

4.70 Test Interface Reference

A test message.

4.70.1 Detailed Description

A test message.

The documentation for this interface was generated from the following file:

- **test.proto**

4.71 Time Interface Reference

A message for time data.

4.71.1 Detailed Description

A message for time data.

The documentation for this interface was generated from the following file:

- **time.proto**

4.72 TopicInfo Interface Reference

A message for topic information.

4.72.1 Detailed Description

A message for topic information.

The documentation for this interface was generated from the following file:

- **topic_info.proto**

4.73 Trackvisual Interface Reference

Message for a tracking a rendering::Visual with a rendering::Camera.

4.73.1 Detailed Description

Message for a tracking a rendering::Visual with a rendering::Camera.

The documentation for this interface was generated from the following file:

- **track_visual.proto**

4.74 Vector2d Interface Reference

Message for a vector2 double.

4.74.1 Detailed Description

Message for a vector2 double.

The documentation for this interface was generated from the following file:

- **vector2d.proto**

4.75 Vector3d Interface Reference

Message for a vector3 double.

4.75.1 Detailed Description

Message for a vector3 double.

The documentation for this interface was generated from the following file:

- **vector3d.proto**

4.76 Visual Interface Reference

A message containing visual information for rendering::Visual.

4.76.1 Detailed Description

A message containing visual information for rendering::Visual.

The documentation for this interface was generated from the following file:

- **visual.proto**

4.77 WorldControl Interface Reference

A message that allows for control of world functions.

4.77.1 Detailed Description

A message that allows for control of world functions.

The documentation for this interface was generated from the following file:

- **world_control.proto**

4.78 WorldModify Interface Reference

A message that allows for modifying (open, close) worlds.

4.78.1 Detailed Description

A message that allows for modifying (open, close) worlds.

The documentation for this interface was generated from the following file:

- **world_modify.proto**

4.79 WorldReset Interface Reference

A message that controls how the world is reset.

4.79.1 Detailed Description

A message that controls how the world is reset.

The documentation for this interface was generated from the following file:

- **world_reset.proto**

4.80 WorldStatistics Interface Reference

A message statistics about a world.

4.80.1 Detailed Description

A message statistics about a world.

The documentation for this interface was generated from the following file:

- **world_stats.proto**

Chapter 5

File Documentation

5.1 axis.proto File Reference

Variables

- message **Axis**
- required double **damping** = 6
- required double **friction** = 7
- required double **limit_effort** = 4
- required double **limit_lower** = 2
- required double **limit_upper** = 3
- required double **limit_velocity** = 5
- package gazebo **msgs**
- import vector3d **proto**

5.1.1 Variable Documentation

5.1.1.1 message Axis

Initial value:

```
{  
  required Vector3d xyz = 1
```

5.1.1.2 required double damping = 6

5.1.1.3 required double friction = 7

5.1.1.4 required double limit_effort = 4

5.1.1.5 required double limit_lower = 2

5.1.1.6 required double limit_upper = 3

5.1.1.7 required double limit_velocity = 5

5.1.1.8 package gazebo msgs

5.1.1.9 import time proto

5.2 boxgeom.proto File Reference

Variables

- message **BoxGeom**
- package gazebo **msgs**
- import vector3d **proto**

5.2.1 Variable Documentation

5.2.1.1 message **BoxGeom**

Initial value:

```
{  
  required Vector3d size = 1
```

5.2.1.2 package gazebo msgs

5.2.1.3 import vector3d proto

5.3 camerasensor.proto File Reference

Variables

- message **CameraSensor**
- optional double **far_clip** = 5
- optional string **image_format** = 3
- optional **Vector2d image_size** = 2
- package gazebo **msgs**
- optional double **near_clip** = 4
- import vector2d **proto**
- optional bool **save_enabled** = 6
- optional string **save_path** = 7

5.3.1 Variable Documentation

5.3.1.1 message **CameraSensor**

Initial value:

```
{  
  optional double horizontal_fov = 1
```

5.3.1.2 optional double far_clip = 5

5.3.1.3 optional string image_format = 3

5.3.1.4 optional Vector2d image_size = 2

5.3.1.5 package gazebo msgs

5.3.1.6 optional double near_clip = 4

5.3.1.7 import vector2d proto

5.3.1.8 optional bool save_enabled = 6

5.3.1.9 optional string save_path = 7

5.4 collision.proto File Reference

Variables

- message **Collision**
- optional **Geometry geometry** = 6
- optional double **laser_retro** = 3
- optional double **max_contacts** = 4
- package gazebo **msgs**
- required string **name** = 2
- optional **Pose pose** = 5
- import header **proto**
- optional **Surface surface** = 7
- repeated **Visual visual** = 8

5.4.1 Variable Documentation

5.4.1.1 message Collision

Initial value:

```
{
  required uint32 id           = 1
```

5.4.1.2 optional **Geometry geometry** = 6

5.4.1.3 optional double **laser_retro** = 3

5.4.1.4 optional double **max_contacts** = 4

5.4.1.5 package gazebo **msgs**

5.4.1.6 required string **name** = 2

5.4.1.7 optional Pose pose = 5

5.4.1.8 import visual proto

5.4.1.9 optional Surface surface = 7

5.4.1.10 repeated Visual visual = 8

5.5 color.proto File Reference

Variables

- optional float **a** = 5 [default = 1.0]
- required float **b** = 4
- message **Color**
- required float **g** = 3
- package gazebo **msgs**

5.5.1 Variable Documentation

5.5.1.1 optional float a = 5 [default = 1.0]

5.5.1.2 required float b = 4

5.5.1.3 message Color

Initial value:

```
{
  required float r = 2
```

5.5.1.4 required float g = 3

5.5.1.5 package gazebo msgs

5.6 contact.proto File Reference

Variables

- required string **collision2** = 2
- message **Contact**
- repeated double **depth** = 5
- package gazebo **msgs**
- repeated **Vector3d** **normal** = 4
- repeated **Vector3d** **position** = 3
- import vector3d **proto**
- required **Time** **time** = 7
- required string **world** = 8
- repeated **JointWrench** **wrench** = 6

5.6.1 Variable Documentation

5.6.1.1 required string collision2 = 2

5.6.1.2 message Contact

Initial value:

```
{  
  required string collision1 = 1
```

5.6.1.3 repeated double depth = 5

5.6.1.4 package gazebo msgs

5.6.1.5 repeated Vector3d normal = 4

5.6.1.6 repeated Vector3d position = 3

5.6.1.7 import joint_wrench proto

5.6.1.8 required Time time = 7

5.6.1.9 required string world = 8

5.6.1.10 repeated JointWrench wrench = 6

5.7 contacts.proto File Reference

Variables

- message **Contacts**
- package gazebo **msgs**
- import **contact proto**
- required **Time time** = 2

5.7.1 Variable Documentation

5.7.1.1 message Contacts

Initial value:

```
{  
  repeated Contact contact = 1
```

5.7.1.2 package gazebo msgs

5.7.1.3 import time proto

5.7.1.4 required Time time = 2

5.8 contactsensor.proto File Reference

Variables

- message **ContactSensor**
- package gazebo **msgs**

5.8.1 Variable Documentation

5.8.1.1 message **ContactSensor**

Initial value:

```
{  
  optional string collision_name = 1
```

5.8.1.2 package gazebo msgs

5.9 cylindergeom.proto File Reference

Variables

- message **CylinderGeom**
- required double **length** = 2
- package gazebo **msgs**

5.9.1 Variable Documentation

5.9.1.1 message **CylinderGeom**

Initial value:

```
{  
  required double radius = 1
```

5.9.1.2 required double length = 2

5.9.1.3 package gazebo msgs

5.10 diagnostics.proto File Reference

Variables

- message **Diagnostics**

- package gazebo **msgs**
- import **time proto**
- required **Time real_time** = 2
- required double **real_time_factor** = 4
- required **Time sim_time** = 3

5.10.1 Variable Documentation

5.10.1.1 message Diagnostics

Initial value:

```
{
  message DiagTime
  {
    required string name = 1;
    required Time elapsed = 2;
    required Time wall = 3;
  }

  repeated DiagTime time = 1
```

5.10.1.2 package gazebo msgs

5.10.1.3 import time proto

5.10.1.4 required Time real_time = 2

5.10.1.5 required double real_time_factor = 4

5.10.1.6 required Time sim_time = 3

5.11 factory.proto File Reference

Variables

- optional string **clone_model_name** = 5
- optional string **edit_name** = 4
- message **Factory**
- package gazebo **msgs**
- optional **Pose pose** = 3
- import header **proto**
- optional string **sdf_filename** = 2

5.11.1 Variable Documentation

5.11.1.1 optional string clone_model_name = 5

5.11.1.2 optional string edit_name = 4

5.11.1.3 message Factory

Initial value:

```
{
  optional string sdf = 1
```

5.11.1.4 package gazebo msgs

5.11.1.5 optional Pose pose = 3

5.11.1.6 import pose proto

5.11.1.7 optional string sdf_filename = 2

5.12 fog.proto File Reference

Variables

- optional **Color** color = 2
- optional float **density** = 3
- optional float **end** = 5
- message **Fog**
- package gazebo **msgs**
- import **color proto**
- optional float **start** = 4

5.12.1 Variable Documentation

5.12.1.1 optional Color color = 2

5.12.1.2 optional float density = 3

5.12.1.3 optional float end = 5

5.12.1.4 message Fog

Initial value:

```
{
  enum FogType
  {
    NONE = 1;
    LINEAR = 2;
    EXPONENTIAL = 3;
    EXPONENTIAL2 = 4;
  }
  optional FogType type = 1
```

5.12.1.5 package gazebo msgs

5.12.1.6 import color proto

5.12.1.7 optional float start = 4

5.13 friction.proto File Reference

Variables

- optional **Vector3d** **fdir1** = 3
- message **Friction**
- package gazebo **msgs**
- optional double **mu2** = 2
- import vector3d **proto**
- optional double **slip1** = 4
- optional double **slip2** = 5

5.13.1 Variable Documentation

5.13.1.1 optional **Vector3d** **fdir1** = 3

5.13.1.2 message **Friction**

Initial value:

```
{
  optional double mu = 1
```

5.13.1.3 package gazebo **msgs**

5.13.1.4 optional double **mu2** = 2

5.13.1.5 import vector3d **proto**

5.13.1.6 optional double **slip1** = 4

5.13.1.7 optional double **slip2** = 5

5.14 geometry.proto File Reference

Variables

- optional **BoxGeom** **box** = 2
- optional **CylinderGeom** **cylinder** = 3
- message **Geometry**
- optional **HeightmapGeom** **heightmap** = 7
- optional **ImageGeom** **image** = 6
- optional **MeshGeom** **mesh** = 8
- package gazebo **msgs**
- optional **PlaneGeom** **plane** = 4
- repeated **Vector3d** **points** = 9
- import boxgeom **proto**
- optional **SphereGeom** **sphere** = 5

5.14.1 Variable Documentation

5.14.1.1 optional **BoxGeom** box = 2

5.14.1.2 optional **CylinderGeom** cylinder = 3

5.14.1.3 message **Geometry**

Initial value:

```
{
  enum Type
  {
    BOX          = 1;
    CYLINDER     = 2;
    SPHERE       = 3;
    PLANE        = 4;
    IMAGE        = 5;
    HEIGHTMAP    = 6;
    MESH         = 7;
    TRIANGLE_FAN = 8;
    LINE_STRIP   = 9;
    EMPTY        = 10;
  }

  optional Type type = 1
```

5.14.1.4 optional **HeightmapGeom** heightmap = 7

5.14.1.5 optional **ImageGeom** image = 6

5.14.1.6 optional **MeshGeom** mesh = 8

5.14.1.7 package gazebo **msgs**

5.14.1.8 optional **PlaneGeom** plane = 4

5.14.1.9 repeated **Vector3d** points = 9

5.14.1.10 import vector3d **proto**

5.14.1.11 optional **SphereGeom** sphere = 5

5.15 gui.proto File Reference

Variables

- optional **GUICamera** camera = 2
- message **GUI**
- package gazebo **msgs**
- import gui_camera **proto**

5.15.1 Variable Documentation

5.15.1.1 optional GUICamera camera = 2

5.15.1.2 message GUI

Initial value:

```
{
  optional bool fullscreen = 1
```

5.15.1.3 package gazebo msgs

5.15.1.4 import gui_camera proto

5.16 gui_camera.proto File Reference

Variables

- message **GUICamera**
- package gazebo **msgs**
- optional **Pose pose** = 3
- import **pose proto**
- optional **TrackVisual track** = 4
- optional string **view_controller** = 2

5.16.1 Variable Documentation

5.16.1.1 message GUICamera

Initial value:

```
{
  required string name = 1
```

5.16.1.2 package gazebo msgs

5.16.1.3 optional Pose pose = 3

5.16.1.4 import track_visual proto

5.16.1.5 optional TrackVisual track = 4

5.16.1.6 optional string view_controller = 2

5.17 gui_overlay_config.proto File Reference

Variables

- message **GUIOverlayConfig**
- package gazebo **msgs**

5.17.1 Variable Documentation

5.17.1.1 message GUIOverlayConfig

Initial value:

```
{  
  required string layout_filename = 1
```

5.17.1.2 package gazebo msgs

5.18 gz_string.proto File Reference

Variables

- message **GzString**
- package gazebo **msgs**

5.18.1 Variable Documentation

5.18.1.1 message GzString

Initial value:

```
{  
  required string data = 1
```

5.18.1.2 package gazebo msgs

5.19 gz_string_v.proto File Reference

Variables

- message **GzString_V**
- package gazebo **msgs**

5.19.1 Variable Documentation

5.19.1.1 message GzString_V

Initial value:

```
{  
  repeated string data = 1
```

5.19.1.2 package gazebo msgs

5.20 header.proto File Reference

Variables

- message **Header**
- optional int32 **index** = 3
- package gazebo **msgs**
- import **time proto**
- optional **Time stamp** = 2

5.20.1 Variable Documentation

5.20.1.1 message Header

Initial value:

```
{  
  optional string str_id = 1
```

5.20.1.2 optional int32 index = 3

5.20.1.3 package gazebo msgs

5.20.1.4 import time proto

5.20.1.5 optional Time stamp = 2

5.21 heightmapgeom.proto File Reference

Variables

- message **Blend**
- repeated **Blend blend** = 5
- required double **fade_dist** = 2
- message **HeightmapGeom**
- package gazebo **msgs**
- required string **normal** = 2
- optional **Vector3d origin** = 3
- import **image proto**
- required **Vector3d size** = 2
- message **Texture**
- repeated **Texture texture** = 4

5.21.1 Variable Documentation

5.21.1.1 message Blend

Initial value:

```
{
  required double min_height = 1
```

5.21.1.2 repeated Blend blend = 5

5.21.1.3 required double fade.dist = 2

5.21.1.4 message HeightmapGeom

Initial value:

```
{
  required Image image = 1
```

5.21.1.5 package gazebo msgs

5.21.1.6 required string normal = 2

5.21.1.7 optional Vector3d origin = 3

5.21.1.8 import vector3d proto

5.21.1.9 required double size = 2

5.21.1.10 message Texture

Initial value:

```
{
  required string diffuse = 1
```

5.21.1.11 repeated Texture texture = 4

5.22 image.proto File Reference

Variables

- required bytes **data** = 5
- required uint32 **height** = 2
- message **Image**
- package gazebo **msgs**
- required uint32 **pixel_format** = 3
- required uint32 **step** = 4

5.22.1 Variable Documentation

5.22.1.1 required bytes data = 5

5.22.1.2 required uint32 height = 2

5.22.1.3 message Image

Initial value:

```
{
  required uint32 width          = 1
```

5.22.1.4 package gazebo msgs

5.22.1.5 required uint32 pixel_format = 3

5.22.1.6 required uint32 step = 4

5.23 image_stamped.proto File Reference

Variables

- required **Image image** = 2
- message **ImageStamped**
- package gazebo **msgs**
- import **time proto**

5.23.1 Variable Documentation

5.23.1.1 required Image image = 2

5.23.1.2 message ImageStamped

Initial value:

```
{
  required Time time          = 1
```

5.23.1.3 package gazebo msgs

5.23.1.4 import image proto

5.24 imagegeom.proto File Reference

Variables

- optional int32 **granularity** = 5

- optional double **height** = 4
- message **ImageGeom**
- package gazebo **msgs**
- optional double **scale** = 2
- optional int32 **threshold** = 3 [default = 255]

5.24.1 Variable Documentation

5.24.1.1 optional int32 granularity = 5

5.24.1.2 optional double height = 4

5.24.1.3 message ImageGeom

Initial value:

```
{
  required string uri          = 1
```

5.24.1.4 package gazebo msgs

5.24.1.5 optional double scale = 2

5.24.1.6 optional int32 threshold = 3 [default = 255]

5.25 images_stamped.proto File Reference

Variables

- repeated **Image image** = 2
- message **ImagesStamped**
- package gazebo **msgs**
- import **time proto**

5.25.1 Variable Documentation

5.25.1.1 repeated Image image = 2

5.25.1.2 message ImagesStamped

Initial value:

```
{
  required Time time          = 1
```


5.25.1.3 package gazebo msgs

5.25.1.4 import image proto

5.26 imu.proto File Reference

Variables

- required **Vector3d** `angular_velocity` = 4
- required string `entity_name` = 2
- message **IMU**
- required **Vector3d** `linear_acceleration` = 5
- package gazebo **msgs**
- required **Quaternion** `orientation` = 3
- import **time** proto

5.26.1 Variable Documentation

5.26.1.1 required **Vector3d** `angular_velocity` = 4

5.26.1.2 required string `entity_name` = 2

5.26.1.3 message **IMU**

Initial value:

```
{
  required Time stamp           = 1
```

5.26.1.4 required **Vector3d** `linear_acceleration` = 5

5.26.1.5 package gazebo **msgs**

5.26.1.6 required **Quaternion** `orientation` = 3

5.26.1.7 import quaternion proto

5.27 inertial.proto File Reference

Variables

- message **Inertial**
- optional double `ixx` = 3
- optional double `ixy` = 4
- optional double `ixz` = 5
- optional double `iyx` = 6
- optional double `iyz` = 7
- optional double `izz` = 8
- package gazebo **msgs**

- optional **Pose pose = 2**
- import **pose proto**

5.27.1 Variable Documentation

5.27.1.1 message Inertial

Initial value:

```
{  
  optional double mass = 1
```

5.27.1.2 optional double ixx = 3

5.27.1.3 optional double ixy = 4

5.27.1.4 optional double ixz = 5

5.27.1.5 optional double iyy = 6

5.27.1.6 optional double iyz = 7

5.27.1.7 optional double izz = 8

5.27.1.8 package gazebo msgs

5.27.1.9 optional Pose pose = 2

5.27.1.10 import pose proto

5.28 int.proto File Reference

Variables

- message **Int**
- package gazebo **msgs**

5.28.1 Variable Documentation

5.28.1.1 message Int

Initial value:

```
{  
  required int32 data = 1
```

5.28.1.2 package gazebo msgs

5.29 joint.proto File Reference

Variables

- repeated double **angle** = 2
- optional **Axis axis1** = 7
- optional **Axis axis2** = 8
- optional double **bounce** = 10
- optional double **cfm** = 9
- optional string **child** = 5
- optional double **fudge_factor** = 12
- message **Joint**
- optional double **limit_cfm** = 13
- optional double **limit_erp** = 14
- package gazebo **msgs**
- optional string **parent** = 4
- optional **Pose pose** = 6
- import vector3d **proto**
- optional double **suspension_cfm** = 15
- optional double **suspension_erp** = 16
- optional Type **type** = 3
- optional double **velocity** = 11

5.29.1 Variable Documentation

5.29.1.1 repeated double angle = 2

5.29.1.2 optional **Axis axis1** = 75.29.1.3 optional **Axis axis2** = 8

5.29.1.4 optional double bounce = 10

5.29.1.5 optional double cfm = 9

5.29.1.6 optional string child = 5

5.29.1.7 optional double fudge_factor = 12

5.29.1.8 message **Joint****Initial value:**

```

{
  enum Type
  {
    REVOLUTE = 1;
    REVOLUTE2 = 2;
    PRISMATIC = 3;
    UNIVERSAL = 4;
    BALL = 5;
  }
}

```

```

    SCREW      = 6;
}
required string name      = 1

```

5.29.1.9 optional double limit_cfm = 13

5.29.1.10 optional double limit_erp = 14

5.29.1.11 package gazebo msgs

5.29.1.12 optional string parent = 4

5.29.1.13 optional Pose pose = 6

5.29.1.14 import pose proto

5.29.1.15 optional double suspension_cfm = 15

5.29.1.16 optional double suspension_erp = 16

5.29.1.17 optional Type type = 3

5.29.1.18 optional double velocity = 11

5.30 joint_animation.proto File Reference

Variables

- repeated **Joint joint** = 2
- message **JointAnimation**
- package gazebo **msgs**
- import **pose proto**
- repeated **Time time** = 3

5.30.1 Variable Documentation

5.30.1.1 repeated **Joint joint** = 2

5.30.1.2 message **JointAnimation**

Initial value:

```

{
  message Joint
  {
    repeated string name = 1;
    repeated double angle = 2;
  }

  required string model_name = 1

```

5.30.1.3 package gazebo msgs

5.30.1.4 import time proto

5.30.1.5 repeated Time time = 3

5.31 joint_cmd.proto File Reference

Variables

- optional int32 **axis** = 2 [default=0]
- optional double **force** = 3
- message **JointCmd**
- package gazebo **msgs**
- optional **PID position** = 4
- import vector3d **proto**
- optional bool **reset** = 6
- optional **PID velocity** = 5

5.31.1 Variable Documentation

5.31.1.1 optional int32 axis = 2 [default=0]

5.31.1.2 optional double force = 3

5.31.1.3 message JointCmd

Initial value:

```
{
  required string name      = 1
```

5.31.1.4 package gazebo msgs

5.31.1.5 optional PID position = 4

5.31.1.6 import pid proto

5.31.1.7 optional bool reset = 6

5.31.1.8 optional PID velocity = 5

5.32 joint_wrench.proto File Reference

Variables

- required **Vector3d body_1_force** = 3
- required **Vector3d body_1_torque** = 5
- required **Vector3d body_2_force** = 4

- required string **body_2_name** = 2
- required **Vector3d** **body_2_torque** = 6
- message **JointWrench**
- package gazebo **msgs**
- import vector3d **proto**

5.32.1 Variable Documentation

5.32.1.1 required **Vector3d** **body_1_force** = 3

5.32.1.2 required **Vector3d** **body_1_torque** = 5

5.32.1.3 required **Vector3d** **body_2_force** = 4

5.32.1.4 required string **body_2_name** = 2

5.32.1.5 required **Vector3d** **body_2_torque** = 6

5.32.1.6 message **JointWrench**

Initial value:

```
{
  required string body_1_name = 1
```

5.32.1.7 package gazebo **msgs**

5.32.1.8 import vector3d **proto**

5.33 joint_wrench_stamped.proto File Reference

Variables

- message **ForceTorque**
- package gazebo **msgs**
- import joint_wrench **proto**
- required **Time** **time** = 2

5.33.1 Variable Documentation

5.33.1.1 message **ForceTorque**

Initial value:

```
{
  repeated JointWrench wrench = 1
```

5.33.1.2 package gazebo msgs

5.33.1.3 import time proto

5.33.1.4 required Time time = 2

5.34 laserscan.proto File Reference

Variables

- required double **angle_max** = 4
- required double **angle_min** = 3
- required double **angle_step** = 5
- repeated double **intensities** = 9
- message **LaserScan**
- package gazebo **msgs**
- import **pose proto**
- required double **range_max** = 7
- required double **range_min** = 6
- repeated double **ranges** = 8
- required **Pose world_pose** = 2

5.34.1 Variable Documentation

5.34.1.1 required double angle_max = 4

5.34.1.2 required double angle_min = 3

5.34.1.3 required double angle_step = 5

5.34.1.4 repeated double intensities = 9

5.34.1.5 message LaserScan

Initial value:

```
{
  required string frame      = 1
```

5.34.1.6 package gazebo msgs

5.34.1.7 import pose proto

5.34.1.8 required double range_max = 7

5.34.1.9 required double range_min = 6

5.34.1.10 repeated double ranges = 8

5.34.1.11 required Pose world_pose = 2

5.35 laserscan_stamped.proto File Reference

Variables

- message **LaserScanStamped**
- package gazebo **msgs**
- import **time proto**
- required **LaserScan scan = 2**

5.35.1 Variable Documentation

5.35.1.1 message LaserScanStamped

Initial value:

```
{
  required Time time          = 1
```

5.35.1.2 package gazebo msgs

5.35.1.3 import laserscan proto

5.35.1.4 required LaserScan scan = 2

5.36 light.proto File Reference

Enumerations

- enum **LightType** { **DIRECTIONAL = 3** }

Variables

- optional float **attenuation_constant** = 6
- optional float **attenuation_linear** = 7
- optional float **attenuation_quadratic** = 8
- optional bool **cast_shadows** = 11
- optional **Color diffuse** = 4
- optional **Vector3d direction** = 9
- message **Light**
- package gazebo **msgs**
- optional **Pose pose** = 3
- import header **proto**
- optional float **range** = 10
- optional **Color specular** = 5
- optional float **spot_falloff** = 14

- optional float **spot_inner_angle** = 12
- optional float **spot_outer_angle** = 13
- enum **LightType** type = 2

5.36.1 Enumeration Type Documentation

5.36.1.1 enum LightType

Enumerator:

DIRECTIONAL

5.36.2 Variable Documentation

5.36.2.1 optional float attenuation_constant = 6

5.36.2.2 optional float attenuation_linear = 7

5.36.2.3 optional float attenuation_quadratic = 8

5.36.2.4 optional bool cast_shadows = 11

5.36.2.5 optional Color diffuse = 4

5.36.2.6 optional Vector3d direction = 9

5.36.2.7 message Light

Initial value:

```
{
  required string name = 1
```

5.36.2.8 package gazebo msgs

5.36.2.9 optional Pose pose = 3

5.36.2.10 import color proto

5.36.2.11 optional float range = 10

5.36.2.12 optional Color specular = 5

5.36.2.13 optional float spot_falloff = 14

5.36.2.14 optional float spot_inner_angle = 12

5.36.2.15 optional float spot_outer_angle = 13

5.36.2.16 enum LightType type = 2

5.37 link.proto File Reference

Variables

- repeated **Collision** `collision` = 10
- optional bool **enabled** = 6
- optional bool **gravity** = 4
- optional **Inertial** `inertial` = 7
- optional bool **kinematic** = 5
- message **Link**
- package gazebo **msgs**
- required string **name** = 2
- optional **Pose** `pose` = 8
- repeated **Projector** `projector` = 12
- import header **proto**
- optional bool **self_collide** = 3
- repeated **Sensor** `sensor` = 11
- repeated **Visual** `visual` = 9

5.37.1 Variable Documentation

5.37.1.1 repeated **Collision** `collision` = 10

5.37.1.2 optional bool `enabled` = 6

5.37.1.3 optional bool `gravity` = 4

5.37.1.4 optional **Inertial** `inertial` = 7

5.37.1.5 optional bool `kinematic` = 5

5.37.1.6 message **Link**

Initial value:

```
{
  required uint32 id           = 1
```

5.37.1.7 package gazebo **msgs**

5.37.1.8 required string `name` = 2

5.37.1.9 optional **Pose** `pose` = 8

5.37.1.10 repeated **Projector** `projector` = 12

5.37.1.11 import `pose` proto

5.37.1.12 optional bool `self_collide` = 3

5.37.1.13 repeated Sensor sensor = 11

5.37.1.14 repeated Visual visual = 9

5.38 log_control.proto File Reference

Variables

- optional string **base_path** = 4
- message **LogControl**
- package gazebo **msgs**
- optional bool **paused** = 3
- optional bool **stop** = 2

5.38.1 Variable Documentation

5.38.1.1 optional string base_path = 4

5.38.1.2 message LogControl

Initial value:

```
{
  optional bool start          = 1
```

5.38.1.3 package gazebo msgs

5.38.1.4 optional bool paused = 3

5.38.1.5 optional bool stop = 2

5.39 log_status.proto File Reference

Variables

- optional LogFile **log_file** = 2
- message **LogStatus**
- package gazebo **msgs**
- import **time proto**

5.39.1 Variable Documentation

5.39.1.1 optional LogFile log_file = 2

5.39.1.2 message LogStatus

Initial value:

```

{
  message LogFile
  {
    enum Units
    {
      BYTES = 1;
      K_BYTES = 2;
      M_BYTES = 3;
      G_BYTES = 4;
    }

    optional string uri          = 1;
    optional string base_path   = 2;
    optional string full_path   = 3;
    optional float size         = 4;
    optional Units size_units   = 5;
  }

  optional Time sim_time      = 1

```

5.39.1.3 package gazebo msgs

5.39.1.4 import time proto

5.40 mainpage_msgs.html File Reference

5.41 material.proto File Reference

Variables

- optional **Color ambient** = 4
- optional **Color diffuse** = 5
- optional **Color emissive** = 7
- message **Material**
- package gazebo **msgs**
- optional string **normal_map** = 3
- import **color proto**
- optional ShaderType **shader_type** = 2
- optional **Color specular** = 6

5.41.1 Variable Documentation

5.41.1.1 optional Color ambient = 4

5.41.1.2 optional Color diffuse = 5

5.41.1.3 optional Color emissive = 7

5.41.1.4 message Material

Initial value:

```

{
  enum ShaderType
  {
    VERTEX          = 1;

```

```

    PIXEL = 2;
    NORMAL_MAP_OBJECT_SPACE = 3;
    NORMAL_MAP_TANGENT_SPACE = 4;
}

message Script
{
    repeated string uri = 1;
    required string name = 2;
}

optional Script script = 1

```

5.41.1.5 package gazebo msgs

5.41.1.6 optional string normal_map = 3

5.41.1.7 import color proto

5.41.1.8 optional ShaderType shader_type = 2

5.41.1.9 optional Color specular = 6

5.42 meshgeom.proto File Reference

Variables

- optional bool **center_submesh** = 4
- message **MeshGeom**
- package gazebo **msgs**
- import vector3d **proto**
- optional **Vector3d** **scale** = 2
- optional string **submesh** = 3

5.42.1 Variable Documentation

5.42.1.1 optional bool center_submesh = 4

5.42.1.2 message MeshGeom

Initial value:

```

{
    required string filename = 1

```

5.42.1.3 package gazebo msgs

5.42.1.4 import vector3d proto

5.42.1.5 optional Vector3d scale = 2

5.42.1.6 optional string submesh = 3

5.43 model.proto File Reference

Variables

- optional bool **deleted** = 7
- optional uint32 **id** = 2
- optional bool **is_static** = 3
- repeated **Joint** **joint** = 5
- repeated **Link** **link** = 6
- message **Model**
- package gazebo **msgs**
- optional **Pose** **pose** = 4
- import **joint proto**
- repeated **Visual** **visual** = 8

5.43.1 Variable Documentation

5.43.1.1 optional bool deleted = 7

5.43.1.2 optional uint32 id = 2

5.43.1.3 optional bool is_static = 3

5.43.1.4 repeated **Joint** joint = 5

5.43.1.5 repeated **Link** link = 6

5.43.1.6 message **Model**

Initial value:

```
{
  required string name          = 1
```

5.43.1.7 package gazebo msgs

5.43.1.8 optional **Pose** pose = 4

5.43.1.9 import **visual proto**

5.43.1.10 repeated **Visual** visual = 8

5.44 model_configuration.proto File Reference

Variables

- repeated string **joint_names** = 2
- repeated double **joint_positions** = 3
- optional string **link_name** = 5

- message **ModelConfiguration**
- package gazebo **msgs**
- optional **Pose pose** = 4
- import **time proto**

5.44.1 Variable Documentation

5.44.1.1 repeated string joint_names = 2

5.44.1.2 repeated double joint_positions = 3

5.44.1.3 optional string link_name = 5

5.44.1.4 message **ModelConfiguration**

Initial value:

```
{
  required Time time = 1
```

5.44.1.5 package gazebo msgs

5.44.1.6 optional **Pose pose** = 4

5.44.1.7 import pose proto

5.45 model_v.proto File Reference

Variables

- message **Model_V**
- package gazebo **msgs**
- import **model proto**

5.45.1 Variable Documentation

5.45.1.1 message **Model_V**

Initial value:

```
{
  repeated Model models = 2
```

5.45.1.2 package gazebo msgs

5.45.1.3 import model proto

5.46 packet.proto File Reference

Variables

- package gazebo **msgs**
- message **Packet**
- import **time proto**
- required bytes **serialized_data** = 3
- required string **type** = 2

5.46.1 Variable Documentation

5.46.1.1 package gazebo msgs

5.46.1.2 message Packet

Initial value:

```
{
  required Time stamp          = 1
```

5.46.1.3 import time proto

5.46.1.4 required bytes serialized_data = 3

5.46.1.5 required string type = 2

5.47 physics.proto File Reference

Variables

- optional double **cfm** = 9
- optional double **contact_max_correcting_vel** = 11
- optional double **contact_surface_layer** = 12
- optional double **dt** = 4
 - dt is deprecated by max_step_size*
- optional bool **enable_physics** = 15
- optional double **erp** = 10
- optional **Vector3d gravity** = 13
- optional int32 **iters** = 7
- optional double **max_step_size** = 18
- optional double **min_step_size** = 5
- package gazebo **msgs**
- message **Physics**
- optional int32 **precon_iters** = 6
- import vector3d **proto**
- optional double **real_time_factor** = 16
- optional double **real_time_update_rate** = 17
- optional string **solver_type** = 3

- optional double **sor** = 8
- optional double **update_rate** = 14
update_rate is deprecated by real_time_update_rate

5.47.1 Variable Documentation

5.47.1.1 optional double **cfm** = 9

5.47.1.2 optional double **contact_max_correcting_vel** = 11

5.47.1.3 optional double **contact_surface_layer** = 12

5.47.1.4 optional double **dt** = 4

dt is deprecated by max_step_size

5.47.1.5 optional bool **enable_physics** = 15

5.47.1.6 optional double **erp** = 10

5.47.1.7 optional **Vector3d** **gravity** = 13

5.47.1.8 optional int32 **iters** = 7

5.47.1.9 optional double **max_step_size** = 18

5.47.1.10 optional double **min_step_size** = 5

5.47.1.11 package gazebo msgs

5.47.1.12 message **Physics**

Initial value:

```
{
  enum Type
  {
    ODE = 1;
    BULLET = 2;
  }
  required Type type = 2[default=ODE]
```

5.47.1.13 optional int32 **precon_iters** = 6

5.47.1.14 import header proto

5.47.1.15 optional double **real_time_factor** = 16

5.47.1.16 optional double **real_time_update_rate** = 17

5.47.1.17 optional string **solver_type** = 3

5.47.1.18 optional double `sor` = 8

5.47.1.19 optional double `update_rate` = 14

`update_rate` is deprecated by `real_time_update_rate`

5.48 pid.proto File Reference

Variables

- optional double `d_gain` = 4[default=0.0]
- optional double `i_gain` = 3[default=0.0]
- optional double `i_max` = 5[default=0.0]
- optional double `i_min` = 6[default=0.0]
- optional double `limit` = 7[default=0.0]
- package gazebo `msgs`
- optional double `p_gain` = 2[default=0.0]
- message `PID`

5.48.1 Variable Documentation

5.48.1.1 optional double `d_gain` = 4[default=0.0]

5.48.1.2 optional double `i_gain` = 3[default=0.0]

5.48.1.3 optional double `i_max` = 5[default=0.0]

5.48.1.4 optional double `i_min` = 6[default=0.0]

5.48.1.5 optional double `limit` = 7[default=0.0]

5.48.1.6 package gazebo `msgs`

5.48.1.7 optional double `p_gain` = 2[default=0.0]

5.48.1.8 message `PID`

Initial value:

```
{
  optional double target = 1[default=0.0]
```

5.49 planegeom.proto File Reference

Variables

- optional double `d` = 3 [default = 0]
- package gazebo `msgs`
- message `PlaneGeom`

- import vector3d **proto**
- required **Vector2d size** = 2

5.49.1 Variable Documentation

5.49.1.1 optional double d = 3 [default = 0]

5.49.1.2 package gazebo msgs

5.49.1.3 message **PlaneGeom**

Initial value:

```
{
  required Vector3d normal = 1
```

5.49.1.4 import vector2d proto

5.49.1.5 required **Vector2d size** = 2

5.50 plugin.proto File Reference

Variables

- required string **filename** = 2
- package gazebo **msgs**
- message **Plugin**

5.50.1 Variable Documentation

5.50.1.1 required string filename = 2

5.50.1.2 package gazebo msgs

5.50.1.3 message **Plugin**

Initial value:

```
{
  required string name = 1
```

5.51 pose.proto File Reference

Variables

- package gazebo **msgs**
- required **Quaternion orientation** = 3
- message **Pose**
- required **Vector3d position** = 2
- import vector3d **proto**

5.51.1 Variable Documentation

5.51.1.1 package gazebo msgs

5.51.1.2 required Quaternion orientation = 3

5.51.1.3 message Pose

Initial value:

```
{
  optional string name          = 1
```

5.51.1.4 required Vector3d position = 2

5.51.1.5 import quaternion proto

5.52 pose_animation.proto File Reference

Variables

- package gazebo **msgs**
- repeated **Pose pose** = 2
- message **PoseAnimation**
- import **pose proto**
- repeated **Time time** = 3

5.52.1 Variable Documentation

5.52.1.1 package gazebo msgs

5.52.1.2 repeated Pose pose = 2

5.52.1.3 message PoseAnimation

Initial value:

```
{
  required string model_name    = 1
```

5.52.1.4 import time proto

5.52.1.5 repeated Time time = 3

5.53 pose_stamped.proto File Reference

Variables

- package gazebo **msgs**

- required **Pose pose** = 2
- message **PoseStamped**
- import **time proto**

5.53.1 Variable Documentation

5.53.1.1 package gazebo msgs

5.53.1.2 required Pose pose = 2

5.53.1.3 message PoseStamped

Initial value:

```
{
  required Time time          = 1
```

5.53.1.4 import pose proto

5.54 pose_trajectory.proto File Reference

Variables

- optional uint32 **id** = 2
- package gazebo **msgs**
- repeated **PoseStamped pose_stamped** = 3
- message **PoseTrajectory**
- import **pose_stamped proto**

5.54.1 Variable Documentation

5.54.1.1 optional uint32 id = 2

5.54.1.2 package gazebo msgs

5.54.1.3 repeated PoseStamped pose_stamped = 3

5.54.1.4 message PoseTrajectory

Initial value:

```
{
  optional string name          = 1
```

5.54.1.5 `import pose_stamped proto`

5.55 `pose_v.proto` File Reference

Variables

- package gazebo **msgs**
- message **Pose_V**
- import **pose proto**

5.55.1 Variable Documentation

5.55.1.1 `package gazebo msgs`

5.55.1.2 `message Pose_V`

Initial value:

```
{  
  repeated Pose pose = 1
```

5.55.1.3 `import pose proto`

5.56 `projector.proto` File Reference

Variables

- optional bool **enabled** = 7[default=true]
- optional double **far_clip** = 6[default=10.0]
- optional double **fov** = 4[default=0.785]
- package gazebo **msgs**
- optional double **near_clip** = 5[default=0.1]
- optional **Pose pose** = 3
- message **Projector**
- import **pose proto**
- optional string **texture** = 2

5.56.1 Variable Documentation

5.56.1.1 `optional bool enabled = 7[default=true]`

5.56.1.2 `optional double far_clip = 6[default=10.0]`

5.56.1.3 `optional double fov = 4[default=0.785]`

5.56.1.4 `package gazebo msgs`

5.56.1.5 `optional double near_clip = 5[default=0.1]`

5.56.1.6 optional Pose pose = 3

5.56.1.7 message Projector

Initial value:

```
{  
  required string name      = 1
```

5.56.1.8 import pose proto

5.56.1.9 optional string texture = 2

5.57 publish.proto File Reference

Variables

- required string **host** = 3
- required string **msg_type** = 2
- package gazebo **msgs**
- required uint32 **port** = 4
- message **Publish**

5.57.1 Variable Documentation

5.57.1.1 required string host = 3

5.57.1.2 required string msg_type = 2

5.57.1.3 package gazebo msgs

5.57.1.4 required uint32 port = 4

5.57.1.5 message Publish

Initial value:

```
{  
  required string topic     = 1
```

5.58 publishers.proto File Reference

Variables

- package gazebo **msgs**
- import publish **proto**
- message **Publishers**

5.58.1 Variable Documentation

5.58.1.1 package gazebo msgs

5.58.1.2 import publish proto

5.58.1.3 message Publishers

Initial value:

```
{  
  repeated Publish publisher = 1
```

5.59 quaternion.proto File Reference

Variables

- package gazebo **msgs**
- message **Quaternion**
- required double **w** = 5
- required double **y** = 3
- required double **z** = 4

5.59.1 Variable Documentation

5.59.1.1 package gazebo msgs

5.59.1.2 message Quaternion

Initial value:

```
{  
  required double x = 2
```

5.59.1.3 required double w = 5

5.59.1.4 required double y = 3

5.59.1.5 required double z = 4

5.60 raysensor.proto File Reference

Variables

- optional double **horizontal_max_angle** = 5
- optional double **horizontal_min_angle** = 4
- optional double **horizontal_resolution** = 3
- optional int32 **horizontal_samples** = 2
- package gazebo **msgs**

- optional double **range_max** = 11
- optional double **range_min** = 10
- optional double **range_resolution** = 12
- message **RaySensor**
- optional double **vertical_max_angle** = 9
- optional double **vertical_min_angle** = 8
- optional double **vertical_resolution** = 7
- optional int32 **vertical_samples** = 6

5.60.1 Variable Documentation

5.60.1.1 optional double horizontal_max_angle = 5

5.60.1.2 optional double horizontal_min_angle = 4

5.60.1.3 optional double horizontal_resolution = 3

5.60.1.4 optional int32 horizontal_samples = 2

5.60.1.5 package gazebo msgs

5.60.1.6 optional double range_max = 11

5.60.1.7 optional double range_min = 10

5.60.1.8 optional double range_resolution = 12

5.60.1.9 message RaySensor

Initial value:

```
{
  optional bool display_scan          = 1
```

5.60.1.10 optional double vertical_max_angle = 9

5.60.1.11 optional double vertical_min_angle = 8

5.60.1.12 optional double vertical_resolution = 7

5.60.1.13 optional int32 vertical_samples = 6

5.61 request.proto File Reference

Variables

- optional string **data** = 3
- optional double **dbl_data** = 4
- package gazebo **msgs**
- message **Request**
- required string **request** = 2

5.61.1 Variable Documentation

5.61.1.1 optional string data = 3

5.61.1.2 optional double dbl_data = 4

5.61.1.3 package gazebo msgs

5.61.1.4 message Request

Initial value:

```
{  
  required int32 id          = 1
```

5.61.1.5 required string request = 2

5.62 response.proto File Reference

Variables

- package gazebo **msgs**
- required string **request** = 2
- message **Response**
- required string **response** = 3
- optional bytes **serialized_data** = 5
- optional string **type** = 4

5.62.1 Variable Documentation

5.62.1.1 package gazebo msgs

5.62.1.2 required string request = 2

5.62.1.3 message Response

Initial value:

```
{  
  required int32 id          = 1
```

5.62.1.4 required string response = 3

5.62.1.5 optional bytes serialized_data = 5

5.62.1.6 optional string type = 4

5.63 road.proto File Reference

Variables

- package gazebo **msgs**
- repeated **Vector3d point** = 3
- import vector3d **proto**
- message **Road**
- required double **width** = 2

5.63.1 Variable Documentation

5.63.1.1 package gazebo msgs

5.63.1.2 repeated Vector3d point = 3

5.63.1.3 import vector3d proto

5.63.1.4 message Road

Initial value:

```
{
  required string name      = 1
```

5.63.1.5 required double width = 2

5.64 scene.proto File Reference

Variables

- optional **Color ambient** = 2
- optional **Color background** = 3
- optional **Fog fog** = 6
- optional bool **grid** = 7
- repeated **Joint joint** = 10
- repeated **Light light** = 9
- repeated **Model model** = 8
- package gazebo **msgs**
- import header **proto**
- message **Scene**
- optional bool **shadows** = 5 [default = true]
- optional **Sky sky** = 4

5.64.1 Variable Documentation

5.64.1.1 optional Color ambient = 2

5.64.1.2 optional Color background = 3

5.64.1.3 optional **Fog** fog = 6

5.64.1.4 optional bool grid = 7

5.64.1.5 repeated **Joint** joint = 10

5.64.1.6 repeated **Light** light = 9

5.64.1.7 repeated **Model** model = 8

5.64.1.8 package gazebo msgs

5.64.1.9 import model proto

5.64.1.10 message **Scene**

Initial value:

```
{
  required string name          = 1
```

5.64.1.11 optional bool shadows = 5 [default = true]

5.64.1.12 optional **Sky** sky = 4

5.65 selection.proto File Reference

Variables

- package gazebo **msgs**
- required string **name** = 2
- import header **proto**
- optional bool **selected** = 3 [default = false]
- message **Selection**

5.65.1 Variable Documentation

5.65.1.1 package gazebo msgs

5.65.1.2 required string name = 2

5.65.1.3 import header proto

5.65.1.4 optional bool selected = 3 [default = false]

5.65.1.5 message **Selection**

Initial value:

```
{
  required uint32 id          = 1
```

5.66 sensor.proto File Reference

Variables

- optional bool **always_on** = 4
- optional **CameraSensor camera** = 7
- optional **ContactSensor contact** = 9
- package gazebo **msgs**
- required string **parent** = 2
- optional **Pose pose** = 6
- import **pose proto**
- optional **RaySensor ray** = 8
- message **Sensor**
- optional string **topic** = 11
- required string **type** = 3
- optional double **update_rate** = 5
- optional bool **visualize** = 10

5.66.1 Variable Documentation

5.66.1.1 optional bool **always_on** = 4

5.66.1.2 optional **CameraSensor camera** = 7

5.66.1.3 optional **ContactSensor contact** = 9

5.66.1.4 package gazebo **msgs**

5.66.1.5 required string **parent** = 2

5.66.1.6 optional **Pose pose** = 6

5.66.1.7 import **contactsensor proto**

5.66.1.8 optional **RaySensor ray** = 8

5.66.1.9 message **Sensor**

Initial value:

```
{
  required string name = 1
```

5.66.1.10 optional string **topic** = 11

5.66.1.11 required string **type** = 3

5.66.1.12 optional double **update_rate** = 5

5.66.1.13 optional bool **visualize** = 10

5.67 server_control.proto File Reference

Variables

- package gazebo **msgs**
- optional bool **new_world** = 4
- optional string **open_filename** = 3
- import header **proto**
- optional string **save_filename** = 2
- message **ServerControl**

5.67.1 Variable Documentation

5.67.1.1 package gazebo msgs

5.67.1.2 optional bool new_world = 4

5.67.1.3 optional string open_filename = 3

5.67.1.4 import header proto

5.67.1.5 optional string save_filename = 2

5.67.1.6 message ServerControl

Initial value:

```
{  
  optional string save_world_name = 1
```

5.68 shadows.proto File Reference

Variables

- optional **Color** **color** = 6
- package gazebo **msgs**
- import **color** **proto**
- message **Shadows**

5.68.1 Variable Documentation

5.68.1.1 optional Color color = 6

5.68.1.2 package gazebo msgs

5.68.1.3 import color proto

5.68.1.4 message Shadows

Initial value:

```

{
  enum ShadowType
  {
    STENCIL_ADDITIVE = 1;
    STENCIL_MODULATIVE = 2;
    TEXTURE_ADDITIVE = 3;
    TEXTURE_MODULATIVE = 4;
  }
  optional ShadowType type = 5
}

```

5.69 sky.proto File Reference

Variables

- optional **Color** `cloud_ambient` = 6
- optional double `humidity` = 7
- optional double `mean_cloud_size` = 8
- package gazebo `msgs`
- import `color proto`
- message `Sky`
- optional double `sunrise` = 2
- optional double `sunset` = 3
- optional double `wind_direction` = 5
- optional double `wind_speed` = 4

5.69.1 Variable Documentation

5.69.1.1 optional **Color** `cloud_ambient` = 6

5.69.1.2 optional double `humidity` = 7

5.69.1.3 optional double `mean_cloud_size` = 8

5.69.1.4 package gazebo `msgs`

5.69.1.5 import `color proto`

5.69.1.6 message `Sky`

Initial value:

```

{
  optional double time = 1
}

```

5.69.1.7 optional double `sunrise` = 2

5.69.1.8 optional double `sunset` = 3

5.69.1.9 optional double `wind_direction` = 5

5.69.1.10 optional double `wind_speed` = 4

5.70 spheregeom.proto File Reference

Variables

- package gazebo **msgs**
- message **SphereGeom**

5.70.1 Variable Documentation

5.70.1.1 package gazebo msgs

5.70.1.2 message SphereGeom

Initial value:

```
{
  required double radius = 1
```

5.71 subscribe.proto File Reference

Variables

- required string **host** = 2
- optional bool **latching** = 5 [default=false]
- required string **msg_type** = 4
- package gazebo **msgs**
- required uint32 **port** = 3
- message **Subscribe**

5.71.1 Variable Documentation

5.71.1.1 required string host = 2

5.71.1.2 optional bool latching = 5 [default=false]

5.71.1.3 required string msg_type = 4

5.71.1.4 package gazebo msgs

5.71.1.5 required uint32 port = 3

5.71.1.6 message Subscribe

Initial value:

```
{
  required string topic = 1
```


5.72 surface.proto File Reference

Variables

- optional double **bounce_threshold** = 3
- optional double **kd** = 7
- optional double **kp** = 6
- optional double **max_vel** = 8
- optional double **min_depth** = 9
- package gazebo **msgs**
- import **friction proto**
- optional double **restitution_coefficient** = 2
- optional double **soft_cfm** = 4
- optional double **soft_erp** = 5
- message **Surface**

5.72.1 Variable Documentation

5.72.1.1 optional double bounce_threshold = 3

5.72.1.2 optional double kd = 7

5.72.1.3 optional double kp = 6

5.72.1.4 optional double max_vel = 8

5.72.1.5 optional double min_depth = 9

5.72.1.6 package gazebo msgs

5.72.1.7 import friction proto

5.72.1.8 optional double restitution_coefficient = 2

5.72.1.9 optional double soft_cfm = 4

5.72.1.10 optional double soft_erp = 5

5.72.1.11 message Surface

Initial value:

```
{  
  optional Friction friction = 1
```

5.73 test.proto File Reference

Variables

- package gazebo **msgs**

- import header **proto**
- message **Test**

5.73.1 Variable Documentation

5.73.1.1 package gazebo msgs

5.73.1.2 import header proto

5.73.1.3 message Test

Initial value:

```
{  
  required Header header = 1
```

5.74 time.proto File Reference

Variables

- package gazebo **msgs**
- required int32 **nsec** = 2
- message **Time**

5.74.1 Variable Documentation

5.74.1.1 package gazebo msgs

5.74.1.2 required int32 nsec = 2

5.74.1.3 message Time

Initial value:

```
{  
  required int32 sec = 1
```

5.75 topic_info.proto File Reference

Variables

- package gazebo **msgs**
- import publish **proto**
- repeated **Publish publisher** = 2
- repeated **Subscribe subscriber** = 3
- message **TopicInfo**

5.75.1 Variable Documentation

5.75.1.1 package gazebo msgs

5.75.1.2 import subscribe proto

5.75.1.3 repeated Publish publisher = 2

5.75.1.4 repeated Subscribe subscriber = 3

5.75.1.5 message TopicInfo

Initial value:

```
{
  required string msg_type      = 1
```

5.76 track_visual.proto File Reference

Variables

- optional bool **inherit_orientation** = 2
- optional double **max_dist** = 4
- optional double **min_dist** = 3
- package gazebo **msgs**
- message **TrackVisual**

5.76.1 Variable Documentation

5.76.1.1 optional bool inherit_orientation = 2

5.76.1.2 optional double max_dist = 4

5.76.1.3 optional double min_dist = 3

5.76.1.4 package gazebo msgs

5.76.1.5 message TrackVisual

Initial value:

```
{
  required string name          = 1
```

5.77 vector2d.proto File Reference

Variables

- package gazebo **msgs**

- import header **proto**
- message **Vector2d**
- required double **y = 2**

5.77.1 Variable Documentation

5.77.1.1 package gazebo msgs

5.77.1.2 import header proto

5.77.1.3 message Vector2d

Initial value:

```
{  
  required double x = 1
```

5.77.1.4 required double y = 2

5.78 vector3d.proto File Reference

Variables

- package gazebo **msgs**
- import header **proto**
- message **Vector3d**
- required double **y = 3**
- required double **z = 4**

5.78.1 Variable Documentation

5.78.1.1 package gazebo msgs

5.78.1.2 import header proto

5.78.1.3 message Vector3d

Initial value:

```
{  
  required double x = 2
```

5.78.1.4 required double y = 3

5.78.1.5 required double z = 4

5.79 visual.proto File Reference

Variables

- optional bool **cast_shadows** = 3
- optional bool **delete_me** = 11
- optional **Geometry geometry** = 7
- optional bool **is_static** = 12
- optional double **laser_retro** = 5
- optional **Material material** = 8
- package gazebo **msgs**
- optional string **parent_name** = 2
- optional **Plugin plugin** = 13
- optional **Pose pose** = 6
- import **pose proto**
- optional double **transparency** = 4
- optional bool **visible** = 9
- message **Visual**

5.79.1 Variable Documentation

5.79.1.1 optional bool cast_shadows = 3

5.79.1.2 optional bool delete_me = 11

5.79.1.3 optional Geometry geometry = 7

5.79.1.4 optional bool is_static = 12

5.79.1.5 optional double laser_retro = 5

5.79.1.6 optional Material material = 8

5.79.1.7 package gazebo msgs

5.79.1.8 optional string parent_name = 2

5.79.1.9 optional Plugin plugin = 13

5.79.1.10 optional Pose pose = 6

5.79.1.11 import plugin proto

5.79.1.12 optional double transparency = 4

5.79.1.13 optional bool visible = 9

5.79.1.14 message Visual

Initial value:

```
{
  required string name          = 1
```

5.80 world_control.proto File Reference

Variables

- package gazebo **msgs**
- import world_reset **proto**
- optional **WorldReset** **reset** = 3
- optional uint32 **seed** = 4
- optional bool **step** = 2
- message **WorldControl**

5.80.1 Variable Documentation

5.80.1.1 package gazebo msgs

5.80.1.2 import world_reset proto

5.80.1.3 optional **WorldReset** reset = 3

5.80.1.4 optional uint32 seed = 4

5.80.1.5 optional bool step = 2

5.80.1.6 message **WorldControl**

Initial value:

```
{  
  optional bool pause          = 1
```

5.81 world_modify.proto File Reference

Variables

- optional bool **create** = 3
- package gazebo **msgs**
- optional bool **remove** = 2
- message **WorldModify**

5.81.1 Variable Documentation

5.81.1.1 optional bool create = 3

5.81.1.2 package gazebo msgs

5.81.1.3 optional bool remove = 2

5.81.1.4 message **WorldModify**

Initial value:

```
{
  required string world_name = 1
```

5.82 world_reset.proto File Reference

Variables

- optional bool **model_only** = 3[default = false]
- package gazebo **msgs**
- import header **proto**
- optional bool **time_only** = 2[default = false]
- message **WorldReset**

5.82.1 Variable Documentation

5.82.1.1 optional bool model_only = 3[default = false]

5.82.1.2 package gazebo msgs

5.82.1.3 import header proto

5.82.1.4 optional bool time_only = 2[default = false]

5.82.1.5 message WorldReset

Initial value:

```
{
  optional bool all = 1[default = true]
```

5.83 world_stats.proto File Reference

Variables

- required uint64 **iterations** = 6
- optional int32 **model_count** = 7
- package gazebo **msgs**
- required **Time** **pause_time** = 3
- required bool **paused** = 5
- import header **proto**
- required **Time** **real_time** = 4
- message **WorldStatistics**

5.83.1 Variable Documentation

5.83.1.1 required uint64 iterations = 6

5.83.1.2 optional int32 model_count = 7

5.83.1.3 package gazebo msgs

5.83.1.4 required Time pause_time = 3

5.83.1.5 required bool paused = 5

5.83.1.6 import time proto

5.83.1.7 required Time real_time = 4

5.83.1.8 message WorldStatistics

Initial value:

```
{  
  required Time  sim_time    = 2
```


Index

- a
 - color.proto, 34
- always_on
 - sensor.proto, 75
- ambient
 - material.proto, 58
 - scene.proto, 73
- angle
 - joint.proto, 49
- angle_max
 - laserscan.proto, 53
- angle_min
 - laserscan.proto, 53
- angle_step
 - laserscan.proto, 53
- angular_velocity
 - imu.proto, 47
- attenuation_constant
 - light.proto, 55
- attenuation_linear
 - light.proto, 55
- attenuation_quadratic
 - light.proto, 55
- Axis, 9
 - axis.proto, 31
- axis
 - joint_cmd.proto, 51
- axis.proto, 31
 - Axis, 31
 - damping, 31
 - friction, 31
 - limit_effort, 31
 - limit_lower, 31
 - limit_upper, 31
 - limit_velocity, 31
 - msgs, 31
 - proto, 32
- axis1
 - joint.proto, 49
- axis2
 - joint.proto, 49
- b
 - color.proto, 34
- background
 - scene.proto, 73
- base_path
 - log_control.proto, 57
- Blend
 - heightmapgeom.proto, 44
- blend
 - heightmapgeom.proto, 44
- body_1_force
 - joint_wrench.proto, 52
- body_1_torque
 - joint_wrench.proto, 52
- body_2_force
 - joint_wrench.proto, 52
- body_2_name
 - joint_wrench.proto, 52
- body_2_torque
 - joint_wrench.proto, 52
- bounce
 - joint.proto, 49
- bounce_threshold
 - surface.proto, 79
- box
 - geometry.proto, 40
- BoxGeom, 9
 - boxgeom.proto, 32
- boxgeom.proto, 32
 - BoxGeom, 32
 - msgs, 32
 - proto, 32
- camera
 - gui.proto, 40
 - sensor.proto, 75
- CameraSensor, 9
 - camerasensor.proto, 32
- camerasensor.proto, 32
 - CameraSensor, 32
 - far_clip, 32
 - image_format, 33
 - image_size, 33
 - msgs, 33
 - near_clip, 33
 - proto, 33
 - save_enabled, 33
 - save_path, 33
- cast_shadows
 - light.proto, 55

- visual.proto, 83
- center_submesh
 - meshgeom.proto, 59
- cfm
 - joint.proto, 49
 - physics.proto, 63
- child
 - joint.proto, 49
- clone_model_name
 - factory.proto, 37
- cloud_ambient
 - sky.proto, 77
- Collision, 10
 - collision.proto, 33
- collision
 - link.proto, 56
- collision.proto, 33
 - Collision, 33
 - geometry, 33
 - laser_retro, 33
 - max_contacts, 33
 - msgs, 33
 - name, 33
 - pose, 33
 - proto, 34
 - surface, 34
 - visual, 34
- collision2
 - contact.proto, 35
- Color, 10
 - color.proto, 34
- color
 - fog.proto, 38
 - shadows.proto, 76
- color.proto, 34
 - a, 34
 - b, 34
 - Color, 34
 - g, 34
 - msgs, 34
- Contact, 10
 - contact.proto, 35
- contact
 - sensor.proto, 75
- contact.proto, 34
 - collision2, 35
 - Contact, 35
 - depth, 35
 - msgs, 35
 - normal, 35
 - position, 35
 - proto, 35
 - time, 35
 - world, 35
 - wrench, 35
- contact_max_correcting_vel
 - physics.proto, 63
- contact_surface_layer
 - physics.proto, 63
- ContactSensor, 11
 - contactsensor.proto, 36
- Contacts, 10
 - contacts.proto, 35
- contacts.proto, 35
 - Contacts, 35
 - msgs, 35
 - proto, 35
 - time, 35
- contactsensor.proto, 36
 - ContactSensor, 36
 - msgs, 36
- create
 - world_modify.proto, 84
- cylinder
 - geometry.proto, 40
- CylinderGeom, 11
 - cylindergeom.proto, 36
- cylindergeom.proto, 36
 - CylinderGeom, 36
 - length, 36
 - msgs, 36
- d
 - planegeom.proto, 65
- d_gain
 - pid.proto, 64
- DIRECTIONAL
 - light.proto, 55
- damping
 - axis.proto, 31
- data
 - image.proto, 45
 - request.proto, 72
- dbl_data
 - request.proto, 72
- delete_me
 - visual.proto, 83
- deleted
 - model.proto, 60
- density
 - fog.proto, 38
- depth
 - contact.proto, 35
- Diagnostic, 11
- Diagnostics
 - diagnostics.proto, 37
- diagnostics.proto, 36
 - Diagnostics, 37

- msgs, 37
- proto, 37
- real_time, 37
- real_time_factor, 37
- sim_time, 37
- diffuse
 - light.proto, 55
 - material.proto, 58
- direction
 - light.proto, 55
- dt
 - physics.proto, 63
- edit_name
 - factory.proto, 37
- emissive
 - material.proto, 58
- enable_physics
 - physics.proto, 63
- enabled
 - link.proto, 56
 - projector.proto, 68
- end
 - fog.proto, 38
- Entities, 12
- entity_name
 - imu.proto, 47
- erp
 - physics.proto, 63
- Factory, 12
 - factory.proto, 37
- factory.proto, 37
 - clone_model_name, 37
 - edit_name, 37
 - Factory, 37
 - msgs, 38
 - pose, 38
 - proto, 38
 - sdf_filename, 38
- fade_dist
 - heightmapgeom.proto, 44
- far_clip
 - camerasensor.proto, 32
 - projector.proto, 68
- fdir1
 - friction.proto, 39
- filename
 - plugin.proto, 65
- Fog, 12
 - fog.proto, 38
- fog
 - scene.proto, 73
- fog.proto, 38
 - color, 38
 - density, 38
 - end, 38
 - Fog, 38
 - msgs, 38
 - proto, 38
 - start, 38
- force
 - joint_cmd.proto, 51
- ForceTorque, 12
 - joint_wrench_stamped.proto, 52
- fov
 - projector.proto, 68
- Frction, 13
- Friction
 - friction.proto, 39
- friction
 - axis.proto, 31
- friction.proto, 39
 - fdir1, 39
 - Friction, 39
 - msgs, 39
 - mu2, 39
 - proto, 39
 - slip1, 39
 - slip2, 39
- fudge_factor
 - joint.proto, 49
- g
 - color.proto, 34
- GUI, 13
 - gui.proto, 41
- GUICamera, 13
 - gui_camera.proto, 41
- GUIOverlayConfig, 14
 - gui_overlay_config.proto, 42
- Geometry, 13
 - geometry.proto, 40
- geometry
 - collision.proto, 33
 - visual.proto, 83
- geometry.proto, 39
 - box, 40
 - cylinder, 40
 - Geometry, 40
 - heightmap, 40
 - image, 40
 - mesh, 40
 - msgs, 40
 - plane, 40
 - points, 40
 - proto, 40
 - sphere, 40
- granularity

- imagegeom.proto, 46
- gravity
 - link.proto, 56
 - physics.proto, 63
- grid
 - scene.proto, 74
- gui.proto, 40
 - camera, 40
 - GUI, 41
 - msgs, 41
 - proto, 41
- gui_camera.proto, 41
 - GUICamera, 41
 - msgs, 41
 - pose, 41
 - proto, 41
 - track, 41
 - view_controller, 41
- gui_overlay_config.proto, 41
 - GUIOverlayConfig, 42
 - msgs, 42
- gz_string.proto, 42
 - GzString, 42
 - msgs, 42
- gz_string_v.proto, 42
 - GzString_V, 42
 - msgs, 42
- GzString, 14
 - gz_string.proto, 42
- GzString_V, 14
 - gz_string_v.proto, 42
- Header, 14
 - header.proto, 43
- header.proto, 43
 - Header, 43
 - index, 43
 - msgs, 43
 - proto, 43
 - stamp, 43
- height
 - image.proto, 45
 - imagegeom.proto, 46
- heightmap
 - geometry.proto, 40
- HeightmapGeom, 15
 - heightmapgeom.proto, 44
- heightmapgeom.proto, 43
 - Blend, 44
 - blend, 44
 - fade_dist, 44
 - HeightmapGeom, 44
 - msgs, 44
 - normal, 44
 - origin, 44
 - proto, 44
 - size, 44
 - Texture, 44
 - texture, 44
- horizontal_max_angle
 - raysensor.proto, 71
- horizontal_min_angle
 - raysensor.proto, 71
- horizontal_resolution
 - raysensor.proto, 71
- horizontal_samples
 - raysensor.proto, 71
- host
 - publish.proto, 69
 - subscribe.proto, 78
- humidity
 - sky.proto, 77
- i_gain
 - pid.proto, 64
- i_max
 - pid.proto, 64
- i_min
 - pid.proto, 64
- IMU, 16
 - imu.proto, 47
- id
 - model.proto, 60
 - pose_trajectory.proto, 67
- Image, 15
 - image.proto, 45
- image
 - geometry.proto, 40
 - image_stamped.proto, 45
 - images_stamped.proto, 46
- image.proto, 44
 - data, 45
 - height, 45
 - Image, 45
 - msgs, 45
 - pixel_format, 45
 - step, 45
- image_format
 - camerasensor.proto, 33
- image_size
 - camerasensor.proto, 33
- image_stamped.proto, 45
 - image, 45
 - ImageStamped, 45
 - msgs, 45
 - proto, 45
- ImageGeom, 15
 - imagegeom.proto, 46

- ImageStamped, 16
 - image_stamped.proto, 45
- imagegeom.proto, 45
 - granularity, 46
 - height, 46
 - ImageGeom, 46
 - msgs, 46
 - scale, 46
 - threshold, 46
- images_stamped.proto, 46
 - image, 46
 - ImagesStamped, 46
 - msgs, 46
 - proto, 47
- ImagesStamped, 15
 - images_stamped.proto, 46
- imu.proto, 47
 - angular_velocity, 47
 - entity_name, 47
 - IMU, 47
 - linear_acceleration, 47
 - msgs, 47
 - orientation, 47
 - proto, 47
- index
 - header.proto, 43
- Inertial, 16
 - inertial.proto, 48
- inertial
 - link.proto, 56
- inertial.proto, 47
 - Inertial, 48
 - ixx, 48
 - ixy, 48
 - ixz, 48
 - iyy, 48
 - iyz, 48
 - izz, 48
 - msgs, 48
 - pose, 48
 - proto, 48
- inherit_orientation
 - track_visual.proto, 81
- Int, 16
 - int.proto, 48
- int.proto, 48
 - Int, 48
 - msgs, 48
- intensities
 - laserscan.proto, 53
- is_static
 - model.proto, 60
 - visual.proto, 83
- iterations
 - world_stats.proto, 85
- iters
 - physics.proto, 63
- ixx
 - inertial.proto, 48
- ixy
 - inertial.proto, 48
- ixz
 - inertial.proto, 48
- iyy
 - inertial.proto, 48
- iyz
 - inertial.proto, 48
- izz
 - inertial.proto, 48
- Joint, 17
 - joint.proto, 49
- joint
 - joint_animation.proto, 50
 - model.proto, 60
 - scene.proto, 74
- joint.proto, 49
 - angle, 49
 - axis1, 49
 - axis2, 49
 - bounce, 49
 - cfm, 49
 - child, 49
 - fudge_factor, 49
 - Joint, 49
 - limit_cfm, 50
 - limit_erp, 50
 - msgs, 50
 - parent, 50
 - pose, 50
 - proto, 50
 - suspension_cfm, 50
 - suspension_erp, 50
 - type, 50
 - velocity, 50
- joint_animation.proto, 50
 - joint, 50
 - JointAnimation, 50
 - msgs, 50
 - proto, 51
 - time, 51
- joint_cmd.proto, 51
 - axis, 51
 - force, 51
 - JointCmd, 51
 - msgs, 51
 - position, 51
 - proto, 51

- reset, 51
 - velocity, 51
- joint_names
 - model_configuration.proto, 61
- joint_positions
 - model_configuration.proto, 61
- joint_wrench.proto, 51
 - body_1_force, 52
 - body_1_torque, 52
 - body_2_force, 52
 - body_2_name, 52
 - body_2_torque, 52
 - JointWrench, 52
 - msgs, 52
 - proto, 52
- joint_wrench_stamped.proto, 52
 - ForceTorque, 52
 - msgs, 52
 - proto, 53
 - time, 53
- JointAnimation, 17
 - joint_animation.proto, 50
- JointCmd, 17
 - joint_cmd.proto, 51
- JointWrench
 - joint_wrench.proto, 52
- kd
 - surface.proto, 79
- kinematic
 - link.proto, 56
- kp
 - surface.proto, 79
- laser_retro
 - collision.proto, 33
 - visual.proto, 83
- LaserScan, 17
 - laserscan.proto, 53
- LaserScanStamped
 - laserscan_stamped.proto, 54
- LaserStamped, 18
- laserscan.proto, 53
 - angle_max, 53
 - angle_min, 53
 - angle_step, 53
 - intensities, 53
 - LaserScan, 53
 - msgs, 53
 - proto, 53
 - range_max, 53
 - range_min, 53
 - ranges, 53
 - world_pose, 53
- laserscan_stamped.proto, 54
- LaserScanStamped, 54
 - msgs, 54
 - proto, 54
 - scan, 54
- latching
 - subscribe.proto, 78
- length
 - cylindergeom.proto, 36
- Light, 18
 - light.proto, 55
- light
 - scene.proto, 74
- light.proto, 54
 - attenuation_constant, 55
 - attenuation_linear, 55
 - attenuation_quadratic, 55
 - cast_shadows, 55
 - DIRECTIONAL, 55
 - diffuse, 55
 - direction, 55
 - Light, 55
 - LightType, 55
 - msgs, 55
 - pose, 55
 - proto, 55
 - range, 55
 - specular, 55
 - spot_falloff, 55
 - spot_inner_angle, 55
 - spot_outer_angle, 55
 - type, 55
- LightType
 - light.proto, 55
- limit
 - pid.proto, 64
- limit_cfm
 - joint.proto, 50
- limit_effort
 - axis.proto, 31
- limit_erp
 - joint.proto, 50
- limit_lower
 - axis.proto, 31
- limit_upper
 - axis.proto, 31
- limit_velocity
 - axis.proto, 31
- linear_acceleration
 - imu.proto, 47
- Link, 18
 - link.proto, 56
- link
 - model.proto, 60
- link.proto, 56

- collision, 56
- enabled, 56
- gravity, 56
- inertial, 56
- kinematic, 56
- Link, 56
- msgs, 56
- name, 56
- pose, 56
- projector, 56
- proto, 56
- self_collide, 56
- sensor, 56
- visual, 57
- link_name
 - model_configuration.proto, 61
- log_control.proto, 57
 - base_path, 57
 - LogControl, 57
 - msgs, 57
 - paused, 57
 - stop, 57
- log_file
 - log_status.proto, 57
- log_status.proto, 57
 - log_file, 57
 - LogStatus, 57
 - msgs, 58
 - proto, 58
- LogControl, 18
 - log_control.proto, 57
- LogStatus, 19
 - log_status.proto, 57
- mainpage_msgs.html, 58
- Material, 19
 - material.proto, 58
- material
 - visual.proto, 83
- material.proto, 58
 - ambient, 58
 - diffuse, 58
 - emissive, 58
 - Material, 58
 - msgs, 59
 - normal_map, 59
 - proto, 59
 - shader_type, 59
 - specular, 59
- max_contacts
 - collision.proto, 33
- max_dist
 - track_visual.proto, 81
- max_step_size
 - physics.proto, 63
- max_vel
 - surface.proto, 79
- mean_cloud_size
 - sky.proto, 77
- mesh
 - geometry.proto, 40
- MeshGeom, 19
 - meshgeom.proto, 59
- meshgeom.proto, 59
 - center_submesh, 59
 - MeshGeom, 59
 - msgs, 59
 - proto, 59
 - scale, 59
 - submesh, 59
- min_depth
 - surface.proto, 79
- min_dist
 - track_visual.proto, 81
- min_step_size
 - physics.proto, 63
- Model, 19
 - model.proto, 60
- model
 - scene.proto, 74
- model.proto, 60
 - deleted, 60
 - id, 60
 - is_static, 60
 - joint, 60
 - link, 60
 - Model, 60
 - msgs, 60
 - pose, 60
 - proto, 60
 - visual, 60
- Model_V
 - model_v.proto, 61
- model_configuration.proto, 60
 - joint_names, 61
 - joint_positions, 61
 - link_name, 61
 - ModelConfiguration, 61
 - msgs, 61
 - pose, 61
 - proto, 61
- model_count
 - world_stats.proto, 85
- model_only
 - world_reset.proto, 85
- model_v.proto, 61
 - Model_V, 61
 - msgs, 61

- proto, 61
- ModelConfiguration, 20
 - model_configuration.proto, 61
- msg_type
 - publish.proto, 69
 - subscribe.proto, 78
- msgs
 - axis.proto, 31
 - boxgeom.proto, 32
 - camerasensor.proto, 33
 - collision.proto, 33
 - color.proto, 34
 - contact.proto, 35
 - contacts.proto, 35
 - contactsensor.proto, 36
 - cylindergeom.proto, 36
 - diagnostics.proto, 37
 - factory.proto, 38
 - fog.proto, 38
 - friction.proto, 39
 - geometry.proto, 40
 - gui.proto, 41
 - gui_camera.proto, 41
 - gui_overlay_config.proto, 42
 - gz_string.proto, 42
 - gz_string_v.proto, 42
 - header.proto, 43
 - heightmapgeom.proto, 44
 - image.proto, 45
 - image_stamped.proto, 45
 - imagegeom.proto, 46
 - images_stamped.proto, 46
 - imu.proto, 47
 - inertial.proto, 48
 - int.proto, 48
 - joint.proto, 50
 - joint_animation.proto, 50
 - joint_cmd.proto, 51
 - joint_wrench.proto, 52
 - joint_wrench_stamped.proto, 52
 - laserscan.proto, 53
 - laserscan_stamped.proto, 54
 - light.proto, 55
 - link.proto, 56
 - log_control.proto, 57
 - log_status.proto, 58
 - material.proto, 59
 - meshgeom.proto, 59
 - model.proto, 60
 - model_configuration.proto, 61
 - model_v.proto, 61
 - packet.proto, 62
 - physics.proto, 63
 - pid.proto, 64
 - planegeom.proto, 65
 - plugin.proto, 65
 - pose.proto, 66
 - pose_animation.proto, 66
 - pose_stamped.proto, 67
 - pose_trajectory.proto, 67
 - pose_v.proto, 68
 - projector.proto, 68
 - publish.proto, 69
 - publishers.proto, 70
 - quaternion.proto, 70
 - raysensor.proto, 71
 - request.proto, 72
 - response.proto, 72
 - road.proto, 73
 - scene.proto, 74
 - selection.proto, 74
 - sensor.proto, 75
 - server_control.proto, 76
 - shadows.proto, 76
 - sky.proto, 77
 - spheregeom.proto, 78
 - subscribe.proto, 78
 - surface.proto, 79
 - test.proto, 80
 - time.proto, 80
 - topic_info.proto, 81
 - track_visual.proto, 81
 - vector2d.proto, 82
 - vector3d.proto, 82
 - visual.proto, 83
 - world_control.proto, 84
 - world_modify.proto, 84
 - world_reset.proto, 85
 - world_stats.proto, 85
- mu2
 - friction.proto, 39
- name
 - collision.proto, 33
 - link.proto, 56
 - selection.proto, 74
- near_clip
 - camerasensor.proto, 33
 - projector.proto, 68
- new_world
 - server_control.proto, 76
- normal
 - contact.proto, 35
 - heightmapgeom.proto, 44
- normal_map
 - material.proto, 59
- nsec
 - time.proto, 80

- open_filename
 - server_control.proto, 76
- orientation
 - imu.proto, 47
 - pose.proto, 66
- origin
 - heightmapgeom.proto, 44
- p_gain
 - pid.proto, 64
- PID, 20
 - pid.proto, 64
- Packet, 20
 - packet.proto, 62
- packet.proto, 62
 - msgs, 62
 - Packet, 62
 - proto, 62
 - serialized_data, 62
 - type, 62
- parent
 - joint.proto, 50
 - sensor.proto, 75
- parent_name
 - visual.proto, 83
- pause_time
 - world_stats.proto, 86
- paused
 - log_control.proto, 57
 - world_stats.proto, 86
- Physics, 20
 - physics.proto, 63
- physics.proto, 62
 - cfm, 63
 - contact_max_correcting_vel, 63
 - contact_surface_layer, 63
 - dt, 63
 - enable_physics, 63
 - erp, 63
 - gravity, 63
 - iters, 63
 - max_step_size, 63
 - min_step_size, 63
 - msgs, 63
 - Physics, 63
 - precon_iters, 63
 - proto, 63
 - real_time_factor, 63
 - real_time_update_rate, 63
 - solver_type, 63
 - sor, 63
 - update_rate, 64
- pid.proto, 64
 - d_gain, 64
 - i_gain, 64
 - i_max, 64
 - i_min, 64
 - limit, 64
 - msgs, 64
 - p_gain, 64
 - PID, 64
- pixel_format
 - image.proto, 45
- plane
 - geometry.proto, 40
- PlaneGeom, 21
 - planegeom.proto, 65
- planegeom.proto, 64
 - d, 65
 - msgs, 65
 - PlaneGeom, 65
 - proto, 65
 - size, 65
- Plugin, 21
 - plugin.proto, 65
- plugin
 - visual.proto, 83
- plugin.proto, 65
 - filename, 65
 - msgs, 65
 - Plugin, 65
- point
 - road.proto, 73
- points
 - geometry.proto, 40
- port
 - publish.proto, 69
 - subscribe.proto, 78
- Pose, 21
 - pose.proto, 66
- pose
 - collision.proto, 33
 - factory.proto, 38
 - gui_camera.proto, 41
 - inertial.proto, 48
 - joint.proto, 50
 - light.proto, 55
 - link.proto, 56
 - model.proto, 60
 - model_configuration.proto, 61
 - pose_animation.proto, 66
 - pose_stamped.proto, 67
 - projector.proto, 68
 - sensor.proto, 75
 - visual.proto, 83
- pose.proto, 65
 - msgs, 66
 - orientation, 66

- Pose, 66
 - position, 66
 - proto, 66
- Pose_V
 - pose_v.proto, 68
- pose_animation.proto, 66
 - msgs, 66
 - pose, 66
 - PoseAnimation, 66
 - proto, 66
 - time, 66
- pose_stamped
 - pose_trajectory.proto, 67
- pose_stamped.proto, 66
 - msgs, 67
 - pose, 67
 - PoseStamped, 67
 - proto, 67
- pose_trajectory.proto, 67
 - id, 67
 - msgs, 67
 - pose_stamped, 67
 - PoseTrajectory, 67
 - proto, 67
- pose_v.proto, 68
 - msgs, 68
 - Pose_V, 68
 - proto, 68
- PoseAnimation, 22
 - pose_animation.proto, 66
- PoseStamped, 22
 - pose_stamped.proto, 67
- PoseTrajectory, 22
 - pose_trajectory.proto, 67
- position
 - contact.proto, 35
 - joint_cmd.proto, 51
 - pose.proto, 66
- precon_iters
 - physics.proto, 63
- Projector, 22
 - projector.proto, 69
- projector
 - link.proto, 56
- projector.proto, 68
 - enabled, 68
 - far_clip, 68
 - fov, 68
 - msgs, 68
 - near_clip, 68
 - pose, 68
 - Projector, 69
 - proto, 69
 - texture, 69
- proto
 - axis.proto, 32
 - boxgeom.proto, 32
 - camerasensor.proto, 33
 - collision.proto, 34
 - contact.proto, 35
 - contacts.proto, 35
 - diagnostics.proto, 37
 - factory.proto, 38
 - fog.proto, 38
 - friction.proto, 39
 - geometry.proto, 40
 - gui.proto, 41
 - gui_camera.proto, 41
 - header.proto, 43
 - heightmapgeom.proto, 44
 - image_stamped.proto, 45
 - images_stamped.proto, 47
 - imu.proto, 47
 - inertial.proto, 48
 - joint.proto, 50
 - joint_animation.proto, 51
 - joint_cmd.proto, 51
 - joint_wrench.proto, 52
 - joint_wrench_stamped.proto, 53
 - laserscan.proto, 53
 - laserscan_stamped.proto, 54
 - light.proto, 55
 - link.proto, 56
 - log_status.proto, 58
 - material.proto, 59
 - meshgeom.proto, 59
 - model.proto, 60
 - model_configuration.proto, 61
 - model_v.proto, 61
 - packet.proto, 62
 - physics.proto, 63
 - planegeom.proto, 65
 - pose.proto, 66
 - pose_animation.proto, 66
 - pose_stamped.proto, 67
 - pose_trajectory.proto, 67
 - pose_v.proto, 68
 - projector.proto, 69
 - publishers.proto, 70
 - road.proto, 73
 - scene.proto, 74
 - selection.proto, 74
 - sensor.proto, 75
 - server_control.proto, 76
 - shadows.proto, 76
 - sky.proto, 77
 - surface.proto, 79
 - test.proto, 80

- topic_info.proto, 81
- vector2d.proto, 82
- vector3d.proto, 82
- visual.proto, 83
- world_control.proto, 84
- world_reset.proto, 85
- world_stats.proto, 86
- Publish, 23
 - publish.proto, 69
- publish.proto, 69
 - host, 69
 - msg_type, 69
 - msgs, 69
 - port, 69
 - Publish, 69
- publisher
 - topic_info.proto, 81
- Publishers, 23
 - publishers.proto, 70
- publishers.proto, 69
 - msgs, 70
 - proto, 70
 - Publishers, 70
- Quaternion, 23
 - quaternion.proto, 70
- quaternion.proto, 70
 - msgs, 70
 - Quaternion, 70
 - w, 70
 - y, 70
 - z, 70
- range
 - light.proto, 55
- range_max
 - laserscan.proto, 53
 - raysensor.proto, 71
- range_min
 - laserscan.proto, 53
 - raysensor.proto, 71
- range_resolution
 - raysensor.proto, 71
- ranges
 - laserscan.proto, 53
- ray
 - sensor.proto, 75
- RaySensor, 23
 - raysensor.proto, 71
- raysensor.proto, 70
 - horizontal_max_angle, 71
 - horizontal_min_angle, 71
 - horizontal_resolution, 71
 - horizontal_samples, 71
 - msgs, 71
 - range_max, 71
 - range_min, 71
 - range_resolution, 71
 - RaySensor, 71
 - vertical_max_angle, 71
 - vertical_min_angle, 71
 - vertical_resolution, 71
 - vertical_samples, 71
- real_time
 - diagnostics.proto, 37
 - world_stats.proto, 86
- real_time_factor
 - diagnostics.proto, 37
 - physics.proto, 63
- real_time_update_rate
 - physics.proto, 63
- remove
 - world_modify.proto, 84
- Request, 24
 - request.proto, 72
- request
 - request.proto, 72
 - response.proto, 72
- request.proto, 71
 - data, 72
 - dbl_data, 72
 - msgs, 72
 - Request, 72
 - request, 72
- reset
 - joint_cmd.proto, 51
 - world_control.proto, 84
- Response, 24
 - response.proto, 72
- response
 - response.proto, 72
- response.proto, 72
 - msgs, 72
 - request, 72
 - Response, 72
 - response, 72
 - serialized_data, 72
 - type, 72
- restitution_coefficient
 - surface.proto, 79
- Road, 24
 - road.proto, 73
- road.proto, 72
 - msgs, 73
 - point, 73
 - proto, 73
 - Road, 73
 - width, 73

- save_enabled
 - camerasensor.proto, 33
- save_filename
 - server_control.proto, 76
- save_path
 - camerasensor.proto, 33
- scale
 - imagegeom.proto, 46
 - meshgeom.proto, 59
- scan
 - laserscan_stamped.proto, 54
- Scene, 24
 - scene.proto, 74
- scene.proto, 73
 - ambient, 73
 - background, 73
 - fog, 73
 - grid, 74
 - joint, 74
 - light, 74
 - model, 74
 - msgs, 74
 - proto, 74
 - Scene, 74
 - shadows, 74
 - sky, 74
- sdf_filename
 - factory.proto, 38
- seed
 - world_control.proto, 84
- selected
 - selection.proto, 74
- Selection, 25
 - selection.proto, 74
- selection.proto, 74
 - msgs, 74
 - name, 74
 - proto, 74
 - selected, 74
 - Selection, 74
- self_collide
 - link.proto, 56
- Sensor, 25
 - sensor.proto, 75
- sensor
 - link.proto, 56
- sensor.proto, 75
 - always_on, 75
 - camera, 75
 - contact, 75
 - msgs, 75
 - parent, 75
 - pose, 75
 - proto, 75
 - ray, 75
 - Sensor, 75
 - topic, 75
 - type, 75
 - update_rate, 75
 - visualize, 75
- serialized_data
 - packet.proto, 62
 - response.proto, 72
- server_control.proto, 76
 - msgs, 76
 - new_world, 76
 - open_filename, 76
 - proto, 76
 - save_filename, 76
 - ServerControl, 76
- ServerControl, 25
 - server_control.proto, 76
- shader_type
 - material.proto, 59
- Shadows, 25
 - shadows.proto, 76
- shadows
 - scene.proto, 74
- shadows.proto, 76
 - color, 76
 - msgs, 76
 - proto, 76
 - Shadows, 76
- sim_time
 - diagnostics.proto, 37
- size
 - heightmapgeom.proto, 44
 - planegeom.proto, 65
- Sky, 26
 - sky.proto, 77
- sky
 - scene.proto, 74
- sky.proto, 77
 - cloud_ambient, 77
 - humidity, 77
 - mean_cloud_size, 77
 - msgs, 77
 - proto, 77
 - Sky, 77
 - sunrise, 77
 - sunset, 77
 - wind_direction, 77
 - wind_speed, 77
- slip1
 - friction.proto, 39
- slip2
 - friction.proto, 39
- soft_cfm

- surface.proto, 79
- soft_erp
 - surface.proto, 79
- solver_type
 - physics.proto, 63
- sor
 - physics.proto, 63
- specular
 - light.proto, 55
 - material.proto, 59
- sphere
 - geometry.proto, 40
- SphereGeom, 26
 - spheregeom.proto, 78
- spheregeom.proto, 78
 - msgs, 78
 - SphereGeom, 78
- spot_falloff
 - light.proto, 55
- spot_inner_angle
 - light.proto, 55
- spot_outer_angle
 - light.proto, 55
- stamp
 - header.proto, 43
- start
 - fog.proto, 38
- step
 - image.proto, 45
 - world_control.proto, 84
- stop
 - log_control.proto, 57
- submesh
 - meshgeom.proto, 59
- Subscribe, 26
 - subscribe.proto, 78
- subscribe.proto, 78
 - host, 78
 - latching, 78
 - msg_type, 78
 - msgs, 78
 - port, 78
 - Subscribe, 78
- subscriber
 - topic_info.proto, 81
- sunrise
 - sky.proto, 77
- sunset
 - sky.proto, 77
- Surface, 26
 - surface.proto, 79
- surface
 - collision.proto, 34
- surface.proto, 79
 - bounce_threshold, 79
 - kd, 79
 - kp, 79
 - max_vel, 79
 - min_depth, 79
 - msgs, 79
 - proto, 79
 - restitution_coefficient, 79
 - soft_cfm, 79
 - soft_erp, 79
 - Surface, 79
- suspension_cfm
 - joint.proto, 50
- suspension_erp
 - joint.proto, 50
- Test, 27
 - test.proto, 80
- test.proto, 79
 - msgs, 80
 - proto, 80
 - Test, 80
- Texture
 - heightmapgeom.proto, 44
- texture
 - heightmapgeom.proto, 44
 - projector.proto, 69
- threshold
 - imagegeom.proto, 46
- Time, 27
 - time.proto, 80
- time
 - contact.proto, 35
 - contacts.proto, 35
 - joint_animation.proto, 51
 - joint_wrench_stamped.proto, 53
 - pose_animation.proto, 66
- time.proto, 80
 - msgs, 80
 - nsec, 80
 - Time, 80
- time_only
 - world_reset.proto, 85
- topic
 - sensor.proto, 75
- topic_info.proto, 80
 - msgs, 81
 - proto, 81
 - publisher, 81
 - subscriber, 81
 - TopicInfo, 81
- TopicInfo, 27
 - topic_info.proto, 81
- track

- gui_camera.proto, 41
- track_visual.proto, 81
 - inherit_orientation, 81
 - max_dist, 81
 - min_dist, 81
 - msgs, 81
 - TrackVisual, 81
- TrackVisual
 - track_visual.proto, 81
- Trackvisual, 27
- transparency
 - visual.proto, 83
- type
 - joint.proto, 50
 - light.proto, 55
 - packet.proto, 62
 - response.proto, 72
 - sensor.proto, 75
- update_rate
 - physics.proto, 64
 - sensor.proto, 75
- Vector2d, 28
 - vector2d.proto, 82
- vector2d.proto, 81
 - msgs, 82
 - proto, 82
 - Vector2d, 82
 - y, 82
- Vector3d, 28
 - vector3d.proto, 82
- vector3d.proto, 82
 - msgs, 82
 - proto, 82
 - Vector3d, 82
 - y, 82
 - z, 82
- velocity
 - joint.proto, 50
 - joint_cmd.proto, 51
- vertical_max_angle
 - raysensor.proto, 71
- vertical_min_angle
 - raysensor.proto, 71
- vertical_resolution
 - raysensor.proto, 71
- vertical_samples
 - raysensor.proto, 71
- view_controller
 - gui_camera.proto, 41
- visible
 - visual.proto, 83
- Visual, 28
 - visual.proto, 83
- visual
 - collision.proto, 34
 - link.proto, 57
 - model.proto, 60
- visual.proto, 82
 - cast_shadows, 83
 - delete_me, 83
 - geometry, 83
 - is_static, 83
 - laser_retro, 83
 - material, 83
 - msgs, 83
 - parent_name, 83
 - plugin, 83
 - pose, 83
 - proto, 83
 - transparency, 83
 - visible, 83
 - Visual, 83
- visualize
 - sensor.proto, 75
- w
 - quaternion.proto, 70
- width
 - road.proto, 73
- wind_direction
 - sky.proto, 77
- wind_speed
 - sky.proto, 77
- world
 - contact.proto, 35
- world_control.proto, 84
 - msgs, 84
 - proto, 84
 - reset, 84
 - seed, 84
 - step, 84
 - WorldControl, 84
- world_modify.proto, 84
 - create, 84
 - msgs, 84
 - remove, 84
 - WorldModify, 84
- world_pose
 - laserscan.proto, 53
- world_reset.proto, 85
 - model_only, 85
 - msgs, 85
 - proto, 85
 - time_only, 85
 - WorldReset, 85
- world_stats.proto, 85
 - iterations, 85

- model_count, 85
- msgs, 85
- pause_time, 86
- paused, 86
- proto, 86
- real_time, 86
- WorldStatistics, 86
- WorldControl, 28
 - world_control.proto, 84
- WorldModify, 29
 - world_modify.proto, 84
- WorldReset, 29
 - world_reset.proto, 85
- WorldStatistics, 29
 - world_stats.proto, 86
- wrench
 - contact.proto, 35

- y
 - quaternion.proto, 70
 - vector2d.proto, 82
 - vector3d.proto, 82

- z
 - quaternion.proto, 70
 - vector3d.proto, 82