

GazeboMessages

2.2.1

Generated by Doxygen 1.8.3.1

Thu Jan 23 2014 11:19:13

Contents

| | | |
|----------|---|-----------|
| 1 | Gazebo Messages Reference | 1 |
| 2 | Class Index | 3 |
| 2.1 | Class List | 3 |
| 3 | File Index | 7 |
| 3.1 | File List | 7 |
| 4 | Class Documentation | 11 |
| 4.1 | Axis Interface Reference | 11 |
| 4.1.1 | Detailed Description | 11 |
| 4.2 | BoxGeom Interface Reference | 11 |
| 4.2.1 | Detailed Description | 11 |
| 4.3 | CameraSensor Interface Reference | 11 |
| 4.3.1 | Detailed Description | 11 |
| 4.4 | Collision Interface Reference | 12 |
| 4.4.1 | Detailed Description | 12 |
| 4.5 | Color Interface Reference | 12 |
| 4.5.1 | Detailed Description | 12 |
| 4.6 | Contact Interface Reference | 12 |
| 4.6.1 | Detailed Description | 12 |
| 4.7 | Contacts Interface Reference | 12 |
| 4.7.1 | Detailed Description | 13 |
| 4.8 | ContactSensor Interface Reference | 13 |
| 4.8.1 | Detailed Description | 13 |
| 4.9 | CylinderGeom Interface Reference | 13 |
| 4.9.1 | Detailed Description | 13 |
| 4.10 | Diagnostics Interface Reference | 13 |
| 4.10.1 | Detailed Description | 13 |

| | | |
|--------|--|----|
| 4.11 | Factory Interface Reference | 14 |
| 4.11.1 | Detailed Description | 14 |
| 4.12 | Fog Interface Reference | 14 |
| 4.12.1 | Detailed Description | 14 |
| 4.13 | ForceTorque Interface Reference | 14 |
| 4.13.1 | Detailed Description | 14 |
| 4.14 | Friction Interface Reference | 14 |
| 4.14.1 | Detailed Description | 14 |
| 4.15 | Geometry Interface Reference | 15 |
| 4.15.1 | Detailed Description | 15 |
| 4.16 | GPS Interface Reference | 15 |
| 4.16.1 | Detailed Description | 15 |
| 4.17 | GUI Interface Reference | 15 |
| 4.17.1 | Detailed Description | 15 |
| 4.18 | GUICamera Interface Reference | 15 |
| 4.18.1 | Detailed Description | 15 |
| 4.19 | GUIOverlayConfig Interface Reference | 16 |
| 4.19.1 | Detailed Description | 16 |
| 4.20 | GzString Interface Reference | 16 |
| 4.20.1 | Detailed Description | 16 |
| 4.21 | GzString_V Interface Reference | 16 |
| 4.21.1 | Detailed Description | 16 |
| 4.22 | Header Interface Reference | 16 |
| 4.22.1 | Detailed Description | 16 |
| 4.23 | HeightmapGeom Interface Reference | 17 |
| 4.23.1 | Detailed Description | 17 |
| 4.24 | Image Interface Reference | 17 |
| 4.24.1 | Detailed Description | 17 |
| 4.25 | ImageGeom Interface Reference | 17 |
| 4.25.1 | Detailed Description | 17 |
| 4.26 | ImagesStamped Interface Reference | 17 |
| 4.26.1 | Detailed Description | 17 |
| 4.27 | ImageStamped Interface Reference | 18 |
| 4.27.1 | Detailed Description | 18 |
| 4.28 | IMU Interface Reference | 18 |
| 4.28.1 | Detailed Description | 18 |
| 4.29 | Inertial Interface Reference | 18 |

| | |
|---|----|
| 4.29.1 Detailed Description | 18 |
| 4.30 Int Interface Reference | 18 |
| 4.30.1 Detailed Description | 18 |
| 4.31 Joint Interface Reference | 19 |
| 4.31.1 Detailed Description | 19 |
| 4.32 JointAnimation Interface Reference | 19 |
| 4.32.1 Detailed Description | 19 |
| 4.33 JointCmd Interface Reference | 19 |
| 4.33.1 Detailed Description | 19 |
| 4.34 JointWrench Interface Reference | 19 |
| 4.34.1 Detailed Description | 19 |
| 4.35 LaserScan Interface Reference | 20 |
| 4.35.1 Detailed Description | 20 |
| 4.36 LaserScanStamped Interface Reference | 20 |
| 4.36.1 Detailed Description | 20 |
| 4.37 Light Interface Reference | 20 |
| 4.37.1 Detailed Description | 20 |
| 4.38 Link Interface Reference | 20 |
| 4.38.1 Detailed Description | 20 |
| 4.39 LinkData Interface Reference | 21 |
| 4.39.1 Detailed Description | 21 |
| 4.40 LogControl Interface Reference | 21 |
| 4.40.1 Detailed Description | 21 |
| 4.41 LogStatus Interface Reference | 21 |
| 4.41.1 Detailed Description | 21 |
| 4.42 Material Interface Reference | 21 |
| 4.42.1 Detailed Description | 21 |
| 4.43 MeshGeom Interface Reference | 22 |
| 4.43.1 Detailed Description | 22 |
| 4.44 Model Interface Reference | 22 |
| 4.44.1 Detailed Description | 22 |
| 4.45 Model_V Interface Reference | 22 |
| 4.45.1 Detailed Description | 22 |
| 4.46 ModelConfiguration Interface Reference | 22 |
| 4.46.1 Detailed Description | 22 |
| 4.47 Packet Interface Reference | 23 |
| 4.47.1 Detailed Description | 23 |

| | | |
|--------|---|----|
| 4.48 | Physics Interface Reference | 23 |
| 4.48.1 | Detailed Description | 23 |
| 4.49 | PID Interface Reference | 23 |
| 4.49.1 | Detailed Description | 23 |
| 4.50 | PlaneGeom Interface Reference | 23 |
| 4.50.1 | Detailed Description | 23 |
| 4.51 | Plugin Interface Reference | 24 |
| 4.51.1 | Detailed Description | 24 |
| 4.52 | PointCloud Interface Reference | 24 |
| 4.52.1 | Detailed Description | 24 |
| 4.53 | Pose Interface Reference | 24 |
| 4.53.1 | Detailed Description | 24 |
| 4.54 | Pose_V Interface Reference | 24 |
| 4.54.1 | Detailed Description | 24 |
| 4.55 | PoseAnimation Interface Reference | 25 |
| 4.55.1 | Detailed Description | 25 |
| 4.56 | PosesStamped Interface Reference | 25 |
| 4.56.1 | Detailed Description | 25 |
| 4.57 | PoseStamped Interface Reference | 25 |
| 4.57.1 | Detailed Description | 25 |
| 4.58 | PoseTrajectory Interface Reference | 25 |
| 4.58.1 | Detailed Description | 25 |
| 4.59 | Projector Interface Reference | 26 |
| 4.59.1 | Detailed Description | 26 |
| 4.60 | PropagationGrid Interface Reference | 26 |
| 4.60.1 | Detailed Description | 26 |
| 4.61 | PropagationParticle Interface Reference | 26 |
| 4.61.1 | Detailed Description | 26 |
| 4.62 | Publish Interface Reference | 26 |
| 4.62.1 | Detailed Description | 26 |
| 4.63 | Publishers Interface Reference | 27 |
| 4.63.1 | Detailed Description | 27 |
| 4.64 | Quaternion Interface Reference | 27 |
| 4.64.1 | Detailed Description | 27 |
| 4.65 | RaySensor Interface Reference | 27 |
| 4.65.1 | Detailed Description | 27 |
| 4.66 | Request Interface Reference | 27 |

| | |
|--|----|
| 4.66.1 Detailed Description | 27 |
| 4.67 Response Interface Reference | 28 |
| 4.67.1 Detailed Description | 28 |
| 4.68 Road Interface Reference | 28 |
| 4.68.1 Detailed Description | 28 |
| 4.69 Scene Interface Reference | 28 |
| 4.69.1 Detailed Description | 28 |
| 4.70 Selection Interface Reference | 28 |
| 4.70.1 Detailed Description | 28 |
| 4.71 Sensor Interface Reference | 29 |
| 4.71.1 Detailed Description | 29 |
| 4.72 ServerControl Interface Reference | 29 |
| 4.72.1 Detailed Description | 29 |
| 4.73 Shadows Interface Reference | 29 |
| 4.73.1 Detailed Description | 29 |
| 4.74 Sky Interface Reference | 29 |
| 4.74.1 Detailed Description | 29 |
| 4.75 Sonar Interface Reference | 30 |
| 4.75.1 Detailed Description | 30 |
| 4.76 SonarStamped Interface Reference | 30 |
| 4.76.1 Detailed Description | 30 |
| 4.77 SphereGeom Interface Reference | 30 |
| 4.77.1 Detailed Description | 30 |
| 4.78 Subscribe Interface Reference | 30 |
| 4.78.1 Detailed Description | 30 |
| 4.79 Surface Interface Reference | 31 |
| 4.79.1 Detailed Description | 31 |
| 4.80 Tactile Interface Reference | 31 |
| 4.80.1 Detailed Description | 31 |
| 4.81 Test Interface Reference | 31 |
| 4.81.1 Detailed Description | 31 |
| 4.82 Time Interface Reference | 31 |
| 4.82.1 Detailed Description | 31 |
| 4.83 TopicInfo Interface Reference | 32 |
| 4.83.1 Detailed Description | 32 |
| 4.84 TrackVisual Interface Reference | 32 |
| 4.84.1 Detailed Description | 32 |

| | | |
|----------|-------------------------------------|-----------|
| 4.85 | Vector2d Interface Reference | 32 |
| 4.85.1 | Detailed Description | 32 |
| 4.86 | Vector3d Interface Reference | 32 |
| 4.86.1 | Detailed Description | 32 |
| 4.87 | Visual Interface Reference | 33 |
| 4.87.1 | Detailed Description | 33 |
| 4.88 | WirelessNode Interface Reference | 33 |
| 4.88.1 | Detailed Description | 33 |
| 4.89 | WirelessNodes Interface Reference | 33 |
| 4.89.1 | Detailed Description | 33 |
| 4.90 | WorldControl Interface Reference | 33 |
| 4.90.1 | Detailed Description | 33 |
| 4.91 | WorldModify Interface Reference | 34 |
| 4.91.1 | Detailed Description | 34 |
| 4.92 | WorldReset Interface Reference | 34 |
| 4.92.1 | Detailed Description | 34 |
| 4.93 | WorldStatistics Interface Reference | 34 |
| 4.93.1 | Detailed Description | 34 |
| 4.94 | Wrench Interface Reference | 34 |
| 4.94.1 | Detailed Description | 34 |
| 4.95 | WrenchStamped Interface Reference | 35 |
| 4.95.1 | Detailed Description | 35 |
| 5 | File Documentation | 37 |
| 5.1 | axis.proto File Reference | 37 |
| 5.1.1 | Variable Documentation | 37 |
| 5.1.1.1 | Axis | 37 |
| 5.1.1.2 | damping | 37 |
| 5.1.1.3 | friction | 37 |
| 5.1.1.4 | limit_effort | 37 |
| 5.1.1.5 | limit_lower | 37 |
| 5.1.1.6 | limit_upper | 37 |
| 5.1.1.7 | limit_velocity | 37 |
| 5.1.1.8 | msgs | 38 |
| 5.1.1.9 | proto | 38 |
| 5.2 | boxgeom.proto File Reference | 38 |
| 5.2.1 | Variable Documentation | 38 |

| | | |
|----------|-----------------------------------|----|
| 5.2.1.1 | BoxGeom | 38 |
| 5.2.1.2 | msgs | 38 |
| 5.2.1.3 | proto | 38 |
| 5.3 | camerasensor.proto File Reference | 38 |
| 5.3.1 | Variable Documentation | 38 |
| 5.3.1.1 | CameraSensor | 38 |
| 5.3.1.2 | far_clip | 39 |
| 5.3.1.3 | image_format | 39 |
| 5.3.1.4 | image_size | 39 |
| 5.3.1.5 | msgs | 39 |
| 5.3.1.6 | near_clip | 39 |
| 5.3.1.7 | proto | 39 |
| 5.3.1.8 | save_enabled | 39 |
| 5.3.1.9 | save_path | 39 |
| 5.4 | collision.proto File Reference | 39 |
| 5.4.1 | Variable Documentation | 39 |
| 5.4.1.1 | Collision | 39 |
| 5.4.1.2 | geometry | 39 |
| 5.4.1.3 | laser_retro | 39 |
| 5.4.1.4 | max_contacts | 39 |
| 5.4.1.5 | msgs | 39 |
| 5.4.1.6 | name | 39 |
| 5.4.1.7 | pose | 40 |
| 5.4.1.8 | proto | 40 |
| 5.4.1.9 | surface | 40 |
| 5.4.1.10 | visual | 40 |
| 5.5 | color.proto File Reference | 40 |
| 5.5.1 | Variable Documentation | 40 |
| 5.5.1.1 | a | 40 |
| 5.5.1.2 | b | 40 |
| 5.5.1.3 | Color | 40 |
| 5.5.1.4 | g | 40 |
| 5.5.1.5 | msgs | 40 |
| 5.6 | contact.proto File Reference | 40 |
| 5.6.1 | Variable Documentation | 41 |
| 5.6.1.1 | collision2 | 41 |
| 5.6.1.2 | Contact | 41 |

| | | |
|----------|------------------------------------|----|
| 5.6.1.3 | depth | 41 |
| 5.6.1.4 | msgs | 41 |
| 5.6.1.5 | normal | 41 |
| 5.6.1.6 | position | 41 |
| 5.6.1.7 | proto | 41 |
| 5.6.1.8 | time | 41 |
| 5.6.1.9 | world | 41 |
| 5.6.1.10 | wrench | 41 |
| 5.7 | contacts.proto File Reference | 41 |
| 5.7.1 | Variable Documentation | 41 |
| 5.7.1.1 | Contacts | 41 |
| 5.7.1.2 | msgs | 41 |
| 5.7.1.3 | proto | 41 |
| 5.7.1.4 | time | 42 |
| 5.8 | contactsensor.proto File Reference | 42 |
| 5.8.1 | Variable Documentation | 42 |
| 5.8.1.1 | ContactSensor | 42 |
| 5.8.1.2 | msgs | 42 |
| 5.9 | cylindergeom.proto File Reference | 42 |
| 5.9.1 | Variable Documentation | 42 |
| 5.9.1.1 | CylinderGeom | 42 |
| 5.9.1.2 | length | 42 |
| 5.9.1.3 | msgs | 42 |
| 5.10 | diagnostics.proto File Reference | 42 |
| 5.10.1 | Variable Documentation | 43 |
| 5.10.1.1 | Diagnostics | 43 |
| 5.10.1.2 | msgs | 43 |
| 5.10.1.3 | proto | 43 |
| 5.10.1.4 | real_time | 43 |
| 5.10.1.5 | real_time_factor | 43 |
| 5.10.1.6 | sim_time | 43 |
| 5.11 | factory.proto File Reference | 43 |
| 5.11.1 | Variable Documentation | 43 |
| 5.11.1.1 | clone_model_name | 43 |
| 5.11.1.2 | edit_name | 43 |
| 5.11.1.3 | Factory | 43 |
| 5.11.1.4 | msgs | 44 |

| | | |
|-----------|-------------------------------|----|
| 5.11.1.5 | pose | 44 |
| 5.11.1.6 | proto | 44 |
| 5.11.1.7 | sdf_filename | 44 |
| 5.12 | fog.proto File Reference | 44 |
| 5.12.1 | Variable Documentation | 44 |
| 5.12.1.1 | color | 44 |
| 5.12.1.2 | density | 44 |
| 5.12.1.3 | end | 44 |
| 5.12.1.4 | Fog | 44 |
| 5.12.1.5 | msgs | 44 |
| 5.12.1.6 | proto | 44 |
| 5.12.1.7 | start | 44 |
| 5.13 | friction.proto File Reference | 45 |
| 5.13.1 | Variable Documentation | 45 |
| 5.13.1.1 | fdir1 | 45 |
| 5.13.1.2 | Friction | 45 |
| 5.13.1.3 | msgs | 45 |
| 5.13.1.4 | mu2 | 45 |
| 5.13.1.5 | proto | 45 |
| 5.13.1.6 | slip1 | 45 |
| 5.13.1.7 | slip2 | 45 |
| 5.14 | geometry.proto File Reference | 45 |
| 5.14.1 | Variable Documentation | 46 |
| 5.14.1.1 | box | 46 |
| 5.14.1.2 | cylinder | 46 |
| 5.14.1.3 | Geometry | 46 |
| 5.14.1.4 | heightmap | 46 |
| 5.14.1.5 | image | 46 |
| 5.14.1.6 | mesh | 46 |
| 5.14.1.7 | msgs | 46 |
| 5.14.1.8 | plane | 46 |
| 5.14.1.9 | points | 46 |
| 5.14.1.10 | proto | 46 |
| 5.14.1.11 | sphere | 46 |
| 5.15 | gps.proto File Reference | 46 |
| 5.15.1 | Variable Documentation | 47 |
| 5.15.1.1 | altitude | 47 |

| | | |
|-----------|---|----|
| 5.15.1.2 | GPS | 47 |
| 5.15.1.3 | latitude_deg | 47 |
| 5.15.1.4 | link_name | 47 |
| 5.15.1.5 | longitude_deg | 47 |
| 5.15.1.6 | msgs | 47 |
| 5.15.1.7 | proto | 47 |
| 5.15.1.8 | velocity_east | 47 |
| 5.15.1.9 | velocity_north | 47 |
| 5.15.1.10 | velocity_up | 47 |
| 5.16 | gui.proto File Reference | 47 |
| 5.16.1 | Variable Documentation | 47 |
| 5.16.1.1 | camera | 47 |
| 5.16.1.2 | GUI | 47 |
| 5.16.1.3 | msgs | 48 |
| 5.16.1.4 | proto | 48 |
| 5.17 | gui_camera.proto File Reference | 48 |
| 5.17.1 | Variable Documentation | 48 |
| 5.17.1.1 | GUICamera | 48 |
| 5.17.1.2 | msgs | 48 |
| 5.17.1.3 | pose | 48 |
| 5.17.1.4 | proto | 48 |
| 5.17.1.5 | track | 48 |
| 5.17.1.6 | view_controller | 48 |
| 5.18 | gui_overlay_config.proto File Reference | 48 |
| 5.18.1 | Variable Documentation | 48 |
| 5.18.1.1 | GUIOverlayConfig | 48 |
| 5.18.1.2 | msgs | 49 |
| 5.19 | gz_string.proto File Reference | 49 |
| 5.19.1 | Variable Documentation | 49 |
| 5.19.1.1 | GzString | 49 |
| 5.19.1.2 | msgs | 49 |
| 5.20 | gz_string_v.proto File Reference | 49 |
| 5.20.1 | Variable Documentation | 49 |
| 5.20.1.1 | GzString_V | 49 |
| 5.20.1.2 | msgs | 49 |
| 5.21 | header.proto File Reference | 49 |
| 5.21.1 | Variable Documentation | 50 |

| | | |
|-----------|------------------------------------|----|
| 5.21.1.1 | Header | 50 |
| 5.21.1.2 | index | 50 |
| 5.21.1.3 | msgs | 50 |
| 5.21.1.4 | proto | 50 |
| 5.21.1.5 | stamp | 50 |
| 5.22 | heightmapgeom.proto File Reference | 50 |
| 5.22.1 | Variable Documentation | 50 |
| 5.22.1.1 | Blend | 50 |
| 5.22.1.2 | blend | 51 |
| 5.22.1.3 | fade_dist | 51 |
| 5.22.1.4 | height | 51 |
| 5.22.1.5 | HeightmapGeom | 51 |
| 5.22.1.6 | heights | 51 |
| 5.22.1.7 | msgs | 51 |
| 5.22.1.8 | normal | 51 |
| 5.22.1.9 | origin | 51 |
| 5.22.1.10 | proto | 51 |
| 5.22.1.11 | size | 51 |
| 5.22.1.12 | Texture | 51 |
| 5.22.1.13 | texture | 51 |
| 5.22.1.14 | use_terrain_paging | 51 |
| 5.22.1.15 | width | 51 |
| 5.23 | image.proto File Reference | 51 |
| 5.23.1 | Variable Documentation | 52 |
| 5.23.1.1 | data | 52 |
| 5.23.1.2 | height | 52 |
| 5.23.1.3 | Image | 52 |
| 5.23.1.4 | msgs | 52 |
| 5.23.1.5 | pixel_format | 52 |
| 5.23.1.6 | step | 52 |
| 5.24 | image_stamped.proto File Reference | 52 |
| 5.24.1 | Variable Documentation | 52 |
| 5.24.1.1 | image | 52 |
| 5.24.1.2 | ImageStamped | 52 |
| 5.24.1.3 | msgs | 52 |
| 5.24.1.4 | proto | 52 |
| 5.25 | imagegeom.proto File Reference | 52 |

| | | |
|-----------|-------------------------------------|----|
| 5.25.1 | Variable Documentation | 53 |
| 5.25.1.1 | granularity | 53 |
| 5.25.1.2 | height | 53 |
| 5.25.1.3 | ImageGeom | 53 |
| 5.25.1.4 | msgs | 53 |
| 5.25.1.5 | scale | 53 |
| 5.25.1.6 | threshold | 53 |
| 5.26 | images_stamped.proto File Reference | 53 |
| 5.26.1 | Variable Documentation | 53 |
| 5.26.1.1 | image | 53 |
| 5.26.1.2 | ImagesStamped | 53 |
| 5.26.1.3 | msgs | 54 |
| 5.26.1.4 | proto | 54 |
| 5.27 | imu.proto File Reference | 54 |
| 5.27.1 | Variable Documentation | 54 |
| 5.27.1.1 | angular_velocity | 54 |
| 5.27.1.2 | entity_name | 54 |
| 5.27.1.3 | IMU | 54 |
| 5.27.1.4 | linear_acceleration | 54 |
| 5.27.1.5 | msgs | 54 |
| 5.27.1.6 | orientation | 54 |
| 5.27.1.7 | proto | 54 |
| 5.28 | inertial.proto File Reference | 54 |
| 5.28.1 | Variable Documentation | 55 |
| 5.28.1.1 | Inertial | 55 |
| 5.28.1.2 | ixx | 55 |
| 5.28.1.3 | ixy | 55 |
| 5.28.1.4 | ixz | 55 |
| 5.28.1.5 | iyx | 55 |
| 5.28.1.6 | iyz | 55 |
| 5.28.1.7 | izz | 55 |
| 5.28.1.8 | msgs | 55 |
| 5.28.1.9 | pose | 55 |
| 5.28.1.10 | proto | 55 |
| 5.29 | int.proto File Reference | 55 |
| 5.29.1 | Variable Documentation | 55 |
| 5.29.1.1 | Int | 55 |

| | | |
|-----------|--------------------------------------|----|
| 5.29.1.2 | msgs | 56 |
| 5.30 | joint.proto File Reference | 56 |
| 5.30.1 | Variable Documentation | 56 |
| 5.30.1.1 | angle | 56 |
| 5.30.1.2 | axis1 | 56 |
| 5.30.1.3 | axis2 | 56 |
| 5.30.1.4 | bounce | 56 |
| 5.30.1.5 | cfm | 56 |
| 5.30.1.6 | child | 56 |
| 5.30.1.7 | child_id | 56 |
| 5.30.1.8 | fudge_factor | 56 |
| 5.30.1.9 | id | 56 |
| 5.30.1.10 | Joint | 57 |
| 5.30.1.11 | limit_cfm | 57 |
| 5.30.1.12 | limit_erp | 57 |
| 5.30.1.13 | msgs | 57 |
| 5.30.1.14 | parent | 57 |
| 5.30.1.15 | parent_id | 57 |
| 5.30.1.16 | pose | 57 |
| 5.30.1.17 | proto | 57 |
| 5.30.1.18 | sensor | 57 |
| 5.30.1.19 | suspension_cfm | 57 |
| 5.30.1.20 | suspension_erp | 57 |
| 5.30.1.21 | type | 57 |
| 5.30.1.22 | velocity | 57 |
| 5.31 | joint_animation.proto File Reference | 57 |
| 5.31.1 | Variable Documentation | 57 |
| 5.31.1.1 | joint | 58 |
| 5.31.1.2 | JointAnimation | 58 |
| 5.31.1.3 | msgs | 58 |
| 5.31.1.4 | proto | 58 |
| 5.31.1.5 | time | 58 |
| 5.32 | joint_cmd.proto File Reference | 58 |
| 5.32.1 | Variable Documentation | 58 |
| 5.32.1.1 | axis | 58 |
| 5.32.1.2 | force | 58 |
| 5.32.1.3 | JointCmd | 58 |

| | | |
|-----------|---|----|
| 5.32.1.4 | msgs | 59 |
| 5.32.1.5 | position | 59 |
| 5.32.1.6 | proto | 59 |
| 5.32.1.7 | reset | 59 |
| 5.32.1.8 | velocity | 59 |
| 5.33 | joint_wrench.proto File Reference | 59 |
| 5.33.1 | Variable Documentation | 59 |
| 5.33.1.1 | body_1_id | 59 |
| 5.33.1.2 | body_1_wrench | 59 |
| 5.33.1.3 | body_2_id | 59 |
| 5.33.1.4 | body_2_name | 59 |
| 5.33.1.5 | body_2_wrench | 59 |
| 5.33.1.6 | JointWrench | 59 |
| 5.33.1.7 | msgs | 59 |
| 5.33.1.8 | proto | 59 |
| 5.34 | joint_wrench_stamped.proto File Reference | 59 |
| 5.34.1 | Variable Documentation | 60 |
| 5.34.1.1 | ForceTorque | 60 |
| 5.34.1.2 | msgs | 60 |
| 5.34.1.3 | proto | 60 |
| 5.34.1.4 | time | 60 |
| 5.35 | laserscan.proto File Reference | 60 |
| 5.35.1 | Variable Documentation | 60 |
| 5.35.1.1 | angle_max | 60 |
| 5.35.1.2 | angle_min | 60 |
| 5.35.1.3 | angle_step | 60 |
| 5.35.1.4 | intensities | 60 |
| 5.35.1.5 | LaserScan | 61 |
| 5.35.1.6 | msgs | 61 |
| 5.35.1.7 | proto | 61 |
| 5.35.1.8 | range_max | 61 |
| 5.35.1.9 | range_min | 61 |
| 5.35.1.10 | ranges | 61 |
| 5.35.1.11 | world_pose | 61 |
| 5.36 | laserscan_stamped.proto File Reference | 61 |
| 5.36.1 | Variable Documentation | 61 |
| 5.36.1.1 | LaserScanStamped | 61 |

| | | |
|-----------|--------------------------------|----|
| 5.36.1.2 | msgs | 61 |
| 5.36.1.3 | proto | 61 |
| 5.36.1.4 | scan | 61 |
| 5.37 | light.proto File Reference | 61 |
| 5.37.1 | Enumeration Type Documentation | 62 |
| 5.37.1.1 | LightType | 62 |
| 5.37.2 | Variable Documentation | 62 |
| 5.37.2.1 | attenuation_constant | 62 |
| 5.37.2.2 | attenuation_linear | 62 |
| 5.37.2.3 | attenuation_quadratic | 62 |
| 5.37.2.4 | cast_shadows | 62 |
| 5.37.2.5 | diffuse | 62 |
| 5.37.2.6 | direction | 62 |
| 5.37.2.7 | Light | 62 |
| 5.37.2.8 | msgs | 63 |
| 5.37.2.9 | pose | 63 |
| 5.37.2.10 | proto | 63 |
| 5.37.2.11 | range | 63 |
| 5.37.2.12 | specular | 63 |
| 5.37.2.13 | spot_falloff | 63 |
| 5.37.2.14 | spot_inner_angle | 63 |
| 5.37.2.15 | spot_outer_angle | 63 |
| 5.37.2.16 | type | 63 |
| 5.38 | link.proto File Reference | 63 |
| 5.38.1 | Variable Documentation | 63 |
| 5.38.1.1 | collision | 63 |
| 5.38.1.2 | enabled | 63 |
| 5.38.1.3 | gravity | 63 |
| 5.38.1.4 | inertial | 63 |
| 5.38.1.5 | kinematic | 63 |
| 5.38.1.6 | Link | 64 |
| 5.38.1.7 | msgs | 64 |
| 5.38.1.8 | name | 64 |
| 5.38.1.9 | pose | 64 |
| 5.38.1.10 | projector | 64 |
| 5.38.1.11 | proto | 64 |
| 5.38.1.12 | self_collide | 64 |

| | | |
|-----------|-----------------------------------|----|
| 5.38.1.13 | sensor | 64 |
| 5.38.1.14 | visual | 64 |
| 5.39 | link_data.proto File Reference | 64 |
| 5.39.1 | Variable Documentation | 64 |
| 5.39.1.1 | angular_velocity | 64 |
| 5.39.1.2 | linear_velocity | 64 |
| 5.39.1.3 | LinkData | 64 |
| 5.39.1.4 | msgs | 65 |
| 5.39.1.5 | name | 65 |
| 5.39.1.6 | proto | 65 |
| 5.40 | log_control.proto File Reference | 65 |
| 5.40.1 | Variable Documentation | 65 |
| 5.40.1.1 | base_path | 65 |
| 5.40.1.2 | encoding | 65 |
| 5.40.1.3 | LogControl | 65 |
| 5.40.1.4 | msgs | 65 |
| 5.40.1.5 | paused | 65 |
| 5.40.1.6 | stop | 65 |
| 5.41 | log_status.proto File Reference | 65 |
| 5.41.1 | Variable Documentation | 66 |
| 5.41.1.1 | log_file | 66 |
| 5.41.1.2 | LogStatus | 66 |
| 5.41.1.3 | msgs | 66 |
| 5.41.1.4 | proto | 66 |
| 5.42 | mainpage_msgs.html File Reference | 66 |
| 5.43 | material.proto File Reference | 66 |
| 5.43.1 | Variable Documentation | 66 |
| 5.43.1.1 | ambient | 66 |
| 5.43.1.2 | diffuse | 66 |
| 5.43.1.3 | emissive | 66 |
| 5.43.1.4 | Material | 67 |
| 5.43.1.5 | msgs | 67 |
| 5.43.1.6 | normal_map | 67 |
| 5.43.1.7 | proto | 67 |
| 5.43.1.8 | shader_type | 67 |
| 5.43.1.9 | specular | 67 |
| 5.44 | meshgeom.proto File Reference | 67 |

| | | |
|-----------|--|----|
| 5.44.1 | Variable Documentation | 67 |
| 5.44.1.1 | center_submesh | 67 |
| 5.44.1.2 | MeshGeom | 67 |
| 5.44.1.3 | msgs | 68 |
| 5.44.1.4 | proto | 68 |
| 5.44.1.5 | scale | 68 |
| 5.44.1.6 | submesh | 68 |
| 5.45 | model.proto File Reference | 68 |
| 5.45.1 | Variable Documentation | 68 |
| 5.45.1.1 | deleted | 68 |
| 5.45.1.2 | id | 68 |
| 5.45.1.3 | is_static | 68 |
| 5.45.1.4 | joint | 68 |
| 5.45.1.5 | link | 68 |
| 5.45.1.6 | Model | 68 |
| 5.45.1.7 | msgs | 68 |
| 5.45.1.8 | pose | 68 |
| 5.45.1.9 | proto | 68 |
| 5.45.1.10 | scale | 69 |
| 5.45.1.11 | visual | 69 |
| 5.46 | model_configuration.proto File Reference | 69 |
| 5.46.1 | Variable Documentation | 69 |
| 5.46.1.1 | joint_names | 69 |
| 5.46.1.2 | joint_positions | 69 |
| 5.46.1.3 | link_name | 69 |
| 5.46.1.4 | ModelConfiguration | 69 |
| 5.46.1.5 | msgs | 69 |
| 5.46.1.6 | pose | 69 |
| 5.46.1.7 | proto | 69 |
| 5.47 | model_v.proto File Reference | 69 |
| 5.47.1 | Variable Documentation | 70 |
| 5.47.1.1 | Model_V | 70 |
| 5.47.1.2 | msgs | 70 |
| 5.47.1.3 | proto | 70 |
| 5.48 | packet.proto File Reference | 70 |
| 5.48.1 | Variable Documentation | 70 |
| 5.48.1.1 | msgs | 70 |

| | | |
|-----------|--------------------------------|----|
| 5.48.1.2 | Packet | 70 |
| 5.48.1.3 | proto | 70 |
| 5.48.1.4 | serialized_data | 70 |
| 5.48.1.5 | type | 70 |
| 5.49 | physics.proto File Reference | 70 |
| 5.49.1 | Variable Documentation | 71 |
| 5.49.1.1 | cfm | 71 |
| 5.49.1.2 | contact_max_correcting_vel | 71 |
| 5.49.1.3 | contact_surface_layer | 71 |
| 5.49.1.4 | enable_physics | 71 |
| 5.49.1.5 | erp | 71 |
| 5.49.1.6 | gravity | 71 |
| 5.49.1.7 | iters | 71 |
| 5.49.1.8 | max_step_size | 71 |
| 5.49.1.9 | min_step_size | 71 |
| 5.49.1.10 | msgs | 71 |
| 5.49.1.11 | Physics | 71 |
| 5.49.1.12 | precon_iters | 72 |
| 5.49.1.13 | proto | 72 |
| 5.49.1.14 | real_time_factor | 72 |
| 5.49.1.15 | real_time_update_rate | 72 |
| 5.49.1.16 | solver_type | 72 |
| 5.49.1.17 | sor | 72 |
| 5.50 | pid.proto File Reference | 72 |
| 5.50.1 | Variable Documentation | 72 |
| 5.50.1.1 | d_gain | 72 |
| 5.50.1.2 | i_gain | 72 |
| 5.50.1.3 | i_max | 72 |
| 5.50.1.4 | i_min | 72 |
| 5.50.1.5 | limit | 72 |
| 5.50.1.6 | msgs | 72 |
| 5.50.1.7 | p_gain | 72 |
| 5.50.1.8 | PID | 72 |
| 5.51 | planegeom.proto File Reference | 73 |
| 5.51.1 | Variable Documentation | 73 |
| 5.51.1.1 | d | 73 |
| 5.51.1.2 | msgs | 73 |

| | | |
|----------|--------------------------------------|----|
| 5.51.1.3 | PlaneGeom | 73 |
| 5.51.1.4 | proto | 73 |
| 5.51.1.5 | size | 73 |
| 5.52 | plugin.proto File Reference | 73 |
| 5.52.1 | Variable Documentation | 73 |
| 5.52.1.1 | filename | 73 |
| 5.52.1.2 | innerxml | 73 |
| 5.52.1.3 | msgs | 73 |
| 5.52.1.4 | Plugin | 73 |
| 5.53 | pointcloud.proto File Reference | 74 |
| 5.53.1 | Variable Documentation | 74 |
| 5.53.1.1 | msgs | 74 |
| 5.53.1.2 | PointCloud | 74 |
| 5.53.1.3 | proto | 74 |
| 5.54 | pose.proto File Reference | 74 |
| 5.54.1 | Variable Documentation | 74 |
| 5.54.1.1 | id | 74 |
| 5.54.1.2 | msgs | 74 |
| 5.54.1.3 | orientation | 74 |
| 5.54.1.4 | Pose | 74 |
| 5.54.1.5 | position | 75 |
| 5.54.1.6 | proto | 75 |
| 5.55 | pose_animation.proto File Reference | 75 |
| 5.55.1 | Variable Documentation | 75 |
| 5.55.1.1 | model_id | 75 |
| 5.55.1.2 | msgs | 75 |
| 5.55.1.3 | pose | 75 |
| 5.55.1.4 | PoseAnimation | 75 |
| 5.55.1.5 | proto | 75 |
| 5.55.1.6 | time | 75 |
| 5.56 | pose_stamped.proto File Reference | 75 |
| 5.56.1 | Variable Documentation | 75 |
| 5.56.1.1 | msgs | 75 |
| 5.56.1.2 | pose | 75 |
| 5.56.1.3 | PoseStamped | 76 |
| 5.56.1.4 | proto | 76 |
| 5.57 | pose_trajectory.proto File Reference | 76 |

| | | |
|----------|---|----|
| 5.57.1 | Variable Documentation | 76 |
| 5.57.1.1 | id | 76 |
| 5.57.1.2 | msgs | 76 |
| 5.57.1.3 | pose_stamped | 76 |
| 5.57.1.4 | PoseTrajectory | 76 |
| 5.57.1.5 | proto | 76 |
| 5.58 | pose_v.proto File Reference | 76 |
| 5.58.1 | Variable Documentation | 77 |
| 5.58.1.1 | msgs | 77 |
| 5.58.1.2 | Pose_V | 77 |
| 5.58.1.3 | proto | 77 |
| 5.59 | poses_stamped.proto File Reference | 77 |
| 5.59.1 | Variable Documentation | 77 |
| 5.59.1.1 | msgs | 77 |
| 5.59.1.2 | pose | 77 |
| 5.59.1.3 | PosesStamped | 77 |
| 5.59.1.4 | proto | 77 |
| 5.60 | projector.proto File Reference | 77 |
| 5.60.1 | Variable Documentation | 78 |
| 5.60.1.1 | enabled | 78 |
| 5.60.1.2 | far_clip | 78 |
| 5.60.1.3 | fov | 78 |
| 5.60.1.4 | msgs | 78 |
| 5.60.1.5 | near_clip | 78 |
| 5.60.1.6 | pose | 78 |
| 5.60.1.7 | Projector | 78 |
| 5.60.1.8 | proto | 78 |
| 5.60.1.9 | texture | 78 |
| 5.61 | propagation_grid.proto File Reference | 78 |
| 5.61.1 | Variable Documentation | 78 |
| 5.61.1.1 | msgs | 78 |
| 5.61.1.2 | PropagationGrid | 78 |
| 5.61.1.3 | proto | 78 |
| 5.62 | propagation_particle.proto File Reference | 78 |
| 5.62.1 | Variable Documentation | 79 |
| 5.62.1.1 | msgs | 79 |
| 5.62.1.2 | PropagationParticle | 79 |

| | | |
|-----------|---------------------------------|----|
| 5.62.1.3 | signal_level | 79 |
| 5.62.1.4 | y | 79 |
| 5.63 | publish.proto File Reference | 79 |
| 5.63.1 | Variable Documentation | 79 |
| 5.63.1.1 | host | 79 |
| 5.63.1.2 | msg_type | 79 |
| 5.63.1.3 | msgs | 79 |
| 5.63.1.4 | port | 79 |
| 5.63.1.5 | Publish | 79 |
| 5.64 | publishers.proto File Reference | 80 |
| 5.64.1 | Variable Documentation | 80 |
| 5.64.1.1 | msgs | 80 |
| 5.64.1.2 | proto | 80 |
| 5.64.1.3 | Publishers | 80 |
| 5.65 | quaternion.proto File Reference | 80 |
| 5.65.1 | Variable Documentation | 80 |
| 5.65.1.1 | msgs | 80 |
| 5.65.1.2 | Quaternion | 80 |
| 5.65.1.3 | w | 80 |
| 5.65.1.4 | y | 80 |
| 5.65.1.5 | z | 80 |
| 5.66 | raysensor.proto File Reference | 81 |
| 5.66.1 | Variable Documentation | 81 |
| 5.66.1.1 | horizontal_max_angle | 81 |
| 5.66.1.2 | horizontal_min_angle | 81 |
| 5.66.1.3 | horizontal_resolution | 81 |
| 5.66.1.4 | horizontal_samples | 81 |
| 5.66.1.5 | msgs | 81 |
| 5.66.1.6 | range_max | 81 |
| 5.66.1.7 | range_min | 81 |
| 5.66.1.8 | range_resolution | 81 |
| 5.66.1.9 | RaySensor | 81 |
| 5.66.1.10 | vertical_max_angle | 81 |
| 5.66.1.11 | vertical_min_angle | 81 |
| 5.66.1.12 | vertical_resolution | 81 |
| 5.66.1.13 | vertical_samples | 81 |
| 5.67 | request.proto File Reference | 82 |

| | | |
|-----------|--------------------------------|----|
| 5.67.1 | Variable Documentation | 82 |
| 5.67.1.1 | data | 82 |
| 5.67.1.2 | dbl_data | 82 |
| 5.67.1.3 | msgs | 82 |
| 5.67.1.4 | Request | 82 |
| 5.67.1.5 | request | 82 |
| 5.68 | response.proto File Reference | 82 |
| 5.68.1 | Variable Documentation | 82 |
| 5.68.1.1 | msgs | 82 |
| 5.68.1.2 | request | 82 |
| 5.68.1.3 | Response | 82 |
| 5.68.1.4 | response | 83 |
| 5.68.1.5 | serialized_data | 83 |
| 5.68.1.6 | type | 83 |
| 5.69 | road.proto File Reference | 83 |
| 5.69.1 | Variable Documentation | 83 |
| 5.69.1.1 | msgs | 83 |
| 5.69.1.2 | point | 83 |
| 5.69.1.3 | proto | 83 |
| 5.69.1.4 | Road | 83 |
| 5.69.1.5 | width | 83 |
| 5.70 | scene.proto File Reference | 83 |
| 5.70.1 | Variable Documentation | 84 |
| 5.70.1.1 | ambient | 84 |
| 5.70.1.2 | background | 84 |
| 5.70.1.3 | fog | 84 |
| 5.70.1.4 | grid | 84 |
| 5.70.1.5 | joint | 84 |
| 5.70.1.6 | light | 84 |
| 5.70.1.7 | model | 84 |
| 5.70.1.8 | msgs | 84 |
| 5.70.1.9 | proto | 84 |
| 5.70.1.10 | Scene | 84 |
| 5.70.1.11 | shadows | 84 |
| 5.70.1.12 | sky | 84 |
| 5.71 | selection.proto File Reference | 84 |
| 5.71.1 | Variable Documentation | 84 |

| | | |
|-----------|-------------------------------------|----|
| 5.71.1.1 | msgs | 84 |
| 5.71.1.2 | name | 84 |
| 5.71.1.3 | proto | 84 |
| 5.71.1.4 | selected | 85 |
| 5.71.1.5 | Selection | 85 |
| 5.72 | sensor.proto File Reference | 85 |
| 5.72.1 | Variable Documentation | 85 |
| 5.72.1.1 | always_on | 85 |
| 5.72.1.2 | camera | 85 |
| 5.72.1.3 | contact | 85 |
| 5.72.1.4 | id | 85 |
| 5.72.1.5 | msgs | 85 |
| 5.72.1.6 | parent | 85 |
| 5.72.1.7 | parent_id | 85 |
| 5.72.1.8 | pose | 85 |
| 5.72.1.9 | proto | 85 |
| 5.72.1.10 | ray | 85 |
| 5.72.1.11 | Sensor | 86 |
| 5.72.1.12 | topic | 86 |
| 5.72.1.13 | type | 86 |
| 5.72.1.14 | update_rate | 86 |
| 5.72.1.15 | visualize | 86 |
| 5.73 | server_control.proto File Reference | 86 |
| 5.73.1 | Variable Documentation | 86 |
| 5.73.1.1 | msgs | 86 |
| 5.73.1.2 | new_world | 86 |
| 5.73.1.3 | open_filename | 86 |
| 5.73.1.4 | proto | 86 |
| 5.73.1.5 | save_filename | 86 |
| 5.73.1.6 | ServerControl | 86 |
| 5.73.1.7 | stop | 87 |
| 5.74 | shadows.proto File Reference | 87 |
| 5.74.1 | Variable Documentation | 87 |
| 5.74.1.1 | color | 87 |
| 5.74.1.2 | msgs | 87 |
| 5.74.1.3 | proto | 87 |
| 5.74.1.4 | Shadows | 87 |

| | | |
|-----------|--|----|
| 5.75 | sky.proto File Reference | 87 |
| 5.75.1 | Variable Documentation | 88 |
| 5.75.1.1 | cloud_ambient | 88 |
| 5.75.1.2 | humidity | 88 |
| 5.75.1.3 | mean_cloud_size | 88 |
| 5.75.1.4 | msgs | 88 |
| 5.75.1.5 | proto | 88 |
| 5.75.1.6 | Sky | 88 |
| 5.75.1.7 | sunrise | 88 |
| 5.75.1.8 | sunset | 88 |
| 5.75.1.9 | wind_direction | 88 |
| 5.75.1.10 | wind_speed | 88 |
| 5.76 | sonar.proto File Reference | 88 |
| 5.76.1 | Variable Documentation | 88 |
| 5.76.1.1 | contact | 88 |
| 5.76.1.2 | msgs | 89 |
| 5.76.1.3 | proto | 89 |
| 5.76.1.4 | radius | 89 |
| 5.76.1.5 | range | 89 |
| 5.76.1.6 | range_max | 89 |
| 5.76.1.7 | range_min | 89 |
| 5.76.1.8 | Sonar | 89 |
| 5.76.1.9 | world_pose | 89 |
| 5.77 | sonar_stamped.proto File Reference | 89 |
| 5.77.1 | Variable Documentation | 89 |
| 5.77.1.1 | msgs | 89 |
| 5.77.1.2 | proto | 89 |
| 5.77.1.3 | sonar | 89 |
| 5.77.1.4 | SonarStamped | 89 |
| 5.78 | spheregeom.proto File Reference | 89 |
| 5.78.1 | Variable Documentation | 90 |
| 5.78.1.1 | msgs | 90 |
| 5.78.1.2 | SphereGeom | 90 |
| 5.79 | subscribe.proto File Reference | 90 |
| 5.79.1 | Variable Documentation | 90 |
| 5.79.1.1 | host | 90 |
| 5.79.1.2 | latching | 90 |

| | | |
|-----------|---|----|
| 5.79.1.3 | msg_type | 90 |
| 5.79.1.4 | msgs | 90 |
| 5.79.1.5 | port | 90 |
| 5.79.1.6 | Subscribe | 90 |
| 5.80 | surface.proto File Reference | 91 |
| 5.80.1 | Variable Documentation | 91 |
| 5.80.1.1 | bounce_threshold | 91 |
| 5.80.1.2 | collide_without_contact | 91 |
| 5.80.1.3 | collide_without_contact_bitmask | 91 |
| 5.80.1.4 | kd | 91 |
| 5.80.1.5 | kp | 91 |
| 5.80.1.6 | max_vel | 91 |
| 5.80.1.7 | min_depth | 91 |
| 5.80.1.8 | msgs | 91 |
| 5.80.1.9 | proto | 91 |
| 5.80.1.10 | restitution_coefficient | 91 |
| 5.80.1.11 | soft_cfm | 91 |
| 5.80.1.12 | soft_erp | 91 |
| 5.80.1.13 | Surface | 91 |
| 5.81 | tactile.proto File Reference | 92 |
| 5.81.1 | Variable Documentation | 92 |
| 5.81.1.1 | collision_id | 92 |
| 5.81.1.2 | msgs | 92 |
| 5.81.1.3 | pressure | 92 |
| 5.81.1.4 | proto | 92 |
| 5.81.1.5 | Tactile | 92 |
| 5.81.1.6 | time | 92 |
| 5.82 | test.proto File Reference | 92 |
| 5.82.1 | Variable Documentation | 92 |
| 5.82.1.1 | msgs | 92 |
| 5.82.1.2 | proto | 92 |
| 5.82.1.3 | Test | 92 |
| 5.83 | time.proto File Reference | 93 |
| 5.83.1 | Variable Documentation | 93 |
| 5.83.1.1 | msgs | 93 |
| 5.83.1.2 | nsec | 93 |
| 5.83.1.3 | Time | 93 |

| | | |
|----------|-----------------------------------|----|
| 5.84 | topic_info.proto File Reference | 93 |
| 5.84.1 | Variable Documentation | 93 |
| 5.84.1.1 | msgs | 93 |
| 5.84.1.2 | proto | 93 |
| 5.84.1.3 | publisher | 93 |
| 5.84.1.4 | subscriber | 93 |
| 5.84.1.5 | TopicInfo | 93 |
| 5.85 | track_visual.proto File Reference | 94 |
| 5.85.1 | Variable Documentation | 94 |
| 5.85.1.1 | id | 94 |
| 5.85.1.2 | inherit_orientation | 94 |
| 5.85.1.3 | max_dist | 94 |
| 5.85.1.4 | min_dist | 94 |
| 5.85.1.5 | msgs | 94 |
| 5.85.1.6 | TrackVisual | 94 |
| 5.86 | vector2d.proto File Reference | 94 |
| 5.86.1 | Variable Documentation | 94 |
| 5.86.1.1 | msgs | 94 |
| 5.86.1.2 | proto | 94 |
| 5.86.1.3 | Vector2d | 94 |
| 5.86.1.4 | y | 95 |
| 5.87 | vector3d.proto File Reference | 95 |
| 5.87.1 | Variable Documentation | 95 |
| 5.87.1.1 | msgs | 95 |
| 5.87.1.2 | proto | 95 |
| 5.87.1.3 | Vector3d | 95 |
| 5.87.1.4 | y | 95 |
| 5.87.1.5 | z | 95 |
| 5.88 | visual.proto File Reference | 95 |
| 5.88.1 | Variable Documentation | 96 |
| 5.88.1.1 | cast_shadows | 96 |
| 5.88.1.2 | delete_me | 96 |
| 5.88.1.3 | geometry | 96 |
| 5.88.1.4 | id | 96 |
| 5.88.1.5 | is_static | 96 |
| 5.88.1.6 | laser_retro | 96 |
| 5.88.1.7 | material | 96 |

| | | |
|-----------|-------------------------------------|----|
| 5.88.1.8 | msgs | 96 |
| 5.88.1.9 | parent_id | 96 |
| 5.88.1.10 | parent_name | 96 |
| 5.88.1.11 | plugin | 96 |
| 5.88.1.12 | pose | 96 |
| 5.88.1.13 | proto | 96 |
| 5.88.1.14 | scale | 96 |
| 5.88.1.15 | transparency | 96 |
| 5.88.1.16 | visible | 96 |
| 5.88.1.17 | Visual | 96 |
| 5.89 | wireless_node.proto File Reference | 96 |
| 5.89.1 | Variable Documentation | 97 |
| 5.89.1.1 | frequency | 97 |
| 5.89.1.2 | msgs | 97 |
| 5.89.1.3 | signal_level | 97 |
| 5.89.1.4 | WirelessNode | 97 |
| 5.90 | wireless_nodes.proto File Reference | 97 |
| 5.90.1 | Variable Documentation | 97 |
| 5.90.1.1 | msgs | 97 |
| 5.90.1.2 | proto | 97 |
| 5.90.1.3 | WirelessNodes | 97 |
| 5.91 | world_control.proto File Reference | 97 |
| 5.91.1 | Variable Documentation | 98 |
| 5.91.1.1 | msgs | 98 |
| 5.91.1.2 | multi_step | 98 |
| 5.91.1.3 | proto | 98 |
| 5.91.1.4 | reset | 98 |
| 5.91.1.5 | seed | 98 |
| 5.91.1.6 | step | 98 |
| 5.91.1.7 | WorldControl | 98 |
| 5.92 | world_modify.proto File Reference | 98 |
| 5.92.1 | Variable Documentation | 98 |
| 5.92.1.1 | create | 98 |
| 5.92.1.2 | msgs | 98 |
| 5.92.1.3 | remove | 98 |
| 5.92.1.4 | WorldModify | 98 |
| 5.93 | world_reset.proto File Reference | 98 |

| | | |
|----------|-------------------------------------|-----|
| 5.93.1 | Variable Documentation | 99 |
| 5.93.1.1 | model_only | 99 |
| 5.93.1.2 | msgs | 99 |
| 5.93.1.3 | proto | 99 |
| 5.93.1.4 | time_only | 99 |
| 5.93.1.5 | WorldReset | 99 |
| 5.94 | world_stats.proto File Reference | 99 |
| 5.94.1 | Variable Documentation | 99 |
| 5.94.1.1 | iterations | 99 |
| 5.94.1.2 | model_count | 99 |
| 5.94.1.3 | msgs | 99 |
| 5.94.1.4 | pause_time | 99 |
| 5.94.1.5 | paused | 99 |
| 5.94.1.6 | proto | 99 |
| 5.94.1.7 | real_time | 100 |
| 5.94.1.8 | WorldStatistics | 100 |
| 5.95 | wrench.proto File Reference | 100 |
| 5.95.1 | Variable Documentation | 100 |
| 5.95.1.1 | msgs | 100 |
| 5.95.1.2 | proto | 100 |
| 5.95.1.3 | torque | 100 |
| 5.95.1.4 | Wrench | 100 |
| 5.96 | wrench_stamped.proto File Reference | 100 |
| 5.96.1 | Variable Documentation | 100 |
| 5.96.1.1 | msgs | 100 |
| 5.96.1.2 | proto | 100 |
| 5.96.1.3 | wrench | 101 |
| 5.96.1.4 | WrenchStamped | 101 |

Chapter 1

Gazebo Messages Reference

Gazebo uses Google Protobufs for message specification and serialization.

Messages Definitions

Chapter 2

Class Index

2.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

| | |
|--|----|
| Axis | |
| Msgs::Joint axis message | 11 |
| BoxGeom | |
| Information about a box geometry | 11 |
| CameraSensor | |
| Information about a camera sensor element | 11 |
| Collision | |
| Information about a collision element | 12 |
| Color | |
| Color (p. 12) message | 12 |
| Contact | |
| Contact (p. 12) message for passing info between two entities | 12 |
| Contacts | |
| Contacts (p. 12) from collision detection | 12 |
| ContactSensor | |
| Information about a contact sensor element | 13 |
| CylinderGeom | |
| Information about a cylinder geometry | 13 |
| Diagnostics | |
| Diagnostic information about a running instance of Gazebo | 13 |
| Factory | |
| Message to create new model in gazebo | 14 |
| Fog | |
| Message for fog data | 14 |
| ForceTorque | |
| ForceTorque (p. 14) from constraint solving | 14 |
| Friction | |
| Information about friction | 14 |
| Geometry | |
| Information about a geometry element | 15 |
| GPS | |
| Data from a GPS (p. 15) sensor | 15 |
| GUI | |
| Message for a GUI (p. 15) | 15 |

| | |
|---|----|
| GUICamera | |
| Message for a GUI (p. 15) Camera | 15 |
| GUIOverlayConfig | |
| Message for a gui overlay configuration | 16 |
| GzString | |
| A message for string data | 16 |
| GzString_V | |
| A message for a vector of string data | 16 |
| Header | |
| General information included by many messages | 16 |
| HeightmapGeom | |
| Message for a heightmap geometry | 17 |
| Image | |
| Message for an image | 17 |
| ImageGeom | |
| Message for a image geometry | 17 |
| ImagesStamped | |
| Message for a multiple image with a time | 17 |
| ImageStamped | |
| Message for an image with a time | 18 |
| IMU | |
| Data from an IMU (p. 18) sensor | 18 |
| Inertial | |
| Information about inertia | 18 |
| Int | |
| Integer message | 18 |
| Joint | |
| Message for creating joint in rendering::Scene | 19 |
| JointAnimation | |
| Message for a model joint animation, does not appear to be used | 19 |
| JointCmd | |
| Message for joint command, used by physics::JointControlWidget | 19 |
| JointWrench | |
| Joint (p. 19) wrench message | 19 |
| LaserScan | |
| Data from a laser scan | 20 |
| LaserScanStamped | |
| Message for an laser scan with a time | 20 |
| Light | |
| Message for a light | 20 |
| Link | |
| Information about a link | 20 |
| LinkData | |
| Timestamped link data | 21 |
| LogControl | |
| A message that allows for control of logging functions | 21 |
| LogStatus | |
| A message that contains information about data logging | 21 |
| Material | |
| Information about a material | 21 |
| MeshGeom | |
| Message for a mesh geometry | 22 |
| Model | |
| Information about a model | 22 |

| | | |
|----------------------------|---|----|
| Model_V | Information about all entities in a world | 22 |
| ModelConfiguration | Message for model configuration (joint positions) | 22 |
| Packet | Message that encapsulates another message with a type description | 23 |
| Physics | A message containing a description of the global physics properties | 23 |
| PID | Message for simple PID (p. 23) controllers | 23 |
| PlaneGeom | Message for a plane geometry | 23 |
| Plugin | A message containing visual information for gazebo::Plugin | 24 |
| PointCloud | A point cloud | 24 |
| Pose | Message for a pose | 24 |
| Pose_V | Message for a vector of poses | 24 |
| PoseAnimation | Message for a model pose animation | 25 |
| PosesStamped | Message for a vector of poses with a time stamp | 25 |
| PoseStamped | Message for a pose with a time | 25 |
| PoseTrajectory | Message for a pose trajectory | 25 |
| Projector | Information about a projector | 26 |
| PropagationGrid | Wireless propagation grid | 26 |
| PropagationParticle | Wireless strength signal in a point | 26 |
| Publish | Message that contains information about a publisher of data | 26 |
| Publishers | A list of publishers | 27 |
| Quaternion | A message for a quaternion | 27 |
| RaySensor | Information about a ray sensor element | 27 |
| Request | A message containing a string request | 27 |
| Response | Message that encapsulates a respons message with a type description | 28 |
| Road | Message for a road | 28 |
| Scene | A message containing a description of a scene | 28 |
| Selection | A message for GUI (p. 15) selection data | 28 |
| Sensor | Information about a sensor element | 29 |

| | |
|---|----|
| ServerControl | |
| A message that allows for control of the server functions | 29 |
| Shadows | |
| A message for shadow data | 29 |
| Sky | |
| Information about the sky | 29 |
| Sonar | |
| Message for a sonar value | 30 |
| SonarStamped | |
| Message for a time stamped sonar value | 30 |
| SphereGeom | |
| Information about a sphere geometry | 30 |
| Subscribe | |
| A message for subscription data | 30 |
| Surface | |
| Information about a surface element | 31 |
| Tactile | |
| Message for a tactile data | 31 |
| Test | |
| A test message | 31 |
| Time | |
| A message for time data | 31 |
| TopicInfo | |
| A message for topic information | 32 |
| TrackVisual | |
| Message for a tracking a rendering::Visual with a rendering::Camera | 32 |
| Vector2d | |
| Message for a vector2 double | 32 |
| Vector3d | |
| Message for a vector3 double | 32 |
| Visual | |
| A message containing visual information for rendering::Visual | 33 |
| WirelessNode | |
| Message for sending info about a detected wireless transmitter | 33 |
| WirelessNodes | |
| Msgs for sending information about a list of wireless transmitters | 33 |
| WorldControl | |
| A message that allows for control of world functions | 33 |
| WorldModify | |
| A message that allows for modifying (open, close) worlds | 34 |
| WorldReset | |
| A message that controls how the world is reset | 34 |
| WorldStatistics | |
| A message statistics about a world | 34 |
| Wrench | |
| Message for a wrench value | 34 |
| WrenchStamped | |
| Message for a time stamped wrench value | 35 |

Chapter 3

File Index

3.1 File List

Here is a list of all files with brief descriptions:

| | |
|-----------------------------------|----|
| axis.proto | 37 |
| boxgeom.proto | 38 |
| camerasensor.proto | 38 |
| collision.proto | 39 |
| color.proto | 40 |
| contact.proto | 40 |
| contacts.proto | 41 |
| contactsensor.proto | 42 |
| cylindergeom.proto | 42 |
| diagnostics.proto | 42 |
| factory.proto | 43 |
| fog.proto | 44 |
| friction.proto | 45 |
| geometry.proto | 45 |
| gps.proto | 46 |
| gui.proto | 47 |
| gui_camera.proto | 48 |
| gui_overlay_config.proto | 48 |
| gz_string.proto | 49 |
| gz_string_v.proto | 49 |
| header.proto | 49 |
| heightmapgeom.proto | 50 |
| image.proto | 51 |
| image_stamped.proto | 52 |
| imagegeom.proto | 52 |
| images_stamped.proto | 53 |
| imu.proto | 54 |
| inertial.proto | 54 |
| int.proto | 55 |
| joint.proto | 56 |
| joint_animation.proto | 57 |
| joint_cmd.proto | 58 |
| joint_wrench.proto | 59 |
| joint_wrench_stamped.proto | 59 |

| | |
|----------------------------|----|
| laserscan.proto | 60 |
| laserscan_stamped.proto | 61 |
| light.proto | 61 |
| link.proto | 63 |
| link_data.proto | 64 |
| log_control.proto | 65 |
| log_status.proto | 65 |
| mainpage_msgs.html | 66 |
| material.proto | 66 |
| meshgeom.proto | 67 |
| model.proto | 68 |
| model_configuration.proto | 69 |
| model_v.proto | 69 |
| packet.proto | 70 |
| physics.proto | 70 |
| pid.proto | 72 |
| planegeom.proto | 73 |
| plugin.proto | 73 |
| pointcloud.proto | 74 |
| pose.proto | 74 |
| pose_animation.proto | 75 |
| pose_stamped.proto | 75 |
| pose_trajectory.proto | 76 |
| pose_v.proto | 76 |
| poses_stamped.proto | 77 |
| projector.proto | 77 |
| propagation_grid.proto | 78 |
| propagation_particle.proto | 78 |
| publish.proto | 79 |
| publishers.proto | 80 |
| quaternion.proto | 80 |
| raysensor.proto | 81 |
| request.proto | 82 |
| response.proto | 82 |
| road.proto | 83 |
| scene.proto | 83 |
| selection.proto | 84 |
| sensor.proto | 85 |
| server_control.proto | 86 |
| shadows.proto | 87 |
| sky.proto | 87 |
| sonar.proto | 88 |
| sonar_stamped.proto | 89 |
| spheregeom.proto | 89 |
| subscribe.proto | 90 |
| surface.proto | 91 |
| tactile.proto | 92 |
| test.proto | 92 |
| time.proto | 93 |
| topic_info.proto | 93 |
| track_visual.proto | 94 |
| vector2d.proto | 94 |
| vector3d.proto | 95 |
| visual.proto | 95 |

| | |
|--------------------------------|-----|
| wireless_node.proto | 96 |
| wireless_nodes.proto | 97 |
| world_control.proto | 97 |
| world_modify.proto | 98 |
| world_reset.proto | 98 |
| world_stats.proto | 99 |
| wrench.proto | 100 |
| wrench_stamped.proto | 100 |

Chapter 4

Class Documentation

4.1 Axis Interface Reference

msgs::Joint axis message

4.1.1 Detailed Description

msgs::Joint axis message

The documentation for this interface was generated from the following file:

- **axis.proto**

4.2 BoxGeom Interface Reference

Information about a box geometry.

4.2.1 Detailed Description

Information about a box geometry.

The documentation for this interface was generated from the following file:

- **boxgeom.proto**

4.3 CameraSensor Interface Reference

Information about a camera sensor element.

4.3.1 Detailed Description

Information about a camera sensor element.

The documentation for this interface was generated from the following file:

- **camerasensor.proto**

4.4 Collision Interface Reference

Information about a collision element.

4.4.1 Detailed Description

Information about a collision element.

The documentation for this interface was generated from the following file:

- **collision.proto**

4.5 Color Interface Reference

Color (p. 12) message.

4.5.1 Detailed Description

Color (p. 12) message.

The documentation for this interface was generated from the following file:

- **color.proto**

4.6 Contact Interface Reference

Contact (p. 12) message for passing info between two entities.

4.6.1 Detailed Description

Contact (p. 12) message for passing info between two entities.

The documentation for this interface was generated from the following file:

- **contact.proto**

4.7 Contacts Interface Reference

Contacts (p. 12) from collision detection.

4.7.1 Detailed Description

Contacts (p. 12) from collision detection.

The documentation for this interface was generated from the following file:

- **contacts.proto**

4.8 ContactSensor Interface Reference

Information about a contact sensor element.

4.8.1 Detailed Description

Information about a contact sensor element.

The documentation for this interface was generated from the following file:

- **contactsensor.proto**

4.9 CylinderGeom Interface Reference

Information about a cylinder geometry.

4.9.1 Detailed Description

Information about a cylinder geometry.

The documentation for this interface was generated from the following file:

- **cylindergeom.proto**

4.10 Diagnostics Interface Reference

Diagnostic information about a running instance of Gazebo.

4.10.1 Detailed Description

Diagnostic information about a running instance of Gazebo.

Gazebo must have been compiled with the `ENABLE_DIAGNOSTICS` flag.

The documentation for this interface was generated from the following file:

- **diagnostics.proto**

4.11 Factory Interface Reference

Message to create new model in gazebo.

4.11.1 Detailed Description

Message to create new model in gazebo.

The documentation for this interface was generated from the following file:

- **factory.proto**

4.12 Fog Interface Reference

Message for fog data.

4.12.1 Detailed Description

Message for fog data.

The documentation for this interface was generated from the following file:

- **fog.proto**

4.13 ForceTorque Interface Reference

ForceTorque (p. 14) from constraint solving.

4.13.1 Detailed Description

ForceTorque (p. 14) from constraint solving.

The documentation for this interface was generated from the following file:

- **joint_wrench_stamped.proto**

4.14 Friction Interface Reference

Information about friction.

4.14.1 Detailed Description

Information about friction.

The documentation for this interface was generated from the following file:

- **friction.proto**

4.15 Geometry Interface Reference

Information about a geometry element.

4.15.1 Detailed Description

Information about a geometry element.

The documentation for this interface was generated from the following file:

- **geometry.proto**

4.16 GPS Interface Reference

Data from a **GPS** (p. 15) sensor.

4.16.1 Detailed Description

Data from a **GPS** (p. 15) sensor.

The documentation for this interface was generated from the following file:

- **gps.proto**

4.17 GUI Interface Reference

Message for a **GUI** (p. 15).

4.17.1 Detailed Description

Message for a **GUI** (p. 15).

The documentation for this interface was generated from the following file:

- **gui.proto**

4.18 GUICamera Interface Reference

Message for a **GUI** (p. 15) Camera.

4.18.1 Detailed Description

Message for a **GUI** (p. 15) Camera.

The documentation for this interface was generated from the following file:

- **gui_camera.proto**

4.19 GUIOverlayConfig Interface Reference

Message for a gui overlay configuration.

4.19.1 Detailed Description

Message for a gui overlay configuration.

The documentation for this interface was generated from the following file:

- **gui_overlay_config.proto**

4.20 GzString Interface Reference

A message for string data.

4.20.1 Detailed Description

A message for string data.

The documentation for this interface was generated from the following file:

- **gz_string.proto**

4.21 GzString_V Interface Reference

A message for a vector of string data.

4.21.1 Detailed Description

A message for a vector of string data.

The documentation for this interface was generated from the following file:

- **gz_string_v.proto**

4.22 Header Interface Reference

General information included by many messages.

4.22.1 Detailed Description

General information included by many messages.

The documentation for this interface was generated from the following file:

- **header.proto**

4.23 HeightmapGeom Interface Reference

Message for a heightmap geometry.

4.23.1 Detailed Description

Message for a heightmap geometry.

The documentation for this interface was generated from the following file:

- **heightmapgeom.proto**

4.24 Image Interface Reference

Message for an image.

4.24.1 Detailed Description

Message for an image.

The documentation for this interface was generated from the following file:

- **image.proto**

4.25 ImageGeom Interface Reference

Message for a image geometry.

4.25.1 Detailed Description

Message for a image geometry.

The documentation for this interface was generated from the following file:

- **imagegeom.proto**

4.26 ImagesStamped Interface Reference

Message for a multiple image with a time.

4.26.1 Detailed Description

Message for a multiple image with a time.

The documentation for this interface was generated from the following file:

- **images_stamped.proto**

4.27 ImageStamped Interface Reference

Message for an image with a time.

4.27.1 Detailed Description

Message for an image with a time.

The documentation for this interface was generated from the following file:

- **image_stamped.proto**

4.28 IMU Interface Reference

Data from an **IMU** (p. 18) sensor.

4.28.1 Detailed Description

Data from an **IMU** (p. 18) sensor.

The documentation for this interface was generated from the following file:

- **imu.proto**

4.29 Inertial Interface Reference

Information about inertia.

4.29.1 Detailed Description

Information about inertia.

The documentation for this interface was generated from the following file:

- **inertial.proto**

4.30 Int Interface Reference

Integer message.

4.30.1 Detailed Description

Integer message.

The documentation for this interface was generated from the following file:

- **int.proto**

4.31 Joint Interface Reference

Message for creating joint in rendering::Scene.

4.31.1 Detailed Description

Message for creating joint in rendering::Scene.

The documentation for this interface was generated from the following file:

- **joint.proto**

4.32 JointAnimation Interface Reference

Message for a model joint animation, does not appear to be used.

4.32.1 Detailed Description

Message for a model joint animation, does not appear to be used.

The documentation for this interface was generated from the following file:

- **joint_animation.proto**

4.33 JointCmd Interface Reference

Message for joint command, used by physics::JointControlWidget.

4.33.1 Detailed Description

Message for joint command, used by physics::JointControlWidget.

The documentation for this interface was generated from the following file:

- **joint_cmd.proto**

4.34 JointWrench Interface Reference

Joint (p. 19) wrench message.

4.34.1 Detailed Description

Joint (p. 19) wrench message.

The documentation for this interface was generated from the following file:

- **joint_wrench.proto**

4.35 LaserScan Interface Reference

Data from a laser scan.

4.35.1 Detailed Description

Data from a laser scan.

The documentation for this interface was generated from the following file:

- **laserscan.proto**

4.36 LaserScanStamped Interface Reference

Message for an laser scan with a time.

4.36.1 Detailed Description

Message for an laser scan with a time.

The documentation for this interface was generated from the following file:

- **laserscan_stamped.proto**

4.37 Light Interface Reference

Message for a light.

4.37.1 Detailed Description

Message for a light.

The documentation for this interface was generated from the following file:

- **light.proto**

4.38 Link Interface Reference

Information about a link.

4.38.1 Detailed Description

Information about a link.

The documentation for this interface was generated from the following file:

- **link.proto**

4.39 LinkData Interface Reference

Timestamped link data.

4.39.1 Detailed Description

Timestamped link data.

The documentation for this interface was generated from the following file:

- **link_data.proto**

4.40 LogControl Interface Reference

A message that allows for control of logging functions.

4.40.1 Detailed Description

A message that allows for control of logging functions.

The documentation for this interface was generated from the following file:

- **log_control.proto**

4.41 LogStatus Interface Reference

A message that contains information about data logging.

4.41.1 Detailed Description

A message that contains information about data logging.

The documentation for this interface was generated from the following file:

- **log_status.proto**

4.42 Material Interface Reference

Information about a material.

4.42.1 Detailed Description

Information about a material.

The documentation for this interface was generated from the following file:

- **material.proto**

4.43 MeshGeom Interface Reference

Message for a mesh geometry.

4.43.1 Detailed Description

Message for a mesh geometry.

The documentation for this interface was generated from the following file:

- **meshgeom.proto**

4.44 Model Interface Reference

Information about a model.

4.44.1 Detailed Description

Information about a model.

The documentation for this interface was generated from the following file:

- **model.proto**

4.45 Model_V Interface Reference

Information about all entities in a world.

4.45.1 Detailed Description

Information about all entities in a world.

The documentation for this interface was generated from the following file:

- **model_v.proto**

4.46 ModelConfiguration Interface Reference

Message for model configuration (joint positions)

4.46.1 Detailed Description

Message for model configuration (joint positions)

The documentation for this interface was generated from the following file:

- **model_configuration.proto**

4.47 Packet Interface Reference

Message that encapsulates another message with a type description.

4.47.1 Detailed Description

Message that encapsulates another message with a type description.

The documentation for this interface was generated from the following file:

- **packet.proto**

4.48 Physics Interface Reference

A message containing a description of the global physics properties.

4.48.1 Detailed Description

A message containing a description of the global physics properties.

The documentation for this interface was generated from the following file:

- **physics.proto**

4.49 PID Interface Reference

Message for simple **PID** (p. 23) controllers.

4.49.1 Detailed Description

Message for simple **PID** (p. 23) controllers.

The documentation for this interface was generated from the following file:

- **pid.proto**

4.50 PlaneGeom Interface Reference

Message for a plane geometry.

4.50.1 Detailed Description

Message for a plane geometry.

The documentation for this interface was generated from the following file:

- **planegeom.proto**

4.51 Plugin Interface Reference

A message containing visual information for gazebo::Plugin.

4.51.1 Detailed Description

A message containing visual information for gazebo::Plugin.

The documentation for this interface was generated from the following file:

- **plugin.proto**

4.52 PointCloud Interface Reference

A point cloud.

4.52.1 Detailed Description

A point cloud.

The documentation for this interface was generated from the following file:

- **pointcloud.proto**

4.53 Pose Interface Reference

Message for a pose.

4.53.1 Detailed Description

Message for a pose.

The documentation for this interface was generated from the following file:

- **pose.proto**

4.54 Pose_V Interface Reference

Message for a vector of poses.

4.54.1 Detailed Description

Message for a vector of poses.

The documentation for this interface was generated from the following file:

- **pose_v.proto**

4.55 PoseAnimation Interface Reference

Message for a model pose animation.

4.55.1 Detailed Description

Message for a model pose animation.

The documentation for this interface was generated from the following file:

- **pose_animation.proto**

4.56 PosesStamped Interface Reference

Message for a vector of poses with a time stamp.

4.56.1 Detailed Description

Message for a vector of poses with a time stamp.

The documentation for this interface was generated from the following file:

- **poses_stamped.proto**

4.57 PoseStamped Interface Reference

Message for a pose with a time.

4.57.1 Detailed Description

Message for a pose with a time.

The documentation for this interface was generated from the following file:

- **pose_stamped.proto**

4.58 PoseTrajectory Interface Reference

Message for a pose trajectory.

4.58.1 Detailed Description

Message for a pose trajectory.

The documentation for this interface was generated from the following file:

- **pose_trajectory.proto**

4.59 Projector Interface Reference

Information about a projector.

4.59.1 Detailed Description

Information about a projector.

The documentation for this interface was generated from the following file:

- **projector.proto**

4.60 PropagationGrid Interface Reference

Wireless propagation grid.

4.60.1 Detailed Description

Wireless propagation grid.

The documentation for this interface was generated from the following file:

- **propagation_grid.proto**

4.61 PropagationParticle Interface Reference

Wireless strength signal in a point.

4.61.1 Detailed Description

Wireless strength signal in a point.

The documentation for this interface was generated from the following file:

- **propagation_particle.proto**

4.62 Publish Interface Reference

Message that contains information about a publisher of data.

4.62.1 Detailed Description

Message that contains information about a publisher of data.

The documentation for this interface was generated from the following file:

- **publish.proto**

4.63 Publishers Interface Reference

A list of publishers.

4.63.1 Detailed Description

A list of publishers.

The documentation for this interface was generated from the following file:

- **publishers.proto**

4.64 Quaternion Interface Reference

A message for a quaternion.

4.64.1 Detailed Description

A message for a quaternion.

The documentation for this interface was generated from the following file:

- **quaternion.proto**

4.65 RaySensor Interface Reference

Information about a ray sensor element.

4.65.1 Detailed Description

Information about a ray sensor element.

The documentation for this interface was generated from the following file:

- **raysensor.proto**

4.66 Request Interface Reference

A message containing a string request.

4.66.1 Detailed Description

A message containing a string request.

The documentation for this interface was generated from the following file:

- **request.proto**

4.67 Response Interface Reference

Message that encapsulates a respons message with a type description.

4.67.1 Detailed Description

Message that encapsulates a respons message with a type description.

The documentation for this interface was generated from the following file:

- **response.proto**

4.68 Road Interface Reference

Message for a road.

4.68.1 Detailed Description

Message for a road.

The documentation for this interface was generated from the following file:

- **road.proto**

4.69 Scene Interface Reference

A message containing a description of a scene.

4.69.1 Detailed Description

A message containing a description of a scene.

The documentation for this interface was generated from the following file:

- **scene.proto**

4.70 Selection Interface Reference

A message for **GUI** (p. 15) selection data.

4.70.1 Detailed Description

A message for **GUI** (p. 15) selection data.

The documentation for this interface was generated from the following file:

- **selection.proto**

4.71 Sensor Interface Reference

Information about a sensor element.

4.71.1 Detailed Description

Information about a sensor element.

The documentation for this interface was generated from the following file:

- **sensor.proto**

4.72 ServerControl Interface Reference

A message that allows for control of the server functions.

4.72.1 Detailed Description

A message that allows for control of the server functions.

The documentation for this interface was generated from the following file:

- **server_control.proto**

4.73 Shadows Interface Reference

A message for shadow data.

4.73.1 Detailed Description

A message for shadow data.

The documentation for this interface was generated from the following file:

- **shadows.proto**

4.74 Sky Interface Reference

Information about the sky.

4.74.1 Detailed Description

Information about the sky.

The documentation for this interface was generated from the following file:

- **sky.proto**

4.75 Sonar Interface Reference

Message for a sonar value.

4.75.1 Detailed Description

Message for a sonar value.

The documentation for this interface was generated from the following file:

- **sonar.proto**

4.76 SonarStamped Interface Reference

Message for a time stamped sonar value.

4.76.1 Detailed Description

Message for a time stamped sonar value.

The documentation for this interface was generated from the following file:

- **sonar_stamped.proto**

4.77 SphereGeom Interface Reference

Information about a sphere geometry.

4.77.1 Detailed Description

Information about a sphere geometry.

The documentation for this interface was generated from the following file:

- **spheregeom.proto**

4.78 Subscribe Interface Reference

A message for subscription data.

4.78.1 Detailed Description

A message for subscription data.

The documentation for this interface was generated from the following file:

- **subscribe.proto**

4.79 Surface Interface Reference

Information about a surface element.

4.79.1 Detailed Description

Information about a surface element.

The documentation for this interface was generated from the following file:

- **surface.proto**

4.80 Tactile Interface Reference

Message for a tactile data.

4.80.1 Detailed Description

Message for a tactile data.

The documentation for this interface was generated from the following file:

- **tactile.proto**

4.81 Test Interface Reference

A test message.

4.81.1 Detailed Description

A test message.

The documentation for this interface was generated from the following file:

- **test.proto**

4.82 Time Interface Reference

A message for time data.

4.82.1 Detailed Description

A message for time data.

The documentation for this interface was generated from the following file:

- **time.proto**

4.83 TopicInfo Interface Reference

A message for topic information.

4.83.1 Detailed Description

A message for topic information.

The documentation for this interface was generated from the following file:

- **topic_info.proto**

4.84 TrackVisual Interface Reference

Message for a tracking a rendering::Visual with a rendering::Camera.

4.84.1 Detailed Description

Message for a tracking a rendering::Visual with a rendering::Camera.

The documentation for this interface was generated from the following file:

- **track_visual.proto**

4.85 Vector2d Interface Reference

Message for a vector2 double.

4.85.1 Detailed Description

Message for a vector2 double.

The documentation for this interface was generated from the following file:

- **vector2d.proto**

4.86 Vector3d Interface Reference

Message for a vector3 double.

4.86.1 Detailed Description

Message for a vector3 double.

The documentation for this interface was generated from the following file:

- **vector3d.proto**

4.87 Visual Interface Reference

A message containing visual information for rendering::Visual.

4.87.1 Detailed Description

A message containing visual information for rendering::Visual.

The documentation for this interface was generated from the following file:

- **visual.proto**

4.88 WirelessNode Interface Reference

Message for sending info about a detected wireless transmitter.

4.88.1 Detailed Description

Message for sending info about a detected wireless transmitter.

The documentation for this interface was generated from the following file:

- **wireless_node.proto**

4.89 WirelessNodes Interface Reference

Msgs for sending information about a list of wireless transmitters.

4.89.1 Detailed Description

Msgs for sending information about a list of wireless transmitters.

The documentation for this interface was generated from the following file:

- **wireless_nodes.proto**

4.90 WorldControl Interface Reference

A message that allows for control of world functions.

4.90.1 Detailed Description

A message that allows for control of world functions.

The documentation for this interface was generated from the following file:

- **world_control.proto**

4.91 WorldModify Interface Reference

A message that allows for modifying (open, close) worlds.

4.91.1 Detailed Description

A message that allows for modifying (open, close) worlds.

The documentation for this interface was generated from the following file:

- **world_modify.proto**

4.92 WorldReset Interface Reference

A message that controls how the world is reset.

4.92.1 Detailed Description

A message that controls how the world is reset.

The documentation for this interface was generated from the following file:

- **world_reset.proto**

4.93 WorldStatistics Interface Reference

A message statistics about a world.

4.93.1 Detailed Description

A message statistics about a world.

The documentation for this interface was generated from the following file:

- **world_stats.proto**

4.94 Wrench Interface Reference

Message for a wrench value.

4.94.1 Detailed Description

Message for a wrench value.

The documentation for this interface was generated from the following file:

- **wrench.proto**

4.95 WrenchStamped Interface Reference

Message for a time stamped wrench value.

4.95.1 Detailed Description

Message for a time stamped wrench value.

The documentation for this interface was generated from the following file:

- **wrench_stamped.proto**

Chapter 5

File Documentation

5.1 axis.proto File Reference

Variables

- message **Axis**
- required double **damping** = 6
- required double **friction** = 7
- required double **limit_effort** = 4
- required double **limit_lower** = 2
- required double **limit_upper** = 3
- required double **limit_velocity** = 5
- package gazebo **msgs**
- import vector3d **proto**

5.1.1 Variable Documentation

5.1.1.1 message Axis

Initial value:

```
{  
  required Vector3d xyz = 1
```

5.1.1.2 required double damping = 6

5.1.1.3 required double friction = 7

5.1.1.4 required double limit_effort = 4

5.1.1.5 required double limit_lower = 2

5.1.1.6 required double limit_upper = 3

5.1.1.7 required double limit_velocity = 5

5.1.1.8 package gazebo msgs

5.1.1.9 import wrench proto

5.2 boxgeom.proto File Reference

Variables

- message **BoxGeom**
- package gazebo **msgs**
- import vector3d **proto**

5.2.1 Variable Documentation

5.2.1.1 message **BoxGeom**

Initial value:

```
{  
  required Vector3d size = 1
```

5.2.1.2 package gazebo msgs

5.2.1.3 import vector3d proto

5.3 camerasensor.proto File Reference

Variables

- message **CameraSensor**
- optional double **far_clip** = 5
- optional string **image_format** = 3
- optional **Vector2d image_size** = 2
- package gazebo **msgs**
- optional double **near_clip** = 4
- import vector2d **proto**
- optional bool **save_enabled** = 6
- optional string **save_path** = 7

5.3.1 Variable Documentation

5.3.1.1 message **CameraSensor**

Initial value:

```
{  
  optional double horizontal_fov = 1
```

5.3.1.2 optional double far_clip = 5

5.3.1.3 optional string image_format = 3

5.3.1.4 optional Vector2d image_size = 2

5.3.1.5 package gazebo msgs

5.3.1.6 optional double near_clip = 4

5.3.1.7 import vector2d proto

5.3.1.8 optional bool save_enabled = 6

5.3.1.9 optional string save_path = 7

5.4 collision.proto File Reference

Variables

- message **Collision**
- optional **Geometry geometry** = 6
- optional double **laser_retro** = 3
- optional double **max_contacts** = 4
- package gazebo **msgs**
- required string **name** = 2
- optional **Pose pose** = 5
- import header **proto**
- optional **Surface surface** = 7
- repeated **Visual visual** = 8

5.4.1 Variable Documentation

5.4.1.1 message Collision

Initial value:

```
{
  required uint32 id           = 1
```

5.4.1.2 optional **Geometry geometry** = 6

5.4.1.3 optional double **laser_retro** = 3

5.4.1.4 optional double **max_contacts** = 4

5.4.1.5 package gazebo **msgs**

5.4.1.6 required string **name** = 2

5.4.1.7 optional Pose pose = 5

5.4.1.8 import visual proto

5.4.1.9 optional Surface surface = 7

5.4.1.10 repeated Visual visual = 8

5.5 color.proto File Reference

Variables

- optional float **a** = 5 [default = 1.0]
- required float **b** = 4
- message **Color**
- required float **g** = 3
- package gazebo **msgs**

5.5.1 Variable Documentation

5.5.1.1 optional float a = 5 [default = 1.0]

5.5.1.2 required float b = 4

5.5.1.3 message Color

Initial value:

```
{  
  required float r = 2
```

5.5.1.4 required float g = 3

5.5.1.5 package gazebo msgs

5.6 contact.proto File Reference

Variables

- required string **collision2** = 2
- message **Contact**
- repeated double **depth** = 5
- package gazebo **msgs**
- repeated **Vector3d** **normal** = 4
- repeated **Vector3d** **position** = 3
- import vector3d **proto**
- required **Time** **time** = 7
- required string **world** = 8
- repeated **JointWrench** **wrench** = 6

5.6.1 Variable Documentation

5.6.1.1 required string collision2 = 2

5.6.1.2 message Contact

Initial value:

```
{  
  required string collision1 = 1
```

5.6.1.3 repeated double depth = 5

5.6.1.4 package gazebo msgs

5.6.1.5 repeated Vector3d normal = 4

5.6.1.6 repeated Vector3d position = 3

5.6.1.7 import joint_wrench proto

5.6.1.8 required Time time = 7

5.6.1.9 required string world = 8

5.6.1.10 repeated JointWrench wrench = 6

5.7 contacts.proto File Reference

Variables

- message **Contacts**
- package gazebo **msgs**
- import **contact proto**
- required **Time time** = 2

5.7.1 Variable Documentation

5.7.1.1 message Contacts

Initial value:

```
{  
  repeated Contact contact = 1
```

5.7.1.2 package gazebo msgs

5.7.1.3 import time proto

5.7.1.4 required Time time = 2

5.8 contactsensor.proto File Reference

Variables

- message **ContactSensor**
- package gazebo **msgs**

5.8.1 Variable Documentation

5.8.1.1 message **ContactSensor**

Initial value:

```
{  
  optional string collision_name = 1
```

5.8.1.2 package gazebo msgs

5.9 cylindergeom.proto File Reference

Variables

- message **CylinderGeom**
- required double **length** = 2
- package gazebo **msgs**

5.9.1 Variable Documentation

5.9.1.1 message **CylinderGeom**

Initial value:

```
{  
  required double radius = 1
```

5.9.1.2 required double length = 2

5.9.1.3 package gazebo msgs

5.10 diagnostics.proto File Reference

Variables

- message **Diagnostics**

- package gazebo **msgs**
- import **time proto**
- required **Time real_time** = 2
- required double **real_time_factor** = 4
- required **Time sim_time** = 3

5.10.1 Variable Documentation

5.10.1.1 message Diagnostics

Initial value:

```
{
  message DiagTime
  {
    required string name = 1;
    required Time elapsed = 2;
    required Time wall = 3;
  }

  repeated DiagTime time = 1
```

5.10.1.2 package gazebo msgs

5.10.1.3 import time proto

5.10.1.4 required Time real_time = 2

5.10.1.5 required double real_time_factor = 4

5.10.1.6 required Time sim_time = 3

5.11 factory.proto File Reference

Variables

- optional string **clone_model_name** = 5
- optional string **edit_name** = 4
- message **Factory**
- package gazebo **msgs**
- optional **Pose pose** = 3
- import header **proto**
- optional string **sdf_filename** = 2

5.11.1 Variable Documentation

5.11.1.1 optional string clone_model_name = 5

5.11.1.2 optional string edit_name = 4

5.11.1.3 message Factory

Initial value:

```
{
  optional string sdf = 1
```

5.11.1.4 package gazebo msgs

5.11.1.5 optional Pose pose = 3

5.11.1.6 import pose proto

5.11.1.7 optional string sdf_filename = 2

5.12 fog.proto File Reference

Variables

- optional **Color** color = 2
- optional float **density** = 3
- optional float **end** = 5
- message **Fog**
- package gazebo **msgs**
- import **color proto**
- optional float **start** = 4

5.12.1 Variable Documentation

5.12.1.1 optional Color color = 2

5.12.1.2 optional float density = 3

5.12.1.3 optional float end = 5

5.12.1.4 message Fog

Initial value:

```
{
  enum FogType
  {
    NONE = 1;
    LINEAR = 2;
    EXPONENTIAL = 3;
    EXPONENTIAL2 = 4;
  }
  optional FogType type = 1
```

5.12.1.5 package gazebo msgs

5.12.1.6 import color proto

5.12.1.7 optional float start = 4

5.13 friction.proto File Reference

Variables

- optional **Vector3d** **fdir1** = 3
- message **Friction**
- package gazebo **msgs**
- optional double **mu2** = 2
- import vector3d **proto**
- optional double **slip1** = 4
- optional double **slip2** = 5

5.13.1 Variable Documentation

5.13.1.1 optional **Vector3d** **fdir1** = 3

5.13.1.2 message **Friction**

Initial value:

```
{  
  optional double mu = 1
```

5.13.1.3 package gazebo **msgs**

5.13.1.4 optional double **mu2** = 2

5.13.1.5 import vector3d **proto**

5.13.1.6 optional double **slip1** = 4

5.13.1.7 optional double **slip2** = 5

5.14 geometry.proto File Reference

Variables

- optional **BoxGeom** **box** = 2
- optional **CylinderGeom** **cylinder** = 3
- message **Geometry**
- optional **HeightmapGeom** **heightmap** = 7
- optional **ImageGeom** **image** = 6
- optional **MeshGeom** **mesh** = 8
- package gazebo **msgs**
- optional **PlaneGeom** **plane** = 4
- repeated **Vector3d** **points** = 9
- import boxgeom **proto**
- optional **SphereGeom** **sphere** = 5

5.14.1 Variable Documentation

5.14.1.1 optional **BoxGeom** box = 2

5.14.1.2 optional **CylinderGeom** cylinder = 3

5.14.1.3 message **Geometry**

Initial value:

```
{
  enum Type
  {
    BOX           = 1;
    CYLINDER     = 2;
    SPHERE       = 3;
    PLANE        = 4;
    IMAGE        = 5;
    HEIGHTMAP    = 6;
    MESH         = 7;
    TRIANGLE_FAN = 8;
    LINE_STRIP   = 9;
    EMPTY        = 10;
  }

  optional Type type = 1
```

5.14.1.4 optional **HeightmapGeom** heightmap = 7

5.14.1.5 optional **ImageGeom** image = 6

5.14.1.6 optional **MeshGeom** mesh = 8

5.14.1.7 package gazebo **msgs**

5.14.1.8 optional **PlaneGeom** plane = 4

5.14.1.9 repeated **Vector3d** points = 9

5.14.1.10 import **vector3d** proto

5.14.1.11 optional **SphereGeom** sphere = 5

5.15 gps.proto File Reference

Variables

- required double **altitude** = 5
- message **GPS**
- required double **latitude_deg** = 3
- required string **link_name** = 2
- required double **longitude_deg** = 4
- package gazebo **msgs**
- import **time** proto
- optional double **velocity_east** = 6
- optional double **velocity_north** = 7
- optional double **velocity_up** = 8

5.15.1 Variable Documentation

5.15.1.1 required double altitude = 5

5.15.1.2 message GPS

Initial value:

```
{
  required Time time = 1
```

5.15.1.3 required double latitude_deg = 3

5.15.1.4 required string link_name = 2

5.15.1.5 required double longitude_deg = 4

5.15.1.6 package gazebo msgs

5.15.1.7 import time proto

5.15.1.8 optional double velocity_east = 6

5.15.1.9 optional double velocity_north = 7

5.15.1.10 optional double velocity_up = 8

5.16 gui.proto File Reference

Variables

- optional **GUICamera camera** = 2
- message **GUI**
- package gazebo **msgs**
- import gui_camera **proto**

5.16.1 Variable Documentation

5.16.1.1 optional GUICamera camera = 2

5.16.1.2 message GUI

Initial value:

```
{
  optional bool fullscreen = 1
```

5.16.1.3 package gazebo msgs

5.16.1.4 import gui_camera proto

5.17 gui_camera.proto File Reference

Variables

- message **GUICamera**
- package gazebo **msgs**
- optional **Pose** pose = 3
- import **pose** proto
- optional **TrackVisual** track = 4
- optional string **view_controller** = 2

5.17.1 Variable Documentation

5.17.1.1 message GUICamera

Initial value:

```
{  
  required string name = 1
```

5.17.1.2 package gazebo msgs

5.17.1.3 optional **Pose** pose = 3

5.17.1.4 import track_visual proto

5.17.1.5 optional **TrackVisual** track = 4

5.17.1.6 optional string **view_controller** = 2

5.18 gui_overlay_config.proto File Reference

Variables

- message **GUIOverlayConfig**
- package gazebo **msgs**

5.18.1 Variable Documentation

5.18.1.1 message GUIOverlayConfig

Initial value:

```
{  
  required string layout_filename = 1
```

5.18.1.2 package gazebo msgs

5.19 gz_string.proto File Reference

Variables

- message **GzString**
- package gazebo **msgs**

5.19.1 Variable Documentation

5.19.1.1 message GzString

Initial value:

```
{  
  required string data = 1
```

5.19.1.2 package gazebo msgs

5.20 gz_string_v.proto File Reference

Variables

- message **GzString_V**
- package gazebo **msgs**

5.20.1 Variable Documentation

5.20.1.1 message GzString_V

Initial value:

```
{  
  repeated string data = 1
```

5.20.1.2 package gazebo msgs

5.21 header.proto File Reference

Variables

- message **Header**
- optional int32 **index** = 3
- package gazebo **msgs**
- import **time proto**
- optional **Time stamp** = 2

5.21.1 Variable Documentation

5.21.1.1 message Header

Initial value:

```
{
  optional string str_id = 1
```

5.21.1.2 optional int32 index = 3

5.21.1.3 package gazebo msgs

5.21.1.4 import time proto

5.21.1.5 optional Time stamp = 2

5.22 heightmapgeom.proto File Reference

Variables

- message **Blend**
- repeated **Blend blend** = 8
- required double **fade_dist** = 2
- optional int32 **height** = 6
- message **HeightmapGeom**
- repeated float **heights** = 4
- package gazebo **msgs**
- required string **normal** = 2
- optional **Vector3d origin** = 3
- import **image proto**
- required **Vector3d size** = 2
- message **Texture**
- repeated **Texture texture** = 7
- optional bool **use_terrain_paging** = 9
- optional int32 **width** = 5

5.22.1 Variable Documentation

5.22.1.1 message Blend

Initial value:

```
{
  required double min_height = 1
```


5.22.1.2 repeated **Blend** `blend` = 8

5.22.1.3 required double `fade_dist` = 2

5.22.1.4 optional int32 `height` = 6

5.22.1.5 message **HeightmapGeom**

Initial value:

```
{
  optional Image image           = 1
```

5.22.1.6 repeated float `heights` = 4

5.22.1.7 package gazebo `msgs`

5.22.1.8 required string `normal` = 2

5.22.1.9 optional Vector3d `origin` = 3

5.22.1.10 import vector3d proto

5.22.1.11 required double `size` = 2

5.22.1.12 message **Texture**

Initial value:

```
{
  required string diffuse         = 1
```

5.22.1.13 repeated **Texture** `texture` = 7

5.22.1.14 optional bool `use_terrain_paging` = 9

5.22.1.15 optional int32 `width` = 5

5.23 image.proto File Reference

Variables

- required bytes **data** = 5
- required uint32 **height** = 2
- message **Image**
- package gazebo **msgs**
- required uint32 **pixel_format** = 3
- required uint32 **step** = 4

5.23.1 Variable Documentation

5.23.1.1 required bytes data = 5

5.23.1.2 required uint32 height = 2

5.23.1.3 message Image

Initial value:

```
{
  required uint32 width          = 1
```

5.23.1.4 package gazebo msgs

5.23.1.5 required uint32 pixel_format = 3

5.23.1.6 required uint32 step = 4

5.24 image_stamped.proto File Reference

Variables

- required **Image image** = 2
- message **ImageStamped**
- package gazebo **msgs**
- import **time proto**

5.24.1 Variable Documentation

5.24.1.1 required Image image = 2

5.24.1.2 message ImageStamped

Initial value:

```
{
  required Time time          = 1
```

5.24.1.3 package gazebo msgs

5.24.1.4 import image proto

5.25 imagegeom.proto File Reference

Variables

- optional int32 **granularity** = 5

- optional double **height** = 4
- message **ImageGeom**
- package gazebo **msgs**
- optional double **scale** = 2
- optional int32 **threshold** = 3 [default = 255]

5.25.1 Variable Documentation

5.25.1.1 optional int32 granularity = 5

5.25.1.2 optional double height = 4

5.25.1.3 message ImageGeom

Initial value:

```
{
  required string uri          = 1
```

5.25.1.4 package gazebo msgs

5.25.1.5 optional double scale = 2

5.25.1.6 optional int32 threshold = 3 [default = 255]

5.26 images_stamped.proto File Reference

Variables

- repeated **Image image** = 2
- message **ImagesStamped**
- package gazebo **msgs**
- import **time proto**

5.26.1 Variable Documentation

5.26.1.1 repeated Image image = 2

5.26.1.2 message ImagesStamped

Initial value:

```
{
  required Time time          = 1
```

5.26.1.3 package gazebo msgs

5.26.1.4 import image proto

5.27 imu.proto File Reference

Variables

- required **Vector3d** **angular_velocity** = 4
- required string **entity_name** = 2
- message **IMU**
- required **Vector3d** **linear_acceleration** = 5
- package gazebo **msgs**
- required **Quaternion** **orientation** = 3
- import **time** **proto**

5.27.1 Variable Documentation

5.27.1.1 required **Vector3d** **angular_velocity** = 4

5.27.1.2 required string **entity_name** = 2

5.27.1.3 message **IMU**

Initial value:

```
{
  required Time stamp           = 1
```

5.27.1.4 required **Vector3d** **linear_acceleration** = 5

5.27.1.5 package gazebo **msgs**

5.27.1.6 required **Quaternion** **orientation** = 3

5.27.1.7 import **quaternion** **proto**

5.28 inertial.proto File Reference

Variables

- message **Inertial**
- optional double **ixx** = 3
- optional double **ixy** = 4
- optional double **ixz** = 5
- optional double **iyx** = 6
- optional double **iyz** = 7
- optional double **izz** = 8
- package gazebo **msgs**

- optional **Pose** pose = 2
- import **pose proto**

5.28.1 Variable Documentation

5.28.1.1 message Inertial

Initial value:

```
{  
  optional double mass = 1
```

5.28.1.2 optional double ixx = 3

5.28.1.3 optional double ixy = 4

5.28.1.4 optional double ixz = 5

5.28.1.5 optional double iyy = 6

5.28.1.6 optional double iyz = 7

5.28.1.7 optional double izz = 8

5.28.1.8 package gazebo msgs

5.28.1.9 optional **Pose** pose = 2

5.28.1.10 import pose proto

5.29 int.proto File Reference

Variables

- message **Int**
- package gazebo **msgs**

5.29.1 Variable Documentation

5.29.1.1 message Int

Initial value:

```
{  
  required int32 data = 1
```

5.29.1.2 package gazebo msgs

5.30 joint.proto File Reference

Variables

- repeated double **angle** = 3
- optional **Axis axis1** = 10
- optional **Axis axis2** = 11
- optional double **bounce** = 13
- optional double **cfm** = 12
- optional string **child** = 7
- optional uint32 **child_id** = 8
- optional double **fudge_factor** = 15
- optional uint32 **id** = 2
- message **Joint**
- optional double **limit_cfm** = 16
- optional double **limit_erp** = 17
- package gazebo **msgs**
- optional string **parent** = 5
- optional uint32 **parent_id** = 6
- optional **Pose pose** = 9
- import vector3d **proto**
- repeated **Sensor sensor** = 20
- optional double **suspension_cfm** = 18
- optional double **suspension_erp** = 19
- optional Type **type** = 4
- optional double **velocity** = 14

5.30.1 Variable Documentation

5.30.1.1 repeated double angle = 3

5.30.1.2 optional **Axis axis1** = 10

5.30.1.3 optional **Axis axis2** = 11

5.30.1.4 optional double bounce = 13

5.30.1.5 optional double cfm = 12

5.30.1.6 optional string child = 7

5.30.1.7 optional uint32 child_id = 8

5.30.1.8 optional double fudge_factor = 15

5.30.1.9 optional uint32 id = 2

5.30.1.10 message Joint

Initial value:

```

{
  enum Type
  {
    REVOLUTE = 1;
    REVOLUTE2 = 2;
    PRISMATIC = 3;
    UNIVERSAL = 4;
    BALL = 5;
    SCREW = 6;
  }

  required string name = 1;

```

5.30.1.11 optional double limit_cfm = 16

5.30.1.12 optional double limit_erp = 17

5.30.1.13 package gazebo msgs

5.30.1.14 optional string parent = 5

5.30.1.15 optional uint32 parent_id = 6

5.30.1.16 optional Pose pose = 9

5.30.1.17 import sensor proto

5.30.1.18 repeated Sensor sensor = 20

5.30.1.19 optional double suspension_cfm = 18

5.30.1.20 optional double suspension_erp = 19

5.30.1.21 optional Type type = 4

5.30.1.22 optional double velocity = 14

5.31 joint_animation.proto File Reference**Variables**

- repeated **Joint joint** = 2
- message **JointAnimation**
- package gazebo **msgs**
- import **pose proto**
- repeated **Time time** = 3

5.31.1 Variable Documentation

5.31.1.1 repeated **Joint** joint = 2

5.31.1.2 message **JointAnimation**

Initial value:

```
{
  message Joint
  {
    repeated string name = 1;
    repeated double angle = 2;
  }

  required string model_name = 1
```

5.31.1.3 package gazebo msgs

5.31.1.4 import time proto

5.31.1.5 repeated **Time** time = 3

5.32 joint_cmd.proto File Reference

Variables

- optional int32 **axis** = 2 [default=0]
- optional double **force** = 3
- message **JointCmd**
- package gazebo **msgs**
- optional **PID position** = 4
- import vector3d **proto**
- optional bool **reset** = 6
- optional **PID velocity** = 5

5.32.1 Variable Documentation

5.32.1.1 optional int32 axis = 2 [default=0]

5.32.1.2 optional double force = 3

5.32.1.3 message **JointCmd**

Initial value:

```
{
  required string name = 1
```


5.32.1.4 package gazebo msgs

5.32.1.5 optional PID position = 4

5.32.1.6 import pid proto

5.32.1.7 optional bool reset = 6

5.32.1.8 optional PID velocity = 5

5.33 joint_wrench.proto File Reference

Variables

- required uint32 **body_1_id** = 2
- required **Wrench** **body_1_wrench** = 5
- required uint32 **body_2_id** = 4
- required string **body_2_name** = 3
- required **Wrench** **body_2_wrench** = 6
- message **JointWrench**
- package gazebo **msgs**
- import **wrench** proto

5.33.1 Variable Documentation

5.33.1.1 required uint32 body_1_id = 2

5.33.1.2 required Wrench body_1_wrench = 5

5.33.1.3 required uint32 body_2_id = 4

5.33.1.4 required string body_2_name = 3

5.33.1.5 required Wrench body_2_wrench = 6

5.33.1.6 message JointWrench

Initial value:

```
{  
  required string body_1_name = 1
```

5.33.1.7 package gazebo msgs

5.33.1.8 import wrench proto

5.34 joint_wrench_stamped.proto File Reference

Variables

- message **ForceTorque**
- package gazebo **msgs**
- import joint_wrench **proto**
- required **Time time = 2**

5.34.1 Variable Documentation

5.34.1.1 message ForceTorque

Initial value:

```
{  
  repeated JointWrench wrench = 1
```

5.34.1.2 package gazebo msgs

5.34.1.3 import time proto

5.34.1.4 required Time time = 2

5.35 laserscan.proto File Reference

Variables

- required double **angle_max = 4**
- required double **angle_min = 3**
- required double **angle_step = 5**
- repeated double **intensities = 9**
- message **LaserScan**
- package gazebo **msgs**
- import **pose proto**
- required double **range_max = 7**
- required double **range_min = 6**
- repeated double **ranges = 8**
- required **Pose world_pose = 2**

5.35.1 Variable Documentation

5.35.1.1 required double angle_max = 4

5.35.1.2 required double angle_min = 3

5.35.1.3 required double angle_step = 5

5.35.1.4 repeated double intensities = 9

5.35.1.5 message LaserScan

Initial value:

```
{
  required string frame          = 1
```

5.35.1.6 package gazebo msgs

5.35.1.7 import pose proto

5.35.1.8 required double range_max = 7

5.35.1.9 required double range_min = 6

5.35.1.10 repeated double ranges = 8

5.35.1.11 required Pose world_pose = 2

5.36 laserscan_stamped.proto File Reference

Variables

- message **LaserScanStamped**
- package gazebo **msgs**
- import **time proto**
- required **LaserScan scan** = 2

5.36.1 Variable Documentation

5.36.1.1 message LaserScanStamped

Initial value:

```
{
  required Time time            = 1
```

5.36.1.2 package gazebo msgs

5.36.1.3 import laserscan proto

5.36.1.4 required LaserScan scan = 2

5.37 light.proto File Reference

Enumerations

- enum **LightType** { **DIRECTIONAL** = 3 }

Variables

- optional float **attenuation_constant** = 6
- optional float **attenuation_linear** = 7
- optional float **attenuation_quadratic** = 8
- optional bool **cast_shadows** = 11
- optional **Color** **diffuse** = 4
- optional **Vector3d** **direction** = 9
- message **Light**
- package gazebo **msgs**
- optional **Pose** **pose** = 3
- import header **proto**
- optional float **range** = 10
- optional **Color** **specular** = 5
- optional float **spot_falloff** = 14
- optional float **spot_inner_angle** = 12
- optional float **spot_outer_angle** = 13
- enum **LightType** **type** = 2

5.37.1 Enumeration Type Documentation

5.37.1.1 enum LightType

Enumerator

DIRECTIONAL

5.37.2 Variable Documentation

5.37.2.1 optional float attenuation_constant = 6

5.37.2.2 optional float attenuation_linear = 7

5.37.2.3 optional float attenuation_quadratic = 8

5.37.2.4 optional bool cast_shadows = 11

5.37.2.5 optional **Color** diffuse = 4

5.37.2.6 optional **Vector3d** direction = 9

5.37.2.7 message **Light**

Initial value:

```
{
  required string name           = 1
```

5.37.2.8 package gazebo msgs

5.37.2.9 optional Pose pose = 3

5.37.2.10 import color proto

5.37.2.11 optional float range = 10

5.37.2.12 optional Color specular = 5

5.37.2.13 optional float spot_falloff = 14

5.37.2.14 optional float spot_inner_angle = 12

5.37.2.15 optional float spot_outer_angle = 13

5.37.2.16 enum LightType type = 2

5.38 link.proto File Reference

Variables

- repeated **Collision** collision = 10
- optional bool **enabled** = 6
- optional bool **gravity** = 4
- optional **Inertial** inertial = 7
- optional bool **kinematic** = 5
- message **Link**
- package gazebo **msgs**
- required string **name** = 2
- optional **Pose** pose = 8
- repeated **Projector** projector = 12
- import header **proto**
- optional bool **self_collide** = 3
- repeated **Sensor** sensor = 11
- repeated **Visual** visual = 9

5.38.1 Variable Documentation

5.38.1.1 repeated **Collision** collision = 10

5.38.1.2 optional bool enabled = 6

5.38.1.3 optional bool gravity = 4

5.38.1.4 optional **Inertial** inertial = 7

5.38.1.5 optional bool kinematic = 5

5.38.1.6 message Link

Initial value:

```
{
  optional uint32 id          = 1
```

5.38.1.7 package gazebo msgs

5.38.1.8 required string name = 2

5.38.1.9 optional Pose pose = 8

5.38.1.10 repeated Projector projector = 12

5.38.1.11 import pose proto

5.38.1.12 optional bool self_collide = 3

5.38.1.13 repeated Sensor sensor = 11

5.38.1.14 repeated Visual visual = 9

5.39 link_data.proto File Reference

Variables

- optional **Vector3d** angular_velocity = 4
- optional **Vector3d** linear_velocity = 3
- message **LinkData**
- package gazebo **msgs**
- required string **name** = 2
- import vector3d **proto**

5.39.1 Variable Documentation

5.39.1.1 optional Vector3d angular_velocity = 4

5.39.1.2 optional Vector3d linear_velocity = 3

5.39.1.3 message LinkData

Initial value:

```
{
  required Time time          = 1
```

5.39.1.4 package gazebo msgs

5.39.1.5 required string name = 2

5.39.1.6 import time proto

5.40 log_control.proto File Reference

Variables

- optional string **base_path** = 4
- optional string **encoding** = 5
- message **LogControl**
- package gazebo **msgs**
- optional bool **paused** = 3
- optional bool **stop** = 2

5.40.1 Variable Documentation

5.40.1.1 optional string base_path = 4

5.40.1.2 optional string encoding = 5

5.40.1.3 message LogControl

Initial value:

```
{  
  optional bool start = 1
```

5.40.1.4 package gazebo msgs

5.40.1.5 optional bool paused = 3

5.40.1.6 optional bool stop = 2

5.41 log_status.proto File Reference

Variables

- optional LogFile **log_file** = 2
- message **LogStatus**
- package gazebo **msgs**
- import **time proto**

5.41.1 Variable Documentation

5.41.1.1 optional LogFile log_file = 2

5.41.1.2 message LogStatus

Initial value:

```

{
  message LogFile
  {
    enum Units
    {
      BYTES = 1;
      K_BYTES = 2;
      M_BYTES = 3;
      G_BYTES = 4;
    }

    optional string uri          = 1;
    optional string base_path   = 2;
    optional string full_path   = 3;
    optional float size         = 4;
    optional Units size_units   = 5;
  }

  optional Time sim_time      = 1

```

5.41.1.3 package gazebo msgs

5.41.1.4 import time proto

5.42 mainpage_msgs.html File Reference

5.43 material.proto File Reference

Variables

- optional **Color ambient** = 4
- optional **Color diffuse** = 5
- optional **Color emissive** = 7
- message **Material**
- package gazebo **msgs**
- optional string **normal_map** = 3
- import **color proto**
- optional ShaderType **shader_type** = 2
- optional **Color specular** = 6

5.43.1 Variable Documentation

5.43.1.1 optional Color ambient = 4

5.43.1.2 optional Color diffuse = 5

5.43.1.3 optional Color emissive = 7

5.43.1.4 message Material

Initial value:

```

{
  enum ShaderType
  {
    VERTEX          = 1;
    PIXEL           = 2;
    NORMAL_MAP_OBJECT_SPACE = 3;
    NORMAL_MAP_TANGENT_SPACE = 4;
  }

  message Script
  {
    repeated string uri = 1;
    required string name = 2;
  }

  optional Script script = 1

```

5.43.1.5 package gazebo msgs

5.43.1.6 optional string normal_map = 3

5.43.1.7 import color proto

5.43.1.8 optional ShaderType shader_type = 2

5.43.1.9 optional Color specular = 6

5.44 meshgeom.proto File Reference

Variables

- optional bool **center_submesh** = 4
- message **MeshGeom**
- package gazebo **msgs**
- import vector3d **proto**
- optional **Vector3d** **scale** = 2
- optional string **submesh** = 3

5.44.1 Variable Documentation

5.44.1.1 optional bool center_submesh = 4

5.44.1.2 message MeshGeom

Initial value:

```

{
  required string filename = 1

```

5.44.1.3 package gazebo msgs

5.44.1.4 import vector3d proto

5.44.1.5 optional Vector3d scale = 2

5.44.1.6 optional string submesh = 3

5.45 model.proto File Reference

Variables

- optional bool **deleted** = 7
- optional uint32 **id** = 2
- optional bool **is_static** = 3
- repeated **Joint joint** = 5
- repeated **Link link** = 6
- message **Model**
- package gazebo **msgs**
- optional **Pose pose** = 4
- import **joint proto**
- optional **Vector3d scale** = 9
- repeated **Visual visual** = 8

5.45.1 Variable Documentation

5.45.1.1 optional bool deleted = 7

5.45.1.2 optional uint32 id = 2

5.45.1.3 optional bool is_static = 3

5.45.1.4 repeated Joint joint = 5

5.45.1.5 repeated Link link = 6

5.45.1.6 message Model

Initial value:

```
{
  required string name          = 1
```

5.45.1.7 package gazebo msgs

5.45.1.8 optional Pose pose = 4

5.45.1.9 import vector3d proto

5.45.1.10 optional **Vector3d** scale = 9

5.45.1.11 repeated **Visual** visual = 8

5.46 model_configuration.proto File Reference

Variables

- repeated string **joint_names** = 2
- repeated double **joint_positions** = 3
- optional string **link_name** = 5
- message **ModelConfiguration**
- package gazebo **msgs**
- optional **Pose** pose = 4
- import **time** proto

5.46.1 Variable Documentation

5.46.1.1 repeated string joint_names = 2

5.46.1.2 repeated double joint_positions = 3

5.46.1.3 optional string link_name = 5

5.46.1.4 message **ModelConfiguration**

Initial value:

```
{
  required Time time = 1
```

5.46.1.5 package gazebo **msgs**

5.46.1.6 optional **Pose** pose = 4

5.46.1.7 import **pose** proto

5.47 model_v.proto File Reference

Variables

- message **Model_V**
- package gazebo **msgs**
- import **model** proto

5.47.1 Variable Documentation

5.47.1.1 message Model_V

Initial value:

```
{
  repeated Model models = 2
```

5.47.1.2 package gazebo msgs

5.47.1.3 import model proto

5.48 packet.proto File Reference

Variables

- package gazebo **msgs**
- message **Packet**
- import **time proto**
- required bytes **serialized_data** = 3
- required string **type** = 2

5.48.1 Variable Documentation

5.48.1.1 package gazebo msgs

5.48.1.2 message Packet

Initial value:

```
{
  required Time stamp = 1
```

5.48.1.3 import time proto

5.48.1.4 required bytes serialized_data = 3

5.48.1.5 required string type = 2

5.49 physics.proto File Reference

Variables

- optional double **cfm** = 7
- optional double **contact_max_correcting_vel** = 9
- optional double **contact_surface_layer** = 10
- optional bool **enable_physics** = 12

- optional double **erp** = 8
- optional **Vector3d** **gravity** = 11
- optional int32 **iters** = 5
- optional double **max_step_size** = 15
- optional double **min_step_size** = 3
- package gazebo **msgs**
- message **Physics**
- optional int32 **precon_iters** = 4
- import vector3d **proto**
- optional double **real_time_factor** = 13
- optional double **real_time_update_rate** = 14
- optional string **solver_type** = 2
- optional double **sor** = 6

5.49.1 Variable Documentation

5.49.1.1 optional double **cfm** = 7

5.49.1.2 optional double **contact_max_correcting_vel** = 9

5.49.1.3 optional double **contact_surface_layer** = 10

5.49.1.4 optional bool **enable_physics** = 12

5.49.1.5 optional double **erp** = 8

5.49.1.6 optional **Vector3d** **gravity** = 11

5.49.1.7 optional int32 **iters** = 5

5.49.1.8 optional double **max_step_size** = 15

5.49.1.9 optional double **min_step_size** = 3

5.49.1.10 package gazebo **msgs**

5.49.1.11 message **Physics**

Initial value:

```

{
  enum Type
  {
    ODE = 1;
    BULLET = 2;
    SIMBODY = 3;
    DART = 4;
  }
  required Type type = 1[default=ODE]

```

5.49.1.12 optional int32 `precon_iters` = 4

5.49.1.13 import header `proto`

5.49.1.14 optional double `real_time_factor` = 13

5.49.1.15 optional double `real_time_update_rate` = 14

5.49.1.16 optional string `solver_type` = 2

5.49.1.17 optional double `sor` = 6

5.50 pid.proto File Reference

Variables

- optional double `d_gain` = 4[default=0.0]
- optional double `i_gain` = 3[default=0.0]
- optional double `i_max` = 5[default=0.0]
- optional double `i_min` = 6[default=0.0]
- optional double `limit` = 7[default=0.0]
- package gazebo `msgs`
- optional double `p_gain` = 2[default=0.0]
- message `PID`

5.50.1 Variable Documentation

5.50.1.1 optional double `d_gain` = 4[default=0.0]

5.50.1.2 optional double `i_gain` = 3[default=0.0]

5.50.1.3 optional double `i_max` = 5[default=0.0]

5.50.1.4 optional double `i_min` = 6[default=0.0]

5.50.1.5 optional double `limit` = 7[default=0.0]

5.50.1.6 package gazebo `msgs`

5.50.1.7 optional double `p_gain` = 2[default=0.0]

5.50.1.8 message `PID`

Initial value:

```
{
  optional double target = 1[default=0.0]
```

5.51 planegeom.proto File Reference

Variables

- optional double **d** = 3 [default = 0]
- package gazebo **msgs**
- message **PlaneGeom**
- import vector3d **proto**
- required **Vector2d** size = 2

5.51.1 Variable Documentation

5.51.1.1 optional double d = 3 [default = 0]

5.51.1.2 package gazebo msgs

5.51.1.3 message PlaneGeom

Initial value:

```
{
  required Vector3d normal = 1
```

5.51.1.4 import vector2d proto

5.51.1.5 required Vector2d size = 2

5.52 plugin.proto File Reference

Variables

- required string **filename** = 2
- optional string **innerxml** = 3 [default = ""]
- package gazebo **msgs**
- message **Plugin**

5.52.1 Variable Documentation

5.52.1.1 required string filename = 2

5.52.1.2 optional string innerxml = 3 [default = ""]

5.52.1.3 package gazebo msgs

5.52.1.4 message Plugin

Initial value:

```
{
  required string name = 1
```

5.53 pointcloud.proto File Reference

Variables

- package gazebo **msgs**
- message **PointCloud**
- import vector3d **proto**

5.53.1 Variable Documentation

5.53.1.1 package gazebo msgs

5.53.1.2 message PointCloud

Initial value:

```
{  
  repeated Vector3d points = 1
```

5.53.1.3 import vector3d proto

5.54 pose.proto File Reference

Variables

- optional uint32 **id** = 2
- package gazebo **msgs**
- required **Quaternion orientation** = 4
- message **Pose**
- required **Vector3d position** = 3
- import vector3d **proto**

5.54.1 Variable Documentation

5.54.1.1 optional uint32 id = 2

5.54.1.2 package gazebo msgs

5.54.1.3 required Quaternion orientation = 4

5.54.1.4 message Pose

Initial value:

```
{  
  optional string name = 1
```


5.54.1.5 required Vector3d position = 3

5.54.1.6 import quaternion proto

5.55 pose_animation.proto File Reference

Variables

- optional uint32 **model_id** = 2
- package gazebo **msgs**
- repeated **Pose pose** = 3
- message **PoseAnimation**
- import **pose proto**
- repeated **Time time** = 4

5.55.1 Variable Documentation

5.55.1.1 optional uint32 model_id = 2

5.55.1.2 package gazebo msgs

5.55.1.3 repeated Pose pose = 3

5.55.1.4 message PoseAnimation

Initial value:

```
{  
  required string model_name      = 1
```

5.55.1.5 import time proto

5.55.1.6 repeated Time time = 4

5.56 pose_stamped.proto File Reference

Variables

- package gazebo **msgs**
- required **Pose pose** = 2
- message **PoseStamped**
- import **time proto**

5.56.1 Variable Documentation

5.56.1.1 package gazebo msgs

5.56.1.2 required Pose pose = 2

5.56.1.3 message PoseStamped

Initial value:

```
{  
  required Time time           = 1
```

5.56.1.4 import pose proto

5.57 pose_trajectory.proto File Reference

Variables

- optional uint32 **id** = 2
- package gazebo **msgs**
- repeated **PoseStamped** **pose_stamped** = 3
- message **PoseTrajectory**
- import **pose_stamped** proto

5.57.1 Variable Documentation

5.57.1.1 optional uint32 id = 2

5.57.1.2 package gazebo msgs

5.57.1.3 repeated PoseStamped pose_stamped = 3

5.57.1.4 message PoseTrajectory

Initial value:

```
{  
  optional string name         = 1
```

5.57.1.5 import pose_stamped proto

5.58 pose_v.proto File Reference

Variables

- package gazebo **msgs**
- message **Pose_V**
- import **pose** proto

5.58.1 Variable Documentation

5.58.1.1 package gazebo msgs

5.58.1.2 message Pose_V

Initial value:

```
{
  repeated Pose pose = 1
```

5.58.1.3 import pose proto

5.59 poses_stamped.proto File Reference

Variables

- package gazebo **msgs**
- repeated **Pose pose** = 2
- message **PosesStamped**
- import **time proto**

5.59.1 Variable Documentation

5.59.1.1 package gazebo msgs

5.59.1.2 repeated Pose pose = 2

5.59.1.3 message PosesStamped

Initial value:

```
{
  required Time time = 1
```

5.59.1.4 import pose proto

5.60 projector.proto File Reference

Variables

- optional bool **enabled** = 7[default=true]
- optional double **far_clip** = 6[default=10.0]
- optional double **fov** = 4[default=0.785]
- package gazebo **msgs**
- optional double **near_clip** = 5[default=0.1]
- optional **Pose pose** = 3
- message **Projector**
- import **pose proto**
- optional string **texture** = 2

5.60.1 Variable Documentation

5.60.1.1 optional bool enabled = 7[default=true]

5.60.1.2 optional double far_clip = 6[default=10.0]

5.60.1.3 optional double fov = 4[default=0.785]

5.60.1.4 package gazebo msgs

5.60.1.5 optional double near_clip = 5[default=0.1]

5.60.1.6 optional Pose pose = 3

5.60.1.7 message Projector

Initial value:

```
{
  required string name          = 1
```

5.60.1.8 import pose proto

5.60.1.9 optional string texture = 2

5.61 propagation_grid.proto File Reference

Variables

- package gazebo **msgs**
- message **PropagationGrid**
- import propagation_particle **proto**

5.61.1 Variable Documentation

5.61.1.1 package gazebo msgs

5.61.1.2 message PropagationGrid

Initial value:

```
{
  repeated PropagationParticle particle = 1
```

5.61.1.3 import propagation_particle proto

5.62 propagation_particle.proto File Reference

Variables

- package gazebo **msgs**
- message **PropagationParticle**
- required double **signal_level** = 3
- required double **y** = 2

5.62.1 Variable Documentation

5.62.1.1 package gazebo msgs

5.62.1.2 message PropagationParticle

Initial value:

```
{  
  required double x = 1
```

5.62.1.3 required double signal_level = 3

5.62.1.4 required double y = 2

5.63 publish.proto File Reference

Variables

- required string **host** = 3
- required string **msg_type** = 2
- package gazebo **msgs**
- required uint32 **port** = 4
- message **Publish**

5.63.1 Variable Documentation

5.63.1.1 required string host = 3

5.63.1.2 required string msg_type = 2

5.63.1.3 package gazebo msgs

5.63.1.4 required uint32 port = 4

5.63.1.5 message Publish

Initial value:

```
{  
  required string topic = 1
```

5.64 publishers.proto File Reference

Variables

- package gazebo **msgs**
- import publish **proto**
- message **Publishers**

5.64.1 Variable Documentation

5.64.1.1 package gazebo msgs

5.64.1.2 import publish proto

5.64.1.3 message **Publishers**

Initial value:

```
{  
  repeated Publish publisher = 1
```

5.65 quaternion.proto File Reference

Variables

- package gazebo **msgs**
- message **Quaternion**
- required double **w** = 5
- required double **y** = 3
- required double **z** = 4

5.65.1 Variable Documentation

5.65.1.1 package gazebo msgs

5.65.1.2 message **Quaternion**

Initial value:

```
{  
  required double x = 2
```

5.65.1.3 required double w = 5

5.65.1.4 required double y = 3

5.65.1.5 required double z = 4

5.66 raysensor.proto File Reference

Variables

- optional double **horizontal_max_angle** = 5
- optional double **horizontal_min_angle** = 4
- optional double **horizontal_resolution** = 3
- optional int32 **horizontal_samples** = 2
- package gazebo **msgs**
- optional double **range_max** = 11
- optional double **range_min** = 10
- optional double **range_resolution** = 12
- message **RaySensor**
- optional double **vertical_max_angle** = 9
- optional double **vertical_min_angle** = 8
- optional double **vertical_resolution** = 7
- optional int32 **vertical_samples** = 6

5.66.1 Variable Documentation

5.66.1.1 optional double horizontal_max_angle = 5

5.66.1.2 optional double horizontal_min_angle = 4

5.66.1.3 optional double horizontal_resolution = 3

5.66.1.4 optional int32 horizontal_samples = 2

5.66.1.5 package gazebo msgs

5.66.1.6 optional double range_max = 11

5.66.1.7 optional double range_min = 10

5.66.1.8 optional double range_resolution = 12

5.66.1.9 message RaySensor

Initial value:

```
{
  optional bool display_scan = 1
```

5.66.1.10 optional double vertical_max_angle = 9

5.66.1.11 optional double vertical_min_angle = 8

5.66.1.12 optional double vertical_resolution = 7

5.66.1.13 optional int32 vertical_samples = 6

5.67 request.proto File Reference

Variables

- optional string **data** = 3
- optional double **dbl_data** = 4
- package gazebo **msgs**
- message **Request**
- required string **request** = 2

5.67.1 Variable Documentation

5.67.1.1 optional string data = 3

5.67.1.2 optional double dbl_data = 4

5.67.1.3 package gazebo msgs

5.67.1.4 message Request

Initial value:

```
{
  required int32 id          = 1
```

5.67.1.5 required string request = 2

5.68 response.proto File Reference

Variables

- package gazebo **msgs**
- required string **request** = 2
- message **Response**
- required string **response** = 3
- optional bytes **serialized_data** = 5
- optional string **type** = 4

5.68.1 Variable Documentation

5.68.1.1 package gazebo msgs

5.68.1.2 required string request = 2

5.68.1.3 message Response

Initial value:

```
{
  required int32 id          = 1
```


5.68.1.4 required string response = 3

5.68.1.5 optional bytes serialized_data = 5

5.68.1.6 optional string type = 4

5.69 road.proto File Reference

Variables

- package gazebo **msgs**
- repeated **Vector3d point** = 3
- import vector3d **proto**
- message **Road**
- required double **width** = 2

5.69.1 Variable Documentation

5.69.1.1 package gazebo msgs

5.69.1.2 repeated Vector3d point = 3

5.69.1.3 import vector3d proto

5.69.1.4 message Road

Initial value:

```
{  
  required string name      = 1
```

5.69.1.5 required double width = 2

5.70 scene.proto File Reference

Variables

- optional **Color ambient** = 2
- optional **Color background** = 3
- optional **Fog fog** = 6
- optional bool **grid** = 7
- repeated **Joint joint** = 10
- repeated **Light light** = 9
- repeated **Model model** = 8
- package gazebo **msgs**
- import header **proto**
- message **Scene**
- optional bool **shadows** = 5 [default = true]
- optional **Sky sky** = 4

5.70.1 Variable Documentation

5.70.1.1 optional **Color** ambient = 2

5.70.1.2 optional **Color** background = 3

5.70.1.3 optional **Fog** fog = 6

5.70.1.4 optional **bool** grid = 7

5.70.1.5 repeated **Joint** joint = 10

5.70.1.6 repeated **Light** light = 9

5.70.1.7 repeated **Model** model = 8

5.70.1.8 package gazebo msgs

5.70.1.9 import model proto

5.70.1.10 message **Scene**

Initial value:

```
{
  required string name          = 1
```

5.70.1.11 optional **bool** shadows = 5 [default = true]

5.70.1.12 optional **Sky** sky = 4

5.71 selection.proto File Reference

Variables

- package gazebo **msgs**
- required string **name** = 2
- import header **proto**
- optional **bool** **selected** = 3 [default = false]
- message **Selection**

5.71.1 Variable Documentation

5.71.1.1 package gazebo msgs

5.71.1.2 required string name = 2

5.71.1.3 import header proto

5.71.1.4 optional bool selected = 3 [default = false]

5.71.1.5 message Selection

Initial value:

```
{
  required uint32 id      = 1
```

5.72 sensor.proto File Reference

Variables

- optional bool **always_on** = 6
- optional **CameraSensor** camera = 9
- optional **ContactSensor** contact = 11
- optional uint32 **id** = 2
- package gazebo **msgs**
- required string **parent** = 3
- required uint32 **parent_id** = 4
- optional **Pose** pose = 8
- import **pose** proto
- optional **RaySensor** ray = 10
- message **Sensor**
- optional string **topic** = 13
- required string **type** = 5
- optional double **update_rate** = 7
- optional bool **visualize** = 12

5.72.1 Variable Documentation

5.72.1.1 optional bool always_on = 6

5.72.1.2 optional **CameraSensor** camera = 9

5.72.1.3 optional **ContactSensor** contact = 11

5.72.1.4 optional uint32 id = 2

5.72.1.5 package gazebo msgs

5.72.1.6 required string parent = 3

5.72.1.7 required uint32 parent_id = 4

5.72.1.8 optional **Pose** pose = 8

5.72.1.9 import contactsensor proto

5.72.1.10 optional **RaySensor** ray = 10

5.72.1.11 message Sensor

Initial value:

```
{
  required string name = 1
```

5.72.1.12 optional string topic = 13

5.72.1.13 required string type = 5

5.72.1.14 optional double update_rate = 7

5.72.1.15 optional bool visualize = 12

5.73 server_control.proto File Reference

Variables

- package gazebo **msgs**
- optional bool **new_world** = 4
- optional string **open_filename** = 3
- import header **proto**
- optional string **save_filename** = 2
- message **ServerControl**
- optional bool **stop** = 5

5.73.1 Variable Documentation

5.73.1.1 package gazebo msgs

5.73.1.2 optional bool new_world = 4

5.73.1.3 optional string open_filename = 3

5.73.1.4 import header proto

5.73.1.5 optional string save_filename = 2

5.73.1.6 message ServerControl

Initial value:

```
{
  optional string save_world_name = 1
```

5.73.1.7 optional bool stop = 5

5.74 shadows.proto File Reference

Variables

- optional **Color color** = 6
- package gazebo **msgs**
- import **color proto**
- message **Shadows**

5.74.1 Variable Documentation

5.74.1.1 optional **Color color** = 6

5.74.1.2 package gazebo msgs

5.74.1.3 import color proto

5.74.1.4 message Shadows

Initial value:

```
{  
  enum ShadowType  
  {  
    STENCIL_ADDITIVE = 1;  
    STENCIL_MODULATIVE = 2;  
    TEXTURE_ADDITIVE = 3;  
    TEXTURE_MODULATIVE = 4;  
  }  
  optional ShadowType type = 5
```

5.75 sky.proto File Reference

Variables

- optional **Color cloud_ambient** = 6
- optional double **humidity** = 7
- optional double **mean_cloud_size** = 8
- package gazebo **msgs**
- import **color proto**
- message **Sky**
- optional double **sunrise** = 2
- optional double **sunset** = 3
- optional double **wind_direction** = 5
- optional double **wind_speed** = 4

5.75.1 Variable Documentation

5.75.1.1 optional **Color** `cloud_ambient` = 6

5.75.1.2 optional double `humidity` = 7

5.75.1.3 optional double `mean_cloud_size` = 8

5.75.1.4 package `gazebo_msgs`

5.75.1.5 import `color` proto

5.75.1.6 message `Sky`

Initial value:

```
{
  optional double time = 1
```

5.75.1.7 optional double `sunrise` = 2

5.75.1.8 optional double `sunset` = 3

5.75.1.9 optional double `wind_direction` = 5

5.75.1.10 optional double `wind_speed` = 4

5.76 sonar.proto File Reference

Variables

- optional **Vector3d** `contact` = 7
Location of the contact in the world frame.
- package gazebo **msgs**
- import **pose** proto
- required double **radius** = 5
- required double **range** = 6
- required double **range_max** = 4
- required double **range_min** = 3
- message **Sonar**
- required **Pose** `world_pose` = 2

5.76.1 Variable Documentation

5.76.1.1 optional **Vector3d** `contact` = 7

Location of the contact in the world frame.

5.76.1.2 package gazebo msgs

5.76.1.3 import vector3d proto

5.76.1.4 required double radius = 5

5.76.1.5 required double range = 6

5.76.1.6 required double range_max = 4

5.76.1.7 required double range_min = 3

5.76.1.8 message Sonar

Initial value:

```
{  
  required string frame      = 1
```

5.76.1.9 required Pose world_pose = 2

5.77 sonar_stamped.proto File Reference

Variables

- package gazebo **msgs**
- import **time proto**
- required **Sonar sonar** = 2
- message **SonarStamped**

5.77.1 Variable Documentation

5.77.1.1 package gazebo msgs

5.77.1.2 import sonar proto

5.77.1.3 required Sonar sonar = 2

5.77.1.4 message SonarStamped

Initial value:

```
{  
  required Time time        = 1
```

5.78 spheregeom.proto File Reference

Variables

- package gazebo **msgs**
- message **SphereGeom**

5.78.1 Variable Documentation

5.78.1.1 package gazebo msgs

5.78.1.2 message **SphereGeom**

Initial value:

```
{  
  required double radius = 1
```

5.79 subscribe.proto File Reference

Variables

- required string **host** = 2
- optional bool **latching** = 5 [default=false]
- required string **msg_type** = 4
- package gazebo **msgs**
- required uint32 **port** = 3
- message **Subscribe**

5.79.1 Variable Documentation

5.79.1.1 required string host = 2

5.79.1.2 optional bool latching = 5 [default=false]

5.79.1.3 required string msg_type = 4

5.79.1.4 package gazebo msgs

5.79.1.5 required uint32 port = 3

5.79.1.6 message **Subscribe**

Initial value:

```
{  
  required string topic = 1
```


5.80 surface.proto File Reference

Variables

- optional double **bounce_threshold** = 3
- optional bool **collide_without_contact** = 10
- optional uint32 **collide_without_contact_bitmask** = 11
- optional double **kd** = 7
- optional double **kp** = 6
- optional double **max_vel** = 8
- optional double **min_depth** = 9
- package gazebo **msgs**
- import **friction proto**
- optional double **restitution_coefficient** = 2
- optional double **soft_cfm** = 4
- optional double **soft_erp** = 5
- message **Surface**

5.80.1 Variable Documentation

5.80.1.1 optional double bounce_threshold = 3

5.80.1.2 optional bool collide_without_contact = 10

5.80.1.3 optional uint32 collide_without_contact_bitmask = 11

5.80.1.4 optional double kd = 7

5.80.1.5 optional double kp = 6

5.80.1.6 optional double max_vel = 8

5.80.1.7 optional double min_depth = 9

5.80.1.8 package gazebo msgs

5.80.1.9 import friction proto

5.80.1.10 optional double restitution_coefficient = 2

5.80.1.11 optional double soft_cfm = 4

5.80.1.12 optional double soft_erp = 5

5.80.1.13 message Surface

Initial value:

```
{
  optional Friction friction = 1
```

5.81 tactile.proto File Reference

Variables

- repeated uint32 **collision_id** = 2
- package gazebo **msgs**
- repeated double **pressure** = 3
- import **time proto**
- message **Tactile**
- required **Time time** = 4

5.81.1 Variable Documentation

5.81.1.1 repeated uint32 collision_id = 2

5.81.1.2 package gazebo msgs

5.81.1.3 repeated double pressure = 3

5.81.1.4 import time proto

5.81.1.5 message Tactile

Initial value:

```
{  
  repeated string collision_name = 1
```

5.81.1.6 required Time time = 4

5.82 test.proto File Reference

Variables

- package gazebo **msgs**
- import header **proto**
- message **Test**

5.82.1 Variable Documentation

5.82.1.1 package gazebo msgs

5.82.1.2 import header proto

5.82.1.3 message Test

Initial value:

```
{  
  required Header header = 1
```

5.83 time.proto File Reference

Variables

- package gazebo **msgs**
- required int32 **nsec** = 2
- message **Time**

5.83.1 Variable Documentation

5.83.1.1 package gazebo msgs

5.83.1.2 required int32 nsec = 2

5.83.1.3 message Time

Initial value:

```
{  
  required int32 sec = 1
```

5.84 topic_info.proto File Reference

Variables

- package gazebo **msgs**
- import publish **proto**
- repeated **Publish publisher** = 2
- repeated **Subscribe subscriber** = 3
- message **TopicInfo**

5.84.1 Variable Documentation

5.84.1.1 package gazebo msgs

5.84.1.2 import subscribe proto

5.84.1.3 repeated Publish publisher = 2

5.84.1.4 repeated Subscribe subscriber = 3

5.84.1.5 message TopicInfo

Initial value:

```
{  
  required string msg_type = 1
```

5.85 track_visual.proto File Reference

Variables

- optional uint32 **id** = 2
- optional bool **inherit_orientation** = 3
- optional double **max_dist** = 5
- optional double **min_dist** = 4
- package gazebo **msgs**
- message **TrackVisual**

5.85.1 Variable Documentation

5.85.1.1 optional uint32 id = 2

5.85.1.2 optional bool inherit_orientation = 3

5.85.1.3 optional double max_dist = 5

5.85.1.4 optional double min_dist = 4

5.85.1.5 package gazebo msgs

5.85.1.6 message TrackVisual

Initial value:

```
{
  required string name          = 1
```

5.86 vector2d.proto File Reference

Variables

- package gazebo **msgs**
- import header **proto**
- message **Vector2d**
- required double **y** = 2

5.86.1 Variable Documentation

5.86.1.1 package gazebo msgs

5.86.1.2 import header proto

5.86.1.3 message Vector2d

Initial value:

```
{
  required double x = 1
```

5.86.1.4 required double `y` = 2

5.87 vector3d.proto File Reference

Variables

- package gazebo **msgs**
- import header **proto**
- message **Vector3d**
- required double `y` = 3
- required double `z` = 4

5.87.1 Variable Documentation

5.87.1.1 package gazebo msgs

5.87.1.2 import header proto

5.87.1.3 message Vector3d

Initial value:

```
{
  required double x = 2
```

5.87.1.4 required double `y` = 3

5.87.1.5 required double `z` = 4

5.88 visual.proto File Reference

Variables

- optional bool `cast_shadows` = 5
- optional bool `delete_me` = 12
- optional **Geometry** `geometry` = 9
- optional uint32 `id` = 2
- optional bool `is_static` = 13
- optional double `laser_retro` = 7
- optional **Material** `material` = 10
- package gazebo **msgs**
- optional uint32 `parent_id` = 4
- required string `parent_name` = 3
- optional **Plugin** `plugin` = 14
- optional **Pose** `pose` = 8
- import **pose** **proto**
- optional **Vector3d** `scale` = 15
- optional double `transparency` = 6
- optional bool `visible` = 11
- message **Visual**

5.88.1 Variable Documentation

- 5.88.1.1 optional bool `cast_shadows` = 5
- 5.88.1.2 optional bool `delete_me` = 12
- 5.88.1.3 optional **Geometry** `geometry` = 9
- 5.88.1.4 optional uint32 `id` = 2
- 5.88.1.5 optional bool `is_static` = 13
- 5.88.1.6 optional double `laser_retro` = 7
- 5.88.1.7 optional **Material** `material` = 10
- 5.88.1.8 package `gazebo_msgs`
- 5.88.1.9 optional uint32 `parent_id` = 4
- 5.88.1.10 required string `parent_name` = 3
- 5.88.1.11 optional **Plugin** `plugin` = 14
- 5.88.1.12 optional **Pose** `pose` = 8
- 5.88.1.13 import `vector3d` proto
- 5.88.1.14 optional **Vector3d** `scale` = 15
- 5.88.1.15 optional double `transparency` = 6
- 5.88.1.16 optional bool `visible` = 11
- 5.88.1.17 message **Visual**

Initial value:

```
{
  required string name          = 1
```

5.89 wireless_node.proto File Reference

Variables

- required double **frequency** = 2
- package gazebo **msgs**
- required double **signal_level** = 3
- message **WirelessNode**

5.89.1 Variable Documentation

5.89.1.1 required double frequency = 2

5.89.1.2 package gazebo msgs

5.89.1.3 required double signal_level = 3

5.89.1.4 message WirelessNode

Initial value:

```
{
  required string ssid          = 1
```

5.90 wireless_nodes.proto File Reference

Variables

- package gazebo **msgs**
- import wireless_node **proto**
- message **WirelessNodes**

5.90.1 Variable Documentation

5.90.1.1 package gazebo msgs

5.90.1.2 import wireless_node proto

5.90.1.3 message WirelessNodes

Initial value:

```
{
  repeated WirelessNode node = 1
```

5.91 world_control.proto File Reference

Variables

- package gazebo **msgs**
- optional uint32 **multi_step** = 3
- import world_reset **proto**
- optional **WorldReset reset** = 4
- optional uint32 **seed** = 5
- optional bool **step** = 2
- message **WorldControl**

5.91.1 Variable Documentation

5.91.1.1 package gazebo msgs

5.91.1.2 optional uint32 multi_step = 3

5.91.1.3 import world_reset proto

5.91.1.4 optional WorldReset reset = 4

5.91.1.5 optional uint32 seed = 5

5.91.1.6 optional bool step = 2

5.91.1.7 message WorldControl

Initial value:

```
{  
  optional bool pause = 1
```

5.92 world_modify.proto File Reference

Variables

- optional bool **create** = 3
- package gazebo **msgs**
- optional bool **remove** = 2
- message **WorldModify**

5.92.1 Variable Documentation

5.92.1.1 optional bool create = 3

5.92.1.2 package gazebo msgs

5.92.1.3 optional bool remove = 2

5.92.1.4 message WorldModify

Initial value:

```
{  
  required string world_name = 1
```

5.93 world_reset.proto File Reference

Variables

- optional bool **model_only** = 3[default = false]

- package gazebo **msgs**
- import header **proto**
- optional bool **time_only** = 2[default = false]
- message **WorldReset**

5.93.1 Variable Documentation

5.93.1.1 optional bool model_only = 3[default = false]

5.93.1.2 package gazebo msgs

5.93.1.3 import header proto

5.93.1.4 optional bool time_only = 2[default = false]

5.93.1.5 message WorldReset

Initial value:

```
{
  optional bool all           = 1[default = true]
```

5.94 world_stats.proto File Reference

Variables

- required uint64 **iterations** = 6
- optional int32 **model_count** = 7
- package gazebo **msgs**
- required **Time** **pause_time** = 3
- required bool **paused** = 5
- import header **proto**
- required **Time** **real_time** = 4
- message **WorldStatistics**

5.94.1 Variable Documentation

5.94.1.1 required uint64 iterations = 6

5.94.1.2 optional int32 model_count = 7

5.94.1.3 package gazebo msgs

5.94.1.4 required **Time** pause_time = 3

5.94.1.5 required bool paused = 5

5.94.1.6 import time proto

5.94.1.7 required Time real_time = 4

5.94.1.8 message WorldStatistics

Initial value:

```
{  
  required Time sim_time = 2
```

5.95 wrench.proto File Reference

Variables

- package gazebo **msgs**
- import vector3d **proto**
- required **Vector3d torque** = 2
- message **Wrench**

5.95.1 Variable Documentation

5.95.1.1 package gazebo msgs

5.95.1.2 import vector3d proto

5.95.1.3 required Vector3d torque = 2

5.95.1.4 message Wrench

Initial value:

```
{  
  required Vector3d force = 1
```

5.96 wrench_stamped.proto File Reference

Variables

- package gazebo **msgs**
- import **time proto**
- required **Wrench wrench** = 2
- message **WrenchStamped**

5.96.1 Variable Documentation

5.96.1.1 package gazebo msgs

5.96.1.2 import wrench proto

5.96.1.3 required Wrench wrench = 2

5.96.1.4 message WrenchStamped

Initial value:

```
{  
  required Time time      = 1
```

Index

a

- color.proto, 40
- altitude
 - gps.proto, 47
- always_on
 - sensor.proto, 85
- ambient
 - material.proto, 66
 - scene.proto, 84
- angle
 - joint.proto, 56
- angle_max
 - laserscan.proto, 60
- angle_min
 - laserscan.proto, 60
- angle_step
 - laserscan.proto, 60
- angular_velocity
 - imu.proto, 54
 - link_data.proto, 64
- attenuation_constant
 - light.proto, 62
- attenuation_linear
 - light.proto, 62
- attenuation_quadratic
 - light.proto, 62
- Axis, 11
 - axis.proto, 37
- axis
 - joint_cmd.proto, 58
- axis.proto, 37
 - Axis, 37
 - damping, 37
 - friction, 37
 - limit_effort, 37
 - limit_lower, 37
 - limit_upper, 37
 - limit_velocity, 37
 - msgs, 37
 - proto, 38
- axis1
 - joint.proto, 56
- axis2
 - joint.proto, 56

b

- color.proto, 40
- background
 - scene.proto, 84
- base_path
 - log_control.proto, 65
- Blend
 - heightmapgeom.proto, 50
- blend
 - heightmapgeom.proto, 50
- body_1_id
 - joint_wrench.proto, 59
- body_1_wrench
 - joint_wrench.proto, 59
- body_2_id
 - joint_wrench.proto, 59
- body_2_name
 - joint_wrench.proto, 59
- body_2_wrench
 - joint_wrench.proto, 59
- bounce
 - joint.proto, 56
- bounce_threshold
 - surface.proto, 91
- box
 - geometry.proto, 46
- BoxGeom, 11
 - boxgeom.proto, 38
- boxgeom.proto, 38
 - BoxGeom, 38
 - msgs, 38
 - proto, 38
- camera
 - gui.proto, 47
 - sensor.proto, 85
- CameraSensor, 11
 - camerasensor.proto, 38
- camerasensor.proto, 38
 - CameraSensor, 38
 - far_clip, 38
 - image_format, 39
 - image_size, 39
 - msgs, 39
 - near_clip, 39
 - proto, 39
 - save_enabled, 39

- save_path, 39
- cast_shadows
 - light.proto, 62
 - visual.proto, 96
- center_submesh
 - meshgeom.proto, 67
- cfm
 - joint.proto, 56
 - physics.proto, 71
- child
 - joint.proto, 56
- child_id
 - joint.proto, 56
- clone_model_name
 - factory.proto, 43
- cloud_ambient
 - sky.proto, 88
- collide_without_contact
 - surface.proto, 91
- collide_without_contact_bitmask
 - surface.proto, 91
- Collision, 12
 - collision.proto, 39
- collision
 - link.proto, 63
- collision.proto, 39
 - Collision, 39
 - geometry, 39
 - laser_retro, 39
 - max_contacts, 39
 - msgs, 39
 - name, 39
 - pose, 39
 - proto, 40
 - surface, 40
 - visual, 40
- collision2
 - contact.proto, 41
- collision_id
 - tactile.proto, 92
- Color, 12
 - color.proto, 40
- color
 - fog.proto, 44
 - shadows.proto, 87
- color.proto, 40
 - a, 40
 - b, 40
 - Color, 40
 - g, 40
 - msgs, 40
- Contact, 12
 - contact.proto, 41
- contact
 - sensor.proto, 85
 - sonar.proto, 88
- contact.proto, 40
 - collision2, 41
 - Contact, 41
 - depth, 41
 - msgs, 41
 - normal, 41
 - position, 41
 - proto, 41
 - time, 41
 - world, 41
 - wrench, 41
- contact_max_correcting_vel
 - physics.proto, 71
- contact_surface_layer
 - physics.proto, 71
- ContactSensor, 13
 - contactsensor.proto, 42
- Contacts, 12
 - contacts.proto, 41
- contacts.proto, 41
 - Contacts, 41
 - msgs, 41
 - proto, 41
 - time, 41
- contactsensor.proto, 42
 - ContactSensor, 42
 - msgs, 42
- create
 - world_modify.proto, 98
- cylinder
 - geometry.proto, 46
- CylinderGeom, 13
 - cylindergeom.proto, 42
- cylindergeom.proto, 42
 - CylinderGeom, 42
 - length, 42
 - msgs, 42
- d
 - planegeom.proto, 73
- d_gain
 - pid.proto, 72
- DIRECTIONAL
 - light.proto, 62
- damping
 - axis.proto, 37
- data
 - image.proto, 52
 - request.proto, 82
- dbl_data
 - request.proto, 82
- delete_me

- visual.proto, 96
- deleted
 - model.proto, 68
- density
 - fog.proto, 44
- depth
 - contact.proto, 41
- Diagnostics, 13
 - diagnostics.proto, 43
- diagnostics.proto, 42
 - Diagnostics, 43
 - msgs, 43
 - proto, 43
 - real_time, 43
 - real_time_factor, 43
 - sim_time, 43
- diffuse
 - light.proto, 62
 - material.proto, 66
- direction
 - light.proto, 62
- edit_name
 - factory.proto, 43
- emissive
 - material.proto, 66
- enable_physics
 - physics.proto, 71
- enabled
 - link.proto, 63
 - projector.proto, 78
- encoding
 - log_control.proto, 65
- end
 - fog.proto, 44
- entity_name
 - imu.proto, 54
- erp
 - physics.proto, 71
- Factory, 14
 - factory.proto, 43
- factory.proto, 43
 - clone_model_name, 43
 - edit_name, 43
 - Factory, 43
 - msgs, 44
 - pose, 44
 - proto, 44
 - sdf_filename, 44
- fade_dist
 - heightmapgeom.proto, 51
- far_clip
 - camerasensor.proto, 38
 - projector.proto, 78
- fdir1
 - friction.proto, 45
- filename
 - plugin.proto, 73
- Fog, 14
 - fog.proto, 44
- fog
 - scene.proto, 84
- fog.proto, 44
 - color, 44
 - density, 44
 - end, 44
 - Fog, 44
 - msgs, 44
 - proto, 44
 - start, 44
- force
 - joint_cmd.proto, 58
- ForceTorque, 14
 - joint_wrench_stamped.proto, 60
- fov
 - projector.proto, 78
- frequency
 - wireless_node.proto, 97
- Friction, 14
 - friction.proto, 45
- friction
 - axis.proto, 37
- friction.proto, 45
 - fdir1, 45
 - Friction, 45
 - msgs, 45
 - mu2, 45
 - proto, 45
 - slip1, 45
 - slip2, 45
- fudge_factor
 - joint.proto, 56
- g
 - color.proto, 40
- GPS, 15
 - gps.proto, 47
- GUI, 15
 - gui.proto, 47
- GUICamera, 15
 - gui_camera.proto, 48
- GUIOverlayConfig, 16
 - gui_overlay_config.proto, 48
- Geometry, 15
 - geometry.proto, 46
- geometry
 - collision.proto, 39
 - visual.proto, 96

- geometry.proto, 45
 - box, 46
 - cylinder, 46
 - Geometry, 46
 - heightmap, 46
 - image, 46
 - mesh, 46
 - msgs, 46
 - plane, 46
 - points, 46
 - proto, 46
 - sphere, 46
- gps.proto, 46
 - altitude, 47
 - GPS, 47
 - latitude_deg, 47
 - link_name, 47
 - longitude_deg, 47
 - msgs, 47
 - proto, 47
 - velocity_east, 47
 - velocity_north, 47
 - velocity_up, 47
- granularity
 - imagegeom.proto, 53
- gravity
 - link.proto, 63
 - physics.proto, 71
- grid
 - scene.proto, 84
- gui.proto, 47
 - camera, 47
 - GUI, 47
 - msgs, 47
 - proto, 48
- gui_camera.proto, 48
 - GUICamera, 48
 - msgs, 48
 - pose, 48
 - proto, 48
 - track, 48
 - view_controller, 48
- gui_overlay_config.proto, 48
 - GUIOverlayConfig, 48
 - msgs, 48
- gz_string.proto, 49
 - GzString, 49
 - msgs, 49
- gz_string_v.proto, 49
 - GzString_V, 49
 - msgs, 49
- GzString, 16
 - gz_string.proto, 49
- GzString_V, 16
 - gz_string_v.proto, 49
- Header, 16
 - header.proto, 50
- header.proto, 49
 - Header, 50
 - index, 50
 - msgs, 50
 - proto, 50
 - stamp, 50
- height
 - heightmapgeom.proto, 51
 - image.proto, 52
 - imagegeom.proto, 53
- heightmap
 - geometry.proto, 46
- HeightmapGeom, 17
 - heightmapgeom.proto, 51
- heightmapgeom.proto, 50
 - Blend, 50
 - blend, 50
 - fade_dist, 51
 - height, 51
 - HeightmapGeom, 51
 - heights, 51
 - msgs, 51
 - normal, 51
 - origin, 51
 - proto, 51
 - size, 51
 - Texture, 51
 - texture, 51
 - use_terrain_paging, 51
 - width, 51
- heights
 - heightmapgeom.proto, 51
- horizontal_max_angle
 - raysensor.proto, 81
- horizontal_min_angle
 - raysensor.proto, 81
- horizontal_resolution
 - raysensor.proto, 81
- horizontal_samples
 - raysensor.proto, 81
- host
 - publish.proto, 79
 - subscribe.proto, 90
- humidity
 - sky.proto, 88
- i_gain
 - pid.proto, 72
- i_max
 - pid.proto, 72
- i_min

- pid.proto, 72
- IMU, 18
 - imu.proto, 54
- id
 - joint.proto, 56
 - model.proto, 68
 - pose.proto, 74
 - pose_trajectory.proto, 76
 - sensor.proto, 85
 - track_visual.proto, 94
 - visual.proto, 96
- Image, 17
 - image.proto, 52
- image
 - geometry.proto, 46
 - image_stamped.proto, 52
 - images_stamped.proto, 53
- image.proto, 51
 - data, 52
 - height, 52
 - Image, 52
 - msgs, 52
 - pixel_format, 52
 - step, 52
- image_format
 - camerasensor.proto, 39
- image_size
 - camerasensor.proto, 39
- image_stamped.proto, 52
 - image, 52
 - ImageStamped, 52
 - msgs, 52
 - proto, 52
- ImageGeom, 17
 - imagegeom.proto, 53
- ImageStamped, 18
 - image_stamped.proto, 52
- imagegeom.proto, 52
 - granularity, 53
 - height, 53
 - ImageGeom, 53
 - msgs, 53
 - scale, 53
 - threshold, 53
- images_stamped.proto, 53
 - image, 53
 - ImagesStamped, 53
 - msgs, 53
 - proto, 54
- ImagesStamped, 17
 - images_stamped.proto, 53
- imu.proto, 54
 - angular_velocity, 54
 - entity_name, 54
 - IMU, 54
 - linear_acceleration, 54
 - msgs, 54
 - orientation, 54
 - proto, 54
- index
 - header.proto, 50
- Inertial, 18
 - inertial.proto, 55
- inertial
 - link.proto, 63
- inertial.proto, 54
 - Inertial, 55
 - ixx, 55
 - ixy, 55
 - ixz, 55
 - iyy, 55
 - iyz, 55
 - izz, 55
 - msgs, 55
 - pose, 55
 - proto, 55
- inherit_orientation
 - track_visual.proto, 94
- innerxml
 - plugin.proto, 73
- Int, 18
 - int.proto, 55
- int.proto, 55
 - Int, 55
 - msgs, 55
- intensities
 - laserscan.proto, 60
- is_static
 - model.proto, 68
 - visual.proto, 96
- iterations
 - world_stats.proto, 99
- iters
 - physics.proto, 71
- ixx
 - inertial.proto, 55
- ixy
 - inertial.proto, 55
- ixz
 - inertial.proto, 55
- iyy
 - inertial.proto, 55
- iyz
 - inertial.proto, 55
- izz
 - inertial.proto, 55
- Joint, 19

- joint.proto, 56
- joint
 - joint_animation.proto, 57
 - model.proto, 68
 - scene.proto, 84
- joint.proto, 56
 - angle, 56
 - axis1, 56
 - axis2, 56
 - bounce, 56
 - cfm, 56
 - child, 56
 - child_id, 56
 - fudge_factor, 56
 - id, 56
 - Joint, 56
 - limit_cfm, 57
 - limit_erp, 57
 - msgs, 57
 - parent, 57
 - parent_id, 57
 - pose, 57
 - proto, 57
 - sensor, 57
 - suspension_cfm, 57
 - suspension_erp, 57
 - type, 57
 - velocity, 57
- joint_animation.proto, 57
 - joint, 57
 - JointAnimation, 58
 - msgs, 58
 - proto, 58
 - time, 58
- joint_cmd.proto, 58
 - axis, 58
 - force, 58
 - JointCmd, 58
 - msgs, 58
 - position, 59
 - proto, 59
 - reset, 59
 - velocity, 59
- joint_names
 - model_configuration.proto, 69
- joint_positions
 - model_configuration.proto, 69
- joint_wrench.proto, 59
 - body_1_id, 59
 - body_1_wrench, 59
 - body_2_id, 59
 - body_2_name, 59
 - body_2_wrench, 59
 - JointWrench, 59
 - msgs, 59
 - proto, 59
- joint_wrench_stamped.proto, 59
 - ForceTorque, 60
 - msgs, 60
 - proto, 60
 - time, 60
- JointAnimation, 19
 - joint_animation.proto, 58
- JointCmd, 19
 - joint_cmd.proto, 58
- JointWrench, 19
 - joint_wrench.proto, 59
- kd
 - surface.proto, 91
- kinematic
 - link.proto, 63
- kp
 - surface.proto, 91
- laser_retro
 - collision.proto, 39
 - visual.proto, 96
- LaserScan, 20
 - laserscan.proto, 60
- LaserScanStamped, 20
 - laserscan_stamped.proto, 61
- laserscan.proto, 60
 - angle_max, 60
 - angle_min, 60
 - angle_step, 60
 - intensities, 60
 - LaserScan, 60
 - msgs, 61
 - proto, 61
 - range_max, 61
 - range_min, 61
 - ranges, 61
 - world_pose, 61
- laserscan_stamped.proto, 61
 - LaserScanStamped, 61
 - msgs, 61
 - proto, 61
 - scan, 61
- latching
 - subscribe.proto, 90
- latitude_deg
 - gps.proto, 47
- length
 - cylindergeom.proto, 42
- Light, 20
 - light.proto, 62
- light
 - scene.proto, 84

- light.proto, 61
 - attenuation_constant, 62
 - attenuation_linear, 62
 - attenuation_quadratic, 62
 - cast_shadows, 62
 - DIRECTIONAL, 62
 - diffuse, 62
 - direction, 62
 - Light, 62
 - LightType, 62
 - msgs, 62
 - pose, 63
 - proto, 63
 - range, 63
 - specular, 63
 - spot_falloff, 63
 - spot_inner_angle, 63
 - spot_outer_angle, 63
 - type, 63
- LightType
 - light.proto, 62
- limit
 - pid.proto, 72
- limit_cfm
 - joint.proto, 57
- limit_effort
 - axis.proto, 37
- limit_erp
 - joint.proto, 57
- limit_lower
 - axis.proto, 37
- limit_upper
 - axis.proto, 37
- limit_velocity
 - axis.proto, 37
- linear_acceleration
 - imu.proto, 54
- linear_velocity
 - link_data.proto, 64
- Link, 20
 - link.proto, 63
- link
 - model.proto, 68
- link.proto, 63
 - collision, 63
 - enabled, 63
 - gravity, 63
 - inertial, 63
 - kinematic, 63
 - Link, 63
 - msgs, 64
 - name, 64
 - pose, 64
 - projector, 64
 - proto, 64
 - self_collide, 64
 - sensor, 64
 - visual, 64
- link_data.proto, 64
 - angular_velocity, 64
 - linear_velocity, 64
 - LinkData, 64
 - msgs, 64
 - name, 65
 - proto, 65
- link_name
 - gps.proto, 47
 - model_configuration.proto, 69
- LinkData, 21
 - link_data.proto, 64
- log_control.proto, 65
 - base_path, 65
 - encoding, 65
 - LogControl, 65
 - msgs, 65
 - paused, 65
 - stop, 65
- log_file
 - log_status.proto, 66
- log_status.proto, 65
 - log_file, 66
 - LogStatus, 66
 - msgs, 66
 - proto, 66
- LogControl, 21
 - log_control.proto, 65
- LogStatus, 21
 - log_status.proto, 66
- longitude_deg
 - gps.proto, 47
- mainpage_msgs.html, 66
- Material, 21
 - material.proto, 66
- material
 - visual.proto, 96
- material.proto, 66
 - ambient, 66
 - diffuse, 66
 - emissive, 66
 - Material, 66
 - msgs, 67
 - normal_map, 67
 - proto, 67
 - shader_type, 67
 - specular, 67
- max_contacts
 - collision.proto, 39

- max_dist
 - track_visual.proto, 94
- max_step_size
 - physics.proto, 71
- max_vel
 - surface.proto, 91
- mean_cloud_size
 - sky.proto, 88
- mesh
 - geometry.proto, 46
- MeshGeom, 22
 - meshgeom.proto, 67
- meshgeom.proto, 67
 - center_submesh, 67
 - MeshGeom, 67
 - msgs, 67
 - proto, 68
 - scale, 68
 - submesh, 68
- min_depth
 - surface.proto, 91
- min_dist
 - track_visual.proto, 94
- min_step_size
 - physics.proto, 71
- Model, 22
 - model.proto, 68
- model
 - scene.proto, 84
- model.proto, 68
 - deleted, 68
 - id, 68
 - is_static, 68
 - joint, 68
 - link, 68
 - Model, 68
 - msgs, 68
 - pose, 68
 - proto, 68
 - scale, 68
 - visual, 69
- Model_V, 22
 - model_v.proto, 70
- model_configuration.proto, 69
 - joint_names, 69
 - joint_positions, 69
 - link_name, 69
 - ModelConfiguration, 69
 - msgs, 69
 - pose, 69
 - proto, 69
- model_count
 - world_stats.proto, 99
- model_id
 - pose_animation.proto, 75
- model_only
 - world_reset.proto, 99
- model_v.proto, 69
 - Model_V, 70
 - msgs, 70
 - proto, 70
- ModelConfiguration, 22
 - model_configuration.proto, 69
- msg_type
 - publish.proto, 79
 - subscribe.proto, 90
- msgs
 - axis.proto, 37
 - boxgeom.proto, 38
 - camerasensor.proto, 39
 - collision.proto, 39
 - color.proto, 40
 - contact.proto, 41
 - contacts.proto, 41
 - contactsensor.proto, 42
 - cylindergeom.proto, 42
 - diagnostics.proto, 43
 - factory.proto, 44
 - fog.proto, 44
 - friction.proto, 45
 - geometry.proto, 46
 - gps.proto, 47
 - gui.proto, 47
 - gui_camera.proto, 48
 - gui_overlay_config.proto, 48
 - gz_string.proto, 49
 - gz_string_v.proto, 49
 - header.proto, 50
 - heightmapgeom.proto, 51
 - image.proto, 52
 - image_stamped.proto, 52
 - imagegeom.proto, 53
 - images_stamped.proto, 53
 - imu.proto, 54
 - inertial.proto, 55
 - int.proto, 55
 - joint.proto, 57
 - joint_animation.proto, 58
 - joint_cmd.proto, 58
 - joint_wrench.proto, 59
 - joint_wrench_stamped.proto, 60
 - laserscan.proto, 61
 - laserscan_stamped.proto, 61
 - light.proto, 62
 - link.proto, 64
 - link_data.proto, 64
 - log_control.proto, 65
 - log_status.proto, 66

- material.proto, 67
- meshgeom.proto, 67
- model.proto, 68
- model_configuration.proto, 69
- model_v.proto, 70
- packet.proto, 70
- physics.proto, 71
- pid.proto, 72
- planegeom.proto, 73
- plugin.proto, 73
- pointcloud.proto, 74
- pose.proto, 74
- pose_animation.proto, 75
- pose_stamped.proto, 75
- pose_trajectory.proto, 76
- pose_v.proto, 77
- poses_stamped.proto, 77
- projector.proto, 78
- propagation_grid.proto, 78
- propagation_particle.proto, 79
- publish.proto, 79
- publishers.proto, 80
- quaternion.proto, 80
- raysensor.proto, 81
- request.proto, 82
- response.proto, 82
- road.proto, 83
- scene.proto, 84
- selection.proto, 84
- sensor.proto, 85
- server_control.proto, 86
- shadows.proto, 87
- sky.proto, 88
- sonar.proto, 88
- sonar_stamped.proto, 89
- spheregeom.proto, 90
- subscribe.proto, 90
- surface.proto, 91
- tactile.proto, 92
- test.proto, 92
- time.proto, 93
- topic_info.proto, 93
- track_visual.proto, 94
- vector2d.proto, 94
- vector3d.proto, 95
- visual.proto, 96
- wireless_node.proto, 97
- wireless_nodes.proto, 97
- world_control.proto, 98
- world_modify.proto, 98
- world_reset.proto, 99
- world_stats.proto, 99
- wrench.proto, 100
- wrench_stamped.proto, 100
- mu2
 - friction.proto, 45
- multi_step
 - world_control.proto, 98
- name
 - collision.proto, 39
 - link.proto, 64
 - link_data.proto, 65
 - selection.proto, 84
- near_clip
 - camerasensor.proto, 39
 - projector.proto, 78
- new_world
 - server_control.proto, 86
- normal
 - contact.proto, 41
 - heightmapgeom.proto, 51
- normal_map
 - material.proto, 67
- nsec
 - time.proto, 93
- open_filename
 - server_control.proto, 86
- orientation
 - imu.proto, 54
 - pose.proto, 74
- origin
 - heightmapgeom.proto, 51
- p_gain
 - pid.proto, 72
- PID, 23
 - pid.proto, 72
- Packet, 23
 - packet.proto, 70
- packet.proto, 70
 - msgs, 70
 - Packet, 70
 - proto, 70
 - serialized_data, 70
 - type, 70
- parent
 - joint.proto, 57
 - sensor.proto, 85
- parent_id
 - joint.proto, 57
 - sensor.proto, 85
 - visual.proto, 96
- parent_name
 - visual.proto, 96
- pause_time
 - world_stats.proto, 99
- paused

- log_control.proto, 65
- world_stats.proto, 99
- Physics, 23
 - physics.proto, 71
- physics.proto, 70
 - cfm, 71
 - contact_max_correcting_vel, 71
 - contact_surface_layer, 71
 - enable_physics, 71
 - erp, 71
 - gravity, 71
 - iters, 71
 - max_step_size, 71
 - min_step_size, 71
 - msgs, 71
 - Physics, 71
 - precon_iters, 71
 - proto, 72
 - real_time_factor, 72
 - real_time_update_rate, 72
 - solver_type, 72
 - sor, 72
- pid.proto, 72
 - d_gain, 72
 - i_gain, 72
 - i_max, 72
 - i_min, 72
 - limit, 72
 - msgs, 72
 - p_gain, 72
 - PID, 72
- pixel_format
 - image.proto, 52
- plane
 - geometry.proto, 46
- PlaneGeom, 23
 - planegeom.proto, 73
- planegeom.proto, 73
 - d, 73
 - msgs, 73
 - PlaneGeom, 73
 - proto, 73
 - size, 73
- Plugin, 24
 - plugin.proto, 73
- plugin
 - visual.proto, 96
- plugin.proto, 73
 - filename, 73
 - innerxml, 73
 - msgs, 73
 - Plugin, 73
- point
 - road.proto, 83
- PointCloud, 24
 - pointcloud.proto, 74
- pointcloud.proto, 74
 - msgs, 74
 - PointCloud, 74
 - proto, 74
- points
 - geometry.proto, 46
- port
 - publish.proto, 79
 - subscribe.proto, 90
- Pose, 24
 - pose.proto, 74
- pose
 - collision.proto, 39
 - factory.proto, 44
 - gui_camera.proto, 48
 - inertial.proto, 55
 - joint.proto, 57
 - light.proto, 63
 - link.proto, 64
 - model.proto, 68
 - model_configuration.proto, 69
 - pose_animation.proto, 75
 - pose_stamped.proto, 75
 - poses_stamped.proto, 77
 - projector.proto, 78
 - sensor.proto, 85
 - visual.proto, 96
- pose.proto, 74
 - id, 74
 - msgs, 74
 - orientation, 74
 - Pose, 74
 - position, 74
 - proto, 75
- Pose_V, 24
 - pose_v.proto, 77
- pose_animation.proto, 75
 - model_id, 75
 - msgs, 75
 - pose, 75
 - PoseAnimation, 75
 - proto, 75
 - time, 75
- pose_stamped
 - pose_trajectory.proto, 76
- pose_stamped.proto, 75
 - msgs, 75
 - pose, 75
 - PoseStamped, 75
 - proto, 76
- pose_trajectory.proto, 76
 - id, 76

- msgs, 76
- pose_stamped, 76
- PoseTrajectory, 76
- proto, 76
- pose_v.proto, 76
 - msgs, 77
 - Pose_V, 77
 - proto, 77
- PoseAnimation, 25
 - pose_animation.proto, 75
- PoseStamped, 25
 - pose_stamped.proto, 75
- PoseTrajectory, 25
 - pose_trajectory.proto, 76
- poses_stamped.proto, 77
 - msgs, 77
 - pose, 77
 - PosesStamped, 77
 - proto, 77
- PosesStamped, 25
 - poses_stamped.proto, 77
- position
 - contact.proto, 41
 - joint_cmd.proto, 59
 - pose.proto, 74
- precon_iters
 - physics.proto, 71
- pressure
 - tactile.proto, 92
- Projector, 26
 - projector.proto, 78
- projector
 - link.proto, 64
- projector.proto, 77
 - enabled, 78
 - far_clip, 78
 - fov, 78
 - msgs, 78
 - near_clip, 78
 - pose, 78
 - Projector, 78
 - proto, 78
 - texture, 78
- propagation_grid.proto, 78
 - msgs, 78
 - PropagationGrid, 78
 - proto, 78
- propagation_particle.proto, 78
 - msgs, 79
 - PropagationParticle, 79
 - signal_level, 79
 - y, 79
- PropagationGrid, 26
 - propagation_grid.proto, 78
- PropagationParticle, 26
 - propagation_particle.proto, 79
- proto
 - axis.proto, 38
 - boxgeom.proto, 38
 - camerasensor.proto, 39
 - collision.proto, 40
 - contact.proto, 41
 - contacts.proto, 41
 - diagnostics.proto, 43
 - factory.proto, 44
 - fog.proto, 44
 - friction.proto, 45
 - geometry.proto, 46
 - gps.proto, 47
 - gui.proto, 48
 - gui_camera.proto, 48
 - header.proto, 50
 - heightmapgeom.proto, 51
 - image_stamped.proto, 52
 - images_stamped.proto, 54
 - imu.proto, 54
 - inertial.proto, 55
 - joint.proto, 57
 - joint_animation.proto, 58
 - joint_cmd.proto, 59
 - joint_wrench.proto, 59
 - joint_wrench_stamped.proto, 60
 - laserscan.proto, 61
 - laserscan_stamped.proto, 61
 - light.proto, 63
 - link.proto, 64
 - link_data.proto, 65
 - log_status.proto, 66
 - material.proto, 67
 - meshgeom.proto, 68
 - model.proto, 68
 - model_configuration.proto, 69
 - model_v.proto, 70
 - packet.proto, 70
 - physics.proto, 72
 - planegeom.proto, 73
 - pointcloud.proto, 74
 - pose.proto, 75
 - pose_animation.proto, 75
 - pose_stamped.proto, 76
 - pose_trajectory.proto, 76
 - pose_v.proto, 77
 - poses_stamped.proto, 77
 - projector.proto, 78
 - propagation_grid.proto, 78
 - publishers.proto, 80
 - road.proto, 83
 - scene.proto, 84

- selection.proto, 84
- sensor.proto, 85
- server_control.proto, 86
- shadows.proto, 87
- sky.proto, 88
- sonar.proto, 89
- sonar_stamped.proto, 89
- surface.proto, 91
- tactile.proto, 92
- test.proto, 92
- topic_info.proto, 93
- vector2d.proto, 94
- vector3d.proto, 95
- visual.proto, 96
- wireless_nodes.proto, 97
- world_control.proto, 98
- world_reset.proto, 99
- world_stats.proto, 99
- wrench.proto, 100
- wrench_stamped.proto, 100
- Publish, 26
 - publish.proto, 79
- publish.proto, 79
 - host, 79
 - msg_type, 79
 - msgs, 79
 - port, 79
 - Publish, 79
- publisher
 - topic_info.proto, 93
- Publishers, 27
 - publishers.proto, 80
- publishers.proto, 80
 - msgs, 80
 - proto, 80
 - Publishers, 80
- Quaternion, 27
 - quaternion.proto, 80
- quaternion.proto, 80
 - msgs, 80
 - Quaternion, 80
 - w, 80
 - y, 80
 - z, 80
- radius
 - sonar.proto, 89
- range
 - light.proto, 63
 - sonar.proto, 89
- range_max
 - laserscan.proto, 61
 - raysensor.proto, 81
 - sonar.proto, 89
- range_min
 - laserscan.proto, 61
 - raysensor.proto, 81
 - sonar.proto, 89
- range_resolution
 - raysensor.proto, 81
- ranges
 - laserscan.proto, 61
- ray
 - sensor.proto, 85
- RaySensor, 27
 - raysensor.proto, 81
- raysensor.proto, 81
 - horizontal_max_angle, 81
 - horizontal_min_angle, 81
 - horizontal_resolution, 81
 - horizontal_samples, 81
 - msgs, 81
 - range_max, 81
 - range_min, 81
 - range_resolution, 81
 - RaySensor, 81
 - vertical_max_angle, 81
 - vertical_min_angle, 81
 - vertical_resolution, 81
 - vertical_samples, 81
- real_time
 - diagnostics.proto, 43
 - world_stats.proto, 99
- real_time_factor
 - diagnostics.proto, 43
 - physics.proto, 72
- real_time_update_rate
 - physics.proto, 72
- remove
 - world_modify.proto, 98
- Request, 27
 - request.proto, 82
- request
 - request.proto, 82
 - response.proto, 82
- request.proto, 82
 - data, 82
 - dbl_data, 82
 - msgs, 82
 - Request, 82
 - request, 82
- reset
 - joint_cmd.proto, 59
 - world_control.proto, 98
- Response, 28
 - response.proto, 82
- response
 - response.proto, 82

- response.proto, 82
 - msgs, 82
 - request, 82
 - Response, 82
 - response, 82
 - serialized_data, 83
 - type, 83
- restitution_coefficient
 - surface.proto, 91
- Road, 28
 - road.proto, 83
- road.proto, 83
 - msgs, 83
 - point, 83
 - proto, 83
 - Road, 83
 - width, 83
- save_enabled
 - camerasensor.proto, 39
- save_filename
 - server_control.proto, 86
- save_path
 - camerasensor.proto, 39
- scale
 - imagegeom.proto, 53
 - meshgeom.proto, 68
 - model.proto, 68
 - visual.proto, 96
- scan
 - laserscan_stamped.proto, 61
- Scene, 28
 - scene.proto, 84
- scene.proto, 83
 - ambient, 84
 - background, 84
 - fog, 84
 - grid, 84
 - joint, 84
 - light, 84
 - model, 84
 - msgs, 84
 - proto, 84
 - Scene, 84
 - shadows, 84
 - sky, 84
- sdf_filename
 - factory.proto, 44
- seed
 - world_control.proto, 98
- selected
 - selection.proto, 84
- Selection, 28
 - selection.proto, 85
- selection.proto, 84
 - msgs, 84
 - name, 84
 - proto, 84
 - selected, 84
 - Selection, 85
- self_collide
 - link.proto, 64
- Sensor, 29
 - sensor.proto, 85
- sensor
 - joint.proto, 57
 - link.proto, 64
- sensor.proto, 85
 - always_on, 85
 - camera, 85
 - contact, 85
 - id, 85
 - msgs, 85
 - parent, 85
 - parent_id, 85
 - pose, 85
 - proto, 85
 - ray, 85
 - Sensor, 85
 - topic, 86
 - type, 86
 - update_rate, 86
 - visualize, 86
- serialized_data
 - packet.proto, 70
 - response.proto, 83
- server_control.proto, 86
 - msgs, 86
 - new_world, 86
 - open_filename, 86
 - proto, 86
 - save_filename, 86
 - ServerControl, 86
 - stop, 86
- ServerControl, 29
 - server_control.proto, 86
- shader_type
 - material.proto, 67
- Shadows, 29
 - shadows.proto, 87
- shadows
 - scene.proto, 84
- shadows.proto, 87
 - color, 87
 - msgs, 87
 - proto, 87
 - Shadows, 87
- signal_level

- propagation_particle.proto, 79
 - wireless_node.proto, 97
- sim_time
 - diagnostics.proto, 43
- size
 - heightmapgeom.proto, 51
 - planegeom.proto, 73
- Sky, 29
 - sky.proto, 88
- sky
 - scene.proto, 84
- sky.proto, 87
 - cloud_ambient, 88
 - humidity, 88
 - mean_cloud_size, 88
 - msgs, 88
 - proto, 88
 - Sky, 88
 - sunrise, 88
 - sunset, 88
 - wind_direction, 88
 - wind_speed, 88
- slip1
 - friction.proto, 45
- slip2
 - friction.proto, 45
- soft_cfm
 - surface.proto, 91
- soft_erp
 - surface.proto, 91
- solver_type
 - physics.proto, 72
- Sonar, 30
 - sonar.proto, 89
- sonar
 - sonar_stamped.proto, 89
- sonar.proto, 88
 - contact, 88
 - msgs, 88
 - proto, 89
 - radius, 89
 - range, 89
 - range_max, 89
 - range_min, 89
 - Sonar, 89
 - world_pose, 89
- sonar_stamped.proto, 89
 - msgs, 89
 - proto, 89
 - sonar, 89
 - SonarStamped, 89
- SonarStamped, 30
 - sonar_stamped.proto, 89
- sor
 - physics.proto, 72
- specular
 - light.proto, 63
 - material.proto, 67
- sphere
 - geometry.proto, 46
- SphereGeom, 30
 - spheregeom.proto, 90
- spheregeom.proto, 89
 - msgs, 90
 - SphereGeom, 90
- spot_falloff
 - light.proto, 63
- spot_inner_angle
 - light.proto, 63
- spot_outer_angle
 - light.proto, 63
- stamp
 - header.proto, 50
- start
 - fog.proto, 44
- step
 - image.proto, 52
 - world_control.proto, 98
- stop
 - log_control.proto, 65
 - server_control.proto, 86
- submesh
 - meshgeom.proto, 68
- Subscribe, 30
 - subscribe.proto, 90
- subscribe.proto, 90
 - host, 90
 - latching, 90
 - msg_type, 90
 - msgs, 90
 - port, 90
 - Subscribe, 90
- subscriber
 - topic_info.proto, 93
- sunrise
 - sky.proto, 88
- sunset
 - sky.proto, 88
- Surface, 31
 - surface.proto, 91
- surface
 - collision.proto, 40
- surface.proto, 91
 - bounce_threshold, 91
 - collide_without_contact, 91
 - collide_without_contact_bitmask, 91
 - kd, 91
 - kp, 91

- max_vel, 91
- min_depth, 91
- msgs, 91
- proto, 91
- restitution_coefficient, 91
- soft_cfm, 91
- soft_erp, 91
- Surface, 91
- suspension_cfm
 - joint.proto, 57
- suspension_erp
 - joint.proto, 57
- Tactile, 31
 - tactile.proto, 92
- tactile.proto, 92
 - collision_id, 92
 - msgs, 92
 - pressure, 92
 - proto, 92
 - Tactile, 92
 - time, 92
- Test, 31
 - test.proto, 92
- test.proto, 92
 - msgs, 92
 - proto, 92
 - Test, 92
- Texture
 - heightmapgeom.proto, 51
- texture
 - heightmapgeom.proto, 51
 - projector.proto, 78
- threshold
 - imagegeom.proto, 53
- Time, 31
 - time.proto, 93
- time
 - contact.proto, 41
 - contacts.proto, 41
 - joint_animation.proto, 58
 - joint_wrench_stamped.proto, 60
 - pose_animation.proto, 75
 - tactile.proto, 92
- time.proto, 93
 - msgs, 93
 - nsec, 93
 - Time, 93
- time_only
 - world_reset.proto, 99
- topic
 - sensor.proto, 86
- topic_info.proto, 93
 - msgs, 93
 - proto, 93
 - publisher, 93
 - subscriber, 93
 - TopicInfo, 93
- TopicInfo, 32
 - topic_info.proto, 93
- torque
 - wrench.proto, 100
- track
 - gui_camera.proto, 48
- track_visual.proto, 94
 - id, 94
 - inherit_orientation, 94
 - max_dist, 94
 - min_dist, 94
 - msgs, 94
 - TrackVisual, 94
- TrackVisual, 32
 - track_visual.proto, 94
- transparency
 - visual.proto, 96
- type
 - joint.proto, 57
 - light.proto, 63
 - packet.proto, 70
 - response.proto, 83
 - sensor.proto, 86
- update_rate
 - sensor.proto, 86
- use_terrain_paging
 - heightmapgeom.proto, 51
- Vector2d, 32
 - vector2d.proto, 94
- vector2d.proto, 94
 - msgs, 94
 - proto, 94
 - Vector2d, 94
 - y, 94
- Vector3d, 32
 - vector3d.proto, 95
- vector3d.proto, 95
 - msgs, 95
 - proto, 95
 - Vector3d, 95
 - y, 95
 - z, 95
- velocity
 - joint.proto, 57
 - joint_cmd.proto, 59
- velocity_east
 - gps.proto, 47
- velocity_north
 - gps.proto, 47

- velocity_up
 - gps.proto, 47
- vertical_max_angle
 - raysensor.proto, 81
- vertical_min_angle
 - raysensor.proto, 81
- vertical_resolution
 - raysensor.proto, 81
- vertical_samples
 - raysensor.proto, 81
- view_controller
 - gui_camera.proto, 48
- visible
 - visual.proto, 96
- Visual, 33
 - visual.proto, 96
- visual
 - collision.proto, 40
 - link.proto, 64
 - model.proto, 69
- visual.proto, 95
 - cast_shadows, 96
 - delete_me, 96
 - geometry, 96
 - id, 96
 - is_static, 96
 - laser_retro, 96
 - material, 96
 - msgs, 96
 - parent_id, 96
 - parent_name, 96
 - plugin, 96
 - pose, 96
 - proto, 96
 - scale, 96
 - transparency, 96
 - visible, 96
 - Visual, 96
- visualize
 - sensor.proto, 86
- w
 - quaternion.proto, 80
- width
 - heightmapgeom.proto, 51
 - road.proto, 83
- wind_direction
 - sky.proto, 88
- wind_speed
 - sky.proto, 88
- wireless_node.proto, 96
 - frequency, 97
 - msgs, 97
 - signal_level, 97
 - WirelessNode, 97
- wireless_nodes.proto, 97
 - msgs, 97
 - proto, 97
 - WirelessNodes, 97
- WirelessNode, 33
 - wireless_node.proto, 97
- WirelessNodes, 33
 - wireless_nodes.proto, 97
- world
 - contact.proto, 41
- world_control.proto, 97
 - msgs, 98
 - multi_step, 98
 - proto, 98
 - reset, 98
 - seed, 98
 - step, 98
 - WorldControl, 98
- world_modify.proto, 98
 - create, 98
 - msgs, 98
 - remove, 98
 - WorldModify, 98
- world_pose
 - laserscan.proto, 61
 - sonar.proto, 89
- world_reset.proto, 98
 - model_only, 99
 - msgs, 99
 - proto, 99
 - time_only, 99
 - WorldReset, 99
- world_stats.proto, 99
 - iterations, 99
 - model_count, 99
 - msgs, 99
 - pause_time, 99
 - paused, 99
 - proto, 99
 - real_time, 99
 - WorldStatistics, 100
- WorldControl, 33
 - world_control.proto, 98
- WorldModify, 34
 - world_modify.proto, 98
- WorldReset, 34
 - world_reset.proto, 99
- WorldStatistics, 34
 - world_stats.proto, 100
- Wrench, 34
 - wrench.proto, 100
- wrench
 - contact.proto, 41

- wrench_stamped.proto, 100
- wrench.proto, 100
 - msgs, 100
 - proto, 100
 - torque, 100
 - Wrench, 100
- wrench_stamped.proto, 100
 - msgs, 100
 - proto, 100
 - wrench, 100
 - WrenchStamped, 101
- WrenchStamped, 35
 - wrench_stamped.proto, 101

y

- propagation_particle.proto, 79
- quaternion.proto, 80
- vector2d.proto, 94
- vector3d.proto, 95

z

- quaternion.proto, 80
- vector3d.proto, 95